

COMPREHENSIVE VIDEO SECURITY WITH INTELLIGENT ANALYTICS

**IMPACT by Honeywell Value Series
Cameras, NVRs and VMS**



IMPACT
by Honeywell


SMARTER SURVEILLANCE STRONGER PROTECTION

A complete video surveillance range with high-resolution imaging, intelligent analytics, and seamless integration for smarter, proactive security - the IMPACT by Honeywell Value Series IP Cameras deliver exceptional video quality, built-in analytics, and flexible networking for versatile applications across industries. STQC-certified, these cameras meet stringent quality and security standards, ensuring trusted performance across critical environments.

Features




Multiple Edge Base
Analytics



2MP (1920x1080)
@60FPS, 5MP
(2592x1944)@30FPS



Supports Triple
Stream



SD Card Support
up to 256GB



Built-In Audio
or Audio & Alarm
Port- 1in/1out



Metal Housing
& IP67

A COMPLETE VIDEO SURVEILLANCE PRODUCT LINE

The IMPACT Value Series offers a comprehensive range of video surveillance solutions designed for smarter, proactive security. With multiple IP camera variants supported by intelligent network video recorders (NVRs) and a remote management capable VMS, the series ensures high-quality imaging, built-in audio and alarm management, and seamless connectivity across interfaces and protocols. Reliable, versatile, and easy to integrate, it delivers dependable performance across diverse environments and industry applications.



CCTV RANGE



I-HIPD2PI-MF

2MP IP Fix Dome Camera

IR Range upto 30M

Multiple AI Support, TWDR

Built-in Mic

Triple-Stream

Metal, IP 67



I-HIPD2PI-MVF

2MP IP Fix Vandal Dome Camera

IR Range upto 30M

Multiple AI Support, TWDR

Alarm/Audio Port: 1/1

Triple-Stream

Vandal IK10, Metal, IP67



I-HIPD2PI-MV

2MP IP Motorized Dome Camera

IR Range Upto 30M

Multiple AI Support, TWDR

Alarm/Audio Port: 1/1

Triple-Stream, Lens 2.8~12MM

Vandal IK10, Metal, IP67



I-HIPD5PI-MF

5MP IP Fix Dome Camera

IR Range upto 30M

Multiple AI Support, TWDR

Built-in Mic

Triple-Stream

Metal Housing, IP67



I-HIPD5PI-MVF

5MP IP Fix Vandal Dome Camera

IR Range upto 30M

Multiple AI Support, TWDR

Alarm/Audio Port: 1/1

Triple-Stream

Vandal IK10, Metal, IP67



I-HIPD5PI-MV

5MP IP Motorized Dome Camera

IR Range Upto 30M

Multiple AI Support, TWDR

Alarm/Audio Port: 1/1

Triple-Stream, Lens 2.8~12MM

Vandal IK10, Metal, IP67

CCTV RANGE



I-HIPB2PI-MF

2MP IP Fix Bullet Camera

IR Range upto 30M

Multiple AI Support, TWDR

Built-in Mic

Triple-Stream

Metal Housing, IP67



I-HIPB2PI-MV

2MP IP Motorized Bullet Camera

IR Range upto 50M

Multiple AI Support, TWDR

Alarm/Audio Port: 1/1

Triple-Stream, Lens 2.8~12mm

Metal Housing, IP67



I-HIPB2PI-LPD

2MP IP Bullet Camera License Plate Detection

IR Range upto 80M

Multiple AI Support, TWDR

Alarm/Audio Port: 1/1

Triple-Stream, Lens 5~50mm

Metal Housing, IP67



I-HIPB5PI-MF

5MP IP Fix Bullet Camera

IR Range upto 30M

Multiple AI Support, TWDR

Built-in Mic

Triple-Stream

Metal Housing, IP67



I-HIPB5PI-MV

5MP IP Motorized Bullet Camera

IR Range upto 50M

Multiple AI Support, TWDR

Alarm/Audio Port: 1/1

Triple-Stream, Lens 2.8~12mm

Metal Housing, IP67



I-HIPB5PI-LPD

5MP IP Bullet Camera License Plate Detection

IR Range upto 80M

Multiple AI Support, TWDR

Alarm/Audio Port: 1/1

Triple-Stream, Lens 5~50mm

Metal Housing, IP67

NVR RANGE

IMPACT VALUE SERIES NVRs



I-HPNVR-416

16CH 4Sata NVR

Throughput:

320Mbps incoming
320Mbps outgoing

4 SATA interfaces,
upto 12TB

Multiple AI & RAID
0,1 Support

2×RJ45, 2 HDMI
Port, 1VGA



I-HPNVR-432

32CH 4Sata NVR

Throughput:

320Mbps incoming
320Mbps outgoing

4 SATA interfaces,
upto 12TB

Multiple AI & RAID
0,1 Support

2×RJ45, 2 HDMI
Port, 1VGA



I-HPNVR-464

64CH 4Sata NVR

Throughput:

640Mbps incoming
640Mbps outgoing

4 SATA interfaces,
upto 18TB

Multiple AI & RAID
0,1,5,6,10 Support

2×RJ45, 4 HDMI Port



I-HPNVR-864

64CH 8Sata NVR

Throughput:

640Mbps incoming
640Mbps outgoing

8 SATA interfaces,
upto 18TB

Multiple AI & RAID
0,1,5,6,10 Support

2×RJ45, 4 HDMI Port



I-HPNVR-1664

64CH 16Sata NVR

Throughput:

640Mbps incoming
640Mbps outgoing

16 SATA interfaces,
upto 18TB

Multiple AI & RAID
0,1,5,6,10 Support

2×RJ45, 4 HDMI Port



I-HPNVR-16256

256CH 16Sata NVR

Throughput:

1024Mbps incoming
800Mbps outgoing

16 SATA interfaces,
upto 18TB

Multiple AI & RAID
0,1,5,6,10 Support

2×RJ45, 4 HDMI Port

IMPACT VALUE SERIES

AI FEATURES




FACE DETECTION
(FD)



CROSS COUNTING
(CC)




PERIMETER INTRUSION
DETECTION (PID)



LICENSE PLATE DETECTION
(LPD)



STATIONARY OBJECT DETECTION
(SOD)



LINE CROSSING DETECTION
(LCD)



HUMAN & VEHICLE DETECTION
(PD & VD)



QUEUE LENGTH DETECTION
(QD)



RARE SOUND DETECTION
(RSD)



HEAT MAP
(HM)



CROWD DENSITY DETECTION
(CD)

I-Connect VMS

I-Connect VMS

A streamlined remote surveillance management solution with mobile or desktop device access to multiple locations, I-Connect VMS enables enhanced situational awareness. It offers robust recording and playback capabilities, real-time alerts, proactive system health monitoring and an integrated dashboard with customizable views - powered by real-time analytics.



KEY FEATURES

Unified Surveillance Platform

NVR Healthcheck and Recordings
View Download Access

Centralized Dashboard

CERT-In Certified VMS

Web based monitoring

AI Event Alerts via Edge Camera/NVR
to Email, Telegram, WhatsApp

Adaptive Streaming

VERSATILE APPLICATIONS ACROSS INDUSTRIES



Retail Outlets



Office Spaces



Educational Institutions



Residential Properties



Industrial Spaces

Email: enquiry.mms@honeywell.com
Website: www.honeywellbuildings.in
Tech Support No.: 0008000502167
RMA Support No.: 18001034761

IMPACT A5 Leaflet | 01 | 09/25
©2025 Honeywell International Inc.

IMPACT
by Honeywell