

# TermaVIDA<sup>®</sup>



Product catalog 2025



Smart Termo  
Internal Warmth

# TermaVIDA<sup>®</sup>

## Panel Heating System



Patented wall and ceiling insulation system, combined with dual-stage heating/cooling.

- Level 1 – wall/ceiling heating for rooms.
- Level 2 – Protection of exterior walls from moisture (dew point).



Revolutionary method in internal wall insulation combines a variety of functions.



**Thermal insulation of buildings, including the thermal insulation of buildings protected by heritage conservation authorities.**



**Room heating**



**Room cooling**



**Easy installation of electrical cables.**




**Refinement of wall and ceiling surfaces**

# A key advantage of the TermaVIDA<sup>®</sup> system is heating through radiation



Radiant heating

Radiant heating is currently one of the healthiest and most comfortable heating solutions. It works similarly to sunlight. The infrared wave does not heat the air directly, as with convection heating, but instead warms people and objects around it. This type of heating ensures that heat is absorbed by everything within its operating range, even if the air is cool. In the TermaVIDA<sup>®</sup> system, the principle of radiant heating operates with both wall-mounted and ceiling-mounted panels.



Convective heating

# Features of TermaVIDA<sup>®</sup> panels.

**PATENTED**

Uniqueness of the solution,  
confirmed by patents.

Fire behavior class B.



Heat transfer coefficient  
 $\lambda=0,022\text{W/mK}$

Prevention of dew point  
formation on building partition  
surfaces.




Elimination of mold and  
fungal growth

Versatility of installation  
and aesthetics.




European CE Conformity





# Construction of the TermaVIDA<sup>®</sup> heating panel.



# TermaVIDA<sup>®</sup> an innovative heating and insulation solution for



everyone who wants to reduce the costs of heating buildings



for those who value thermal comfort in winter and cooling in summer



those who want to replace their heating system with low-temperature heating and do not have underfloor heating.



those who want to keep the exterior facade of the building intact



Heritage-listed buildings



Houses with facades made of brick, clinker, stone, and wood



Individual apartments in multi-family buildings – the system offers the possibility to insulate even a single room from the inside

The versatility of the solution allows it to be used both in newly constructed facilities and in existing buildings.

The system is especially recommended when, for various reasons, it is not possible to alter the appearance of the facade or improve energy efficiency through traditional external insulation.

# Terma VIDA<sup>®</sup> Standard System

## Heating Panel - Standard



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	1200	65	PG151265
2000	1200	65	PG201265
2600	1200	65	PG261265
3000	1200	65	PG301265
1500	600	65	PG150665
2000	600	65	PG200665
2600	600	65	PG260665
3000	600	65	PG300665

## Supplementary Heating Panel - Standard



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	1200	65	PU151265
2000	1200	65	PU201265
2600	1200	65	PU261265
3000	1200	65	PU301265

## Window Heating Panel - Standard



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1000	1200	65	PO101265
1000	600	65	PO100665
2600	1200	65	PO261265
3000	1200	65	PO301265

## Internal Corner - Standard



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	200	65	NW150265
2000	200	65	NW200265
2600	200	65	NW260265
3000	200	65	NW300265

## External Corner - Standard



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	200	65	NZ150265
2000	200	65	NZ200265
2600	200	65	NZ260265
3000	200	65	NZ300265

## Left Door Panel - Standard



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
2600	1200	65	DL261265
3000	1200	65	DL301265
2600	600	65	DL260665
3000	600	65	DL300665

## Right Door Panel - Standard



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
2600	1200	65	DP261265
3000	1200	65	DP301265
2600	600	65	DP260665
3000	600	65	DP300665

## Heating and Compensation Panel - Standard



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	1200	65	PK151265
2000	1200	65	PK201265
2600	1200	65	PK261265
3000	1200	65	PK301265



# Terma VIDA® Plus System

## Heating panel - Plus



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	1200	115	PG1512115
2000	1200	115	PG2012115
2600	1200	115	PG2612115
3000	1200	115	PG3012115
1500	600	115	PG1506115
2000	600	115	PG2006115
2600	600	115	PG2606115
3000	600	115	PG3006115

## Supplementary Heating Panel - Plus



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	1200	115	PU1512115
2000	1200	115	PU2012115
2600	1200	115	PU2612115
3000	1200	115	PU3012115

## Window Heating Panel - Plus



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1000	1200	115	PO1012115
1000	600	115	PO1006115
2600	1200	115	PO2612115
3000	1200	115	PO3012115

## Internal Corner - Plus



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	300	115	NW1503115
2000	300	115	NW2003115
2600	300	115	NW2603115
3000	300	115	NW3003115

## External Corner - Plus



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	300	115	NZ1503115
2000	300	115	NZ2003115
2600	300	115	NZ2603115
3000	300	115	NZ3003115

## Left Door Panel - Plus



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
2600	1200	115	DL2612115
3000	1200	115	DL3012115
2600	600	115	DL2606115
3000	600	115	DL3006115

## Right Door Panel - Plus



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
2600	1200	115	DP2612115
3000	1200	115	DP3012115
2600	600	115	DP2606115
3000	600	115	DP3006115

## Heating and Compensation Panel - Plus



Height [mm]	Width [mm]	Thickness [mm]	Catalog number
1500	1200	115	PK1512115
2000	1200	115	PK2012115
2600	1200	115	PK2612115
3000	1200	115	PK3012115

# Additional elements

Name	Catalog number
STANDARD mounting brackets L-50mm 21Stk/Pk	ED000001
STANDARD mounting brackets L-100mm 21Stk/Pk	ED000002
PLUS mounting brackets L-50mm 21Stk/Pk	ED000003
PLUS mounting brackets L-100mm 21Stk/Pk	ED000004
Grease for connections Hep20 400ml	ED000005
Pipe cap 22 internal	ED000006
Pipe cap 22 external	ED000007
Threaded adapter 22x3-4" GW	ED000008
Threaded adapter 22x3-4" GZ	ED000009
Wrench for disassembling fi10mm fittings	ED000010
Wrench for disassembling fi15mm fittings	ED000011
Wrench for disassembling fi22mm fittings	ED000012
Repair kit fi10mm	ED000013

# Product catalog 2025

TermaVIDA<sup>®</sup>



[www.smarttermo.co.uk](http://www.smarttermo.co.uk)



## Contact details



+44 7711885930



[contact@smarttermo.co.uk](mailto:contact@smarttermo.co.uk)



Smart Termo  
Internal Warmth





