

Companion Plants for Your Vegetable Garden

The table below lists some commonly held beliefs about the uses of companion plants with vegetables.

Plant Name	Companion to:	What It Is Believed To Do (Good & Bad)
Alliumflowering onions, chives, garlic, leek, onion and shallot	Roses, carrots, tomato, fruit trees, other vegetables	Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. Protects roses from black spot, mildew and aphids. BUT is believed to inhibit growth of peas & beans.
Basil	Tomato, asparagus	Repels aphids, flies, mosquitos and mites; helps control insect pests such as tomato hornworms, asparagus beetles, and disease.
Bush beans (Butter, green, snap, string, wax)	Beets, carrots, cucumber, corn, eggplant, potato, strawberry	Encourages growth of companion plant. Adds nitrogen to the soil. Green beans protect eggplant from the Colorado potato beetle.
Borage	Tomato, strawberry, fruit orchards	Repels tomato worms. Adds potassium, calcium and other minerals to soil. Attracts honeybees.
Broad beans	Corn	Add nitrogen to soilwhich is needed by corn. Bean vines grow up corn stalks, thus anchoring corn more firmly and the vines discourage raccoons.
Chamomile	Cabbage, onions	Improves growth and flavorbut plant only one plant every 150 feet or so.
Castor Bean	Vegetables	Repels moles and plant lice. CAUTION: All parts of the castor bean plant are poisonous, especially the seeds!
Catnip	Eggplant	Fresh catnip steeped in water and sprinkled on plants will drive away flea beetles.
Celery	Cabbage, leeks, tomato, cauliflower	Improves growth of companion plants. Repels white cabbage butterflies.
Chervil	Radish	Improves growth and flavor.
Chive	Carrots	Improves growth and flavor.
Coriander	Vegetables	Repels aphids. Attracts bees.

Cucumber Cucumb			
Fennel Most plants dislike fennel—so plant it away from the vegetable garden. Its foliage and flowers may attract beneficial insects. Geranium Cabbage, corn, grapes, roses Horseradish Potato Encourages growth. May repel Colorado potato beetles and blister beetles. Hyssop Cabbage, grapes Improves growth, deters cabbage moth. Leek Carrots, celery, onions Encourages growth, deters cabbage moth. Improves growth, deters Mexican bean beetles and other pests. Discourages harmful nematodes, if they are grown for several seasons in the ground in areas that have nematode infestations. Mint Tomato, cabbage Improves flavor and growth Cabbage, cauliflower, radish, Brussels sprouts, turnips, collards, kohlrabi Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Oregano Broccoli Repels cabbage butterfly. Asparagus carrots, tomato, roses.	Cucumber	peas, radish,	
Fennel from the vegetable garden. Its foliage and flowers may attract beneficial insects. Geranium Cabbage, corn, grapes, roses Horseradish Potato Encourages growth. May repel Colorado potato beetles and blister beetles. Hyssop Cabbage, grapes Improves growth, deters cabbage moth. Leek Carrots, celery, onions Improves growth, deters cabbage moth. Leek Encourages growth, deters cabbage moth. Improves growth, repels carrot flies. Encourages growth, deters Mexican bean beetles and other pests. Discourages harmful nematodes, if they are grown for several seasons in the ground in areas that have nematode infestations. Mint Tomato, cabbage cauliflower, radish, Brussels sprouts, turnips, collards, kohlrabi Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, fruit trees. Cabbage, cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Oregano Broccoli Repels cabbage butterfly. Asparagus carrots, tomato, roses. Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Dill	Cabbage	
Horseradish Potato Encourages growth. May repel Colorado potato beetles and blister beetles.	Fennel		from the vegetable garden. Its foliage and
Hyssop Cabbage, grapes Improves growth, deters cabbage moth. Leek Carrots, celery, onions Encourages growth, deters Mexican bean beetles and other pests. Discourages harmful nematodes, if they are grown for several seasons in the ground in areas that have nematode infestations. Mint Tomato, cabbage Cabbage, cauliflower, radish, Brussels sprouts, turnips, collards, kohlrabi Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, comato, lettue, strawberry, chamomile, summer savory Oregano Parsley Cabbage geables and other pests. Discourages harmful nematodes, if they are grown for several beetles and other pests. Discourages harmful nematodes, if they are grown for several seasons in the ground in areas that have nematode infestations. Improves growth, deters cabbage moth. Improves growth, deters debages moth. Improves growth, deters debage moth. Improves growth, deters Mexican bean beetles. Improves growth, deters Mexican bean beetles. Improves growth, deters Mexican bean beetles. Improves growth, deters debage moth. Improves growth, deters Mexican bean beetles. Improves growth, deters Mexican bean beetles in proves growth, deters asparagus beetles. Improves growth, deters Mexican bean beetles in proves growth. Improves growth, deters devices mexican beau beetles in grown for several seasons in the grown for several seasons in the grown for several seasons in the ground in areas that have nematodes infestations. Improves growth, deters Mexican bean beetles in grown for several seasons in the ground in areas that have nematodes infestations. Improves growth, deters Mexican beats. Improves growth, deters Mexican beats. Improves growth, deters device in grown for several seasons in the g	Geranium		Repels cabbage worms, Japanese beetles.
Leek Carrots, celery, onions Improves growth, repels carrot flies. Tomato, potato, strawberry, beans, roses Mint Tomato, cabbage Cabbage, cauliflower, radish, Brussels sprouts, turnips, collards, kohlrabi Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Oregano Carrots, celery, onions Encourages growth, deters Mexican bean beetles and other pests. Discourages harmful nematodes, if they are grown for several seasons in the ground in areas that have nematode infestations. Improves flavor and growth Plant mustard as a trap crop. It attracts numerous insect pests. Remove and destroy it before your main crops can be harmed. Cucumber, Squash, other vegetables, fruit trees and squash bugs. Acts as trap crop for aphids. Repels borers near fruit trees. Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of peas & beans. Parsley Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Horseradish	Potato	
Improves growth, repels carrot files. Tomato, potato, strawberry, beans, roses seasons in the ground in areas that have nematode infestations. Mint Tomato, cabbage Improves flavor and growth Cabbage, cauliflower, radish, Brussels sprouts, turnips, collards, kohlrabi Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Oregano Broccoli Repels aphage, caulity, carrot files. Encourages growth, deters Mexican bean beetles and other pests. Discourages harmful nematodes, if they are grown for several seasons in the ground in areas that have nematode infestations. Plant mustard as a trap crop. It attracts numerous insect pests. Remove and destroy it before your main crops can be harmed. Repels aphids, cucumber beetles, whiteflies and squash bugs. Acts as trap crop for aphids. Repels borers near fruit trees. Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of peas & beans. Parsley Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Hyssop	Cabbage, grapes	Improves growth, deters cabbage moth.
Tomato, potato, strawberry, beans, roses seasons in the ground in areas that have nematode infestations. Mint Tomato, cabbage lmproves flavor and growth Cabbage, cauliflower, radish, Brussels sprouts, turnips, collards, kohlrabi Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, radish, Brussels sprouts, turnips, collards, kohlrabi Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Oregano Broccoli Parsley Asparagus carrots, tomato, roses. Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Leek		Improves growth, repels carrot flies.
Cabbage, cauliflower, radish, Brussels sprouts, turnips, collards, kohlrabi Nasturtiums Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Parsley Cabbage, cauliflower, broccoli Broccoli Asparagus carrots, tomato, roses. Plant mustard as a trap crop. It attracts numerous insect pests. Remove and destroy it before your main crops can be harmed. Repels aphids, cucumber beetles, whiteflies and squash bugs. Acts as trap crop for aphids. Repels borers near fruit trees. Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of peas & beans. Deters carrot flies and rose beetles. Improves growth. Deters carrot flies and rose beetles.	Marigold	strawberry,	beetles and other pests. Discourages harmful nematodes, if they are grown for several seasons in the ground in areas that have
Cucumber, Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Coregano Cauliflower, Faraite sprouts, turnips, collards, kohlrabi Cucumber, Squash, other vegetables, fruit trees. Repels aphids, cucumber beetles, whiteflies and squash bugs. Acts as trap crop for aphids. Repels borers near fruit trees. Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of peas & beans. Oregano Broccoli Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of peas & beans. Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Mint	Tomato, cabbage	Improves flavor and growth
Nasturtiums Squash, other vegetables, fruit trees. Cabbage, cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Oregano Broccoli Broccoli Asparagus carrots, tomato, roses. Repels aphids, cucumber beetles, whitefiles and squash bugs. Acts as trap crop for aphids. Repels borers near fruit trees. Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of peas & beans. Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Mustard	cauliflower, radish, Brussels sprouts, turnips,	numerous insect pests. Remove and destroy it
Cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile, summer savory Oregano Broccoli Asparagus carrots, tomato, roses. Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of peas & beans. Persley Repels aphids, weevils, carrot flies, moles, fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of peas & beans. Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Nasturtiums	Squash, other vegetables, fruit	and squash bugs. Acts as trap crop for aphids.
Parsley Asparagus carrots, tomato, roses. Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Onion	cauliflower, broccoli, beets, tomato, lettuce, strawberry, chamomile,	fruit tree borers; controls rust flies and some nematodes; protects tomatoes against red spiders. BUT is believed to inhibit growth of
Parsley carrots, tomato, roses. Deters asparagus beetles. Improves growth. Deters carrot flies and rose beetles.	Oregano	Broccoli	Repels cabbage butterfly.
Peanuts Corn, squash Encourages growth of corn and squash.	Parsley	carrots, tomato,	
	Peanuts	Corn, squash	Encourages growth of corn and squash.

Peas	Corn	Adds nitrogen to soil for use by hungry corn plants. Grows well with carrots, turnip, radish, cucumber, beans and potatoes.
Peanut	Various plants	Excellent soil builder. Can make a good ground cover in a nut tree orchard.
Pennyroyal	Broccoli, Brussels sprouts, cabbage, other plants.	Discourages ants, plant lice, cabbage maggots.
Pyrethrum	Various plants	Repels aphids, leafhoppers, spider mites, harlequin bugs, ticks, pickleworms and imported cabbage worms.
Radish	Cucumber	Deters cucumber beetles.
Rosemary	Carrots, cabbage, beans	Repels carrot flies, bean beetles, cabbage moths.
Rue	Roses, raspberries	Repels Japanese beetles.
Sage	Carrots, various	Repels carrot flies, cabbage moths, ticks.
Snap beans	Corn	Enhances growth of corn.
Soybeans	Corn	Enhances growth of corn and other heavy feeders by adding nitrogen to the soil. Repels chinch bugs and Japanese beetles.
Spearmint	Various plants	Deters ants, aphids.
Sweet pepper	Basil, okra	Improves growth.
Summer savory	Green beans	Improves growth, deters bean beetles.
Tansy	Cucumber, squash, roses, grapes, raspberry, blackberry.	Deters flying insects, striped cucumber beetles, ants, flies, squash bugs and Japanese beetles. BUT, attracts imported cabbageworms.
Toads (Okay, toads aren't plantsbut they sure make the greatest companions for many plants.)	Various plants	One toad may eat as many as 10-thousand insects in a three-month period! Insects on toad's menu include cutworms, crickets, grubs, rose chafers, rose beetles, caterpillars, ants, squash bugs, sow bugs, potato beetles, moths, mosquitos, flies, slugs and even moles.
Tomato	Roses	Protects roses from black spot.
Thyme	Cabbage	Controls flea beetles, cabbage maggots, imported cabbageworms and white cabbage butterflies.
Wormwood	Various plants	Deters black flea beetles, malaria mosquitos, cabbage worm butterflies.