

SNAPPY EYEGLOSS CASE INSTRUCTIONS

Required:

2 pieces of 3/4" metal tape x 3 inches per case

batting 15 x 4.5 inches

outside fabric 15 x 4.5 inches

inside fabric 19 x 4.5 inches

triangle (2) 2 inch squares

masking tape or painter's tape

Walking foot is helpful

1. cover each of the sharp ends of the metal tape measure with tape
2. fold the 2 inch squares into triangles. press and set aside
3. on the inside fabric(lining) fold then iron down 1/2 inch on each end
4. layer / sandwich / pin the inside 19" fabric (wrong side up), then center the batting and then the outside 15" fabric (right side up).
5. turn down the lining from each side . place triangle tab in center, press and sew down 1/8" from edge to secure the tabs (this will leave an opening for the metal tab to slide into)
6. fold entire piece in half with the lining on the outside, lining up the edges. Sew down 1/2" each side from the stitch line.
7. insert metal pieces into each end being careful to orient it so that the curve faces the outside of the glass case.
8. Sew each top of the sides closed. Zig zag stitch down each side.
9. Your choice to either box the bottoms (1/2 ") , round the bottom by tapering stitching or leave it as is.
10. turn inside out and press if desired

** Option to quilt the fabrics, or to machine applique design on outside, or to use some of your decorative stitches as a design





