

INDUSTRIAL SOLUTIONS PRODUCT GUIDE

WD-40 COMPANY

YOU KNOW THE WD-40® BRAND NAME,

BUT DO YOU KNOW ALL IT CAN DO FOR YOUR INDUSTRIAL JOBS?

OUR TIME-TESTED FORMULAS HAVE BEEN SOLVING PROBLEMS ACROSS A VARIETY OF INDUSTRIES FOR MORE THAN 70 YEARS.

From metal fabrication operations to property management, MRO pros can count on WD-40® Brand products to keep their facilities moving with versatile delivery systems that offer a unique combination of safe, powerful, and specialized formulas designed to increase efficiency, reduce downtime, and minimize risk—everything you need to get the Job Done Right®.



OUR MOST ADVANCED FORMULAS DESIGNED TO EXCEL IN THE TOUGHEST INDUSTRIAL ENVIRONMENTS

Lab testing shows that WD-40 Brand products outperform other brands in critical performance tests for dependability and value you can count on.



REDUCE DOWNTIME AND PROTECT YOUR FACILITY'S ASSETS

WD-40 Brand products help protect assets to promote longer equipment life, prevent unscheduled downtime due to unexpected equipment failure, and help avoid accidents and injinjuries caused by poorly maintained equipment.



SAFETY AND COMPLIANCE ARE OUR TOP PRIORITIES

WD-40 Brand products are formulated with clean solvents and oils that have been treated to remove harmful (chemical) contaminants. Our products do not require warnings against significant exposure to chemicals that cause cancer, birth defects, or other reproductive harm.*

* WD-40 Brand products do not require California cancer warnings (Prop 65).



INDUSTRY-LEADING, INNOVATIVE SOLUTIONS MAKE YOUR JOB EASIER

WD-40 Brand has been a trusted name in maintenance products for more than 70 years. We strive to continuously improve and innovate with products designed to tackle any challenge.



INTRODUCING THE WD-40® BRAND JOB DONE RIGHT® SYSTEM

EXPERIENCE A COMPREHENSIVE SOLUTION DESIGNED TO PROTECT YOUR EQUIPMENT AT EVERY STAGE WITH THE WD-40 BRAND JOB DONE RIGHT SYSTEM. This end-to-end approach ensures optimal performance, reduces the risk of failures, and keeps your machinery running smoothly.



START EVERY JOB WITH THOROUGH PREPARATION:

- Inspect the surface for damage, premature wear, rust, or debris
- Address necessary repairs
- Verify and confirm functional operation
- Remove rust or debris as needed



CLEAN YOUR SURFACE FOR OPTIMAL LUBRICATION:

- The Job Done Right System ensures a pristine surface for maximum effectiveness
- Apply a WD-40 Specialist® cleaner to eliminate surface contaminants, grease and grime and to prepare the surface for lubrication
- Allow the surface to dry completely
- Conduct a final inspection before lubrication



EXPERIENCE SUPERIOR PERFORMANCE WITH THE BEST LUBRICATION PRODUCTS ON THE MARKET:

- The Job Done Right System guarantees the perfect product match for your specific application
- Apply the appropriate WD-40 Brand lubricant to your equipment
- Allow the product to penetrate and work into the surface
- Proceed to the protection step when ready



SAFEGUARD YOUR HARD WORK WITH THE TRUSTED PROTECTION OF THE WD-40 BRAND:

- The Job Done Right System is engineered to deliver products that maximize performance, minimize downtime and help prevent equipment failures
- Choose the appropriate product to help shield the surface for long-term protection in tough environments
- Regularly inspect the surface for damage and premature wear to maintain optimal performance



Found this product by WD-40® Brand is absolutely perfect and the best out of any other product on the market that we have tried!"

LUBRICANTS & PENETRANTS

We offer an assortment of fast-acting lubricants that are proven to withstand the high-performance environments in which you work. They'll keep parts moving smoothly, unstick stuck parts quickly and deliver long-lasting performance to keep operations running.

WD-40 SPECIALIST

- Silicone
- White Lithium Grease
- Dry Lube
- Gel Lube
- Roller Chain Lube
- Penetrant

WD-40 Specialist® Brand products are represented using new can design and will vary in availability as we work through a rolling change.

WD-40 SPECIALIST

SILICONE

It lubricates. It resists water. It protects surfaces from rust.
Better yet? It won't leave a sticky mess!



NSF Nonfood Compounds H2

50-STATE VOC COMPLIANT

FEATURES

- **Lubricates, resists water, and protects metal and non-metal surfaces**
- **Safe to use on most common application surfaces including most metals, plastics, rubbers, and vinyl when used as directed**
- **Working temperature range – -100°F to 500°F**

APPLICATIONS

Nuts, bolts, pins, screws, bushings, cables, pulleys, sliding mechanisms, valves, linkages, hinges, locks


Scan now to view our Safety Data Sheet (SDS)



Providing at least 50% greater wear protection than the competition, our industrial formula delivers the ultimate lubrication for less frequent reapplications.*



4 BALL WEAR TEST



Results show width of scar at specified times. **Lower number means less scarring and better protection for longer periods of time.**

*Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); ASTM D4172; Test dates: 03/2023; 06/2024. Competitors tested: 3M™Silicone Lubricant, CRC® Heavy-Duty Silicone, Sprayon® All-Purpose Silicone Lubricant, B'laster® Industrial Strength Silicone Lubricant, DuPont™ Silicone Surface Safe Lubricant, Liquid Wrench® Silicone Spray. B'laster® is a registered trademark of B'laster Chemical Company Inc. Liquid Wrench® is a registered trademark of B'laster Chemical Company Inc. CRC® is a registered trademark of CRC Industries Inc. 3M™ is a registered trademark of 3M Company. DuPont™ is a trademark of DuPont de Nemours, Inc. Sprayon® is a registered trademark of Sherwin-Williams Company.

ITEM #: 30001	NET WEIGHT: 11 OZ.	CASE ORDER #: 300012	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

WHITE LITHIUM GREASE

Have a job that requires heavy-duty lubrication? WD-40 Specialist® White Lithium Grease sprays on evenly as a liquid and sets dry for a thick, protective coating that won't run off, making it a perfect match for metal-to-metal applications.

FEATURES

- **Long-lasting lubrication and protection**
- **Leaves a rust-inhibiting barrier**
- **Won't freeze, melt or run off, even under extreme pressures**
- **Working temperature range – 0°F to 300°F**

APPLICATIONS

Hinges, chains, linkages, latches, overhead door tracks, pulleys, cables and guide rails, tow bars, gear, sprockets, and brake mechanisms

Scan now to view our Safety Data Sheet (SDS)

Nonfood Compounds H2

50-STATE VOC COMPLIANT



Withstands at least 75% more pressure than the competition for reduced wear and downtime even under heavy loads.*



EXTREME PRESSURE TEST



Test measures the load carrying properties of a lubricant. **Higher number is better.**

*Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); ASTM D3233A; Test date: 10/2024. The load displayed for each product was obtained by averaging the results of three trials. Competitors tested: B'laster® White Lithium Grease, LPS® White Lithium Grease, CRC® White Lithium Grease. B'laster® is a registered trademark of B'laster Chemical Company Inc.; LPS® is a registered trademark of LPS Laboratories; CRC® is a registered trademark of CRC Industries Inc.

ITEM #: 30061	NET WEIGHT: 10 OZ.	CASE ORDER #: 300615	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

DRY LUBE

WD-40 Specialist Dry Lube provides superior lubrication and long-lasting corrosion protection with no sticky residue. Best used where cleanliness and maximum performance are required, as the resulting lubricating film resists dirt and dust buildup.

FEATURES

- **Reduces friction and wear, and enhances performance**
- **Resists dirt and dust accumulation**
- **Safe to use on most common application surfaces, including most metals, plastics, and rubbers, when used as directed**

APPLICATIONS

Blades and bits, tracks, slides, pulleys, hinges, machine parts, switches, conveyor belts, rollers, table saws, drills, lathes, and other power tools and equipment


Scan now to view our Safety Data Sheet (SDS)

Nonfood Compounds H2

50-STATE VOC COMPLIANT



Provides 2x the wear protection of most of the competition.[1]



REDUCES FRICTION AND WEAR ON:



[1]Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ) ASTM D4172 – Modified Duration (30 min); Test dates 1/2025-2/2025. Competitors tested: Super Lube® Dri-Film Lubricant, CRC® Dry Graphite Lube, CRC® Dry Moly Lube, B'laster® Industrial Graphite Dry Lubricant; B'laster® Advanced Dry Lube. B'laster® is a registered trademark of B'laster Chemical Company Inc. CRC® is a registered trademark of CRC Industries Inc. Super Lube® is a registered trademark of Kano Laboratories Inc.

ITEM #: 30005	NET WEIGHT: 10 OZ.	CASE ORDER #: 300059	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

WD-40 SPECIALIST

GEL LUBE

PREP IT · CLEAN IT · PROTECT IT · LUBE IT

50-STATE VOC COMPLIANT

Our unique gel lubricant goes on thick and won't drip. It forms a robust gel coating that resists water and offers excellent, long-lasting protection against wear and corrosion. The coating clings tightly, even to vertical surfaces, to resist drip and fling off.

FEATURES

- **Thick, no drip, non-fling**
- **Stays where you spray it; perfect for vertical surfaces**
- **Safe to use on most common application surfaces, including most metals and plastics, when used as directed**
- **Working temperature range – -50°F to 500°F**

APPLICATIONS

Chains, cables, gears, rollers, moving parts, vertical surfaces

Scan now to view our Safety Data Sheet (SDS)

Provides 2x the wear protection of the competition for extended equipment life and reduced downtime.[1]







ITEM #: 30010	NET WEIGHT: 10 OZ.	CASE ORDER #: 300103	CASE UNITS: 6/CASE

[1] Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); ASTM D4172; Test dates: 09/2023; 11/2024

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

WD-40 SPECIALIST

ROLLER CHAIN LUBE

PREP IT · CLEAN IT · PROTECT IT · LUBE IT

50-STATE VOC COMPLIANT

Thickens, resists dirt, stays put—Advanced Ceramic Reinforced lubricant sprays on thin to penetrate deep into the chain and then dries to provide long-lasting lubrication, even with chains operating at high RPMs.

FEATURES

- **Protects chains from premature breakage***
- **Non-fling at high RPM**
- **Provides long-lasting lubrication**
- **Ceramic-reinforced formula**


APPLICATIONS

Chains, sprockets, chain links, O-ring chains

Scan now to view our Safety Data Sheet (SDS)

Penetrates inner chain links, O-rings, pins and bushings, and stays in place to protect.







ITEM #: 30049	NET WEIGHT: 10 OZ.	CASE ORDER #: 300493	CASE UNITS: 6/CASE

* Based on proper chain maintenance extending the life of the chain. Proper maintenance for roller chain is cleaning and lubricating external parts (chains and sprockets), and also the internal parts (chain links).

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

PENETRANT AND PENETRANT WITH EZ-REACH®

Innovative and proven effective, this rust-busting formula gets into tight crevices, threads, locks, chains, and seams to break bonds that hold stuck parts together. Utilize EZ-Reach, the eight-inch flexible straw that bends and keeps its shape, to access hard-to-reach spaces or try the Smart Straw® Sprays 2 Ways® for jobs that require precision.



50-STATE VOC COMPLIANT

FEATURES

- **Proprietary penetrating formula releases tough rusted parts with minimal effort**
- **Fast-acting, low odor formula penetrates deep into crevices, threads, and seams**
- **Prevents rust and corrosion from re-forming**
- **Safe to use on most common application surfaces, including most metals, plastics, and rubbers when used as directed**
- **Working temperature range – 0°F to 400°F**

APPLICATIONS

Rusted metal threads, nuts, bolts, pins, screws, bushings, cables, pulleys, sliding mechanisms, valves, linkages, hinges, locks, chains


Scan now to view our Safety Data Sheet (SDS)

Penetrates 2X faster than most competitors for less downtime and faster return to service.*

Provides 3X greater protection from surface rust than most competitors for extended equipment life.**




NAIL CLIMB TEST



Test measures the penetrating ability of a fluid. **The less time to penetrate, the better.**

*Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); Penetration speed measured using nail climb (time to reach 1.75cm); Test dates: 03/2023; 07/2024; B'laster is a registered trademark of the B'laster Chemical Company, Inc.; Kroil is a registered trademark of Kano Laboratories.; CRC Knock'er Loose is a registered trademark of CRC Industries, Inc.

SALT SPRAY CORROSION PROTECTION TEST



This test is used to measure the level of corrosion protection provided by a test fluid.

**Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); ASTM B117; Test date: 03/2023.; B'laster is a registered trademark of the B'laster Chemical Company, Inc.; Kroil is a registered trademark of Kano Laboratories.; CRC Knock'er Loose is a registered trademark of CRC Industries, Inc.

PENETRANT

ITEM #: 30000	NET WEIGHT: 11 OZ.
CASE ORDER #: 300004	CASE UNITS: 6/CASE

PENETRANT WITH EZ-REACH®

ITEM #: 30048	NET WEIGHT: 13.5 OZ.
CASE ORDER #: 300486	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



“Exactly what you need to degrease those hard-to-reach spots. Eats the grease, and wipes away clean. Excellent, excellent product.”

CLEANERS & DEGREASERS

Engineered to be powerful yet safe, our industrial-strength cleaners and degreasers keep your facilities and equipment running smoother, lasting longer, and looking like new.

WD-40 SPECIALIST

- Contact Cleaner
- Machine & Engine Degreaser
- Carb/Throttle Body Cleaner
- Degreaser (Aerosol)
- Cleaner & Degreaser (Non-Aerosol)

WD-40 Specialist® Brand products are represented using new can design and will vary in availability as we work through a rolling change.

WD-40 SPECIALIST

CONTACT CLEANER



With this cleaner, oil, dirt, flux residue and condensation are blasted away from sensitive electronics and electrical equipment with pinpoint precision. It dries quickly, leaves no residue, and our solvent blend is safe on most plastics and metal parts. It is the industry work horse for cleaning these surfaces.*

NSF Nonfood Compounds K2

50-STATE VOC COMPLIANT

FEATURES

- **Kb cleaning score of 250 vs. mineral spirits (Kb 25). Kauri Butanol (KB): >300.**
- **Quick-drying with no residue**
- **High dielectric strength**
- **Safe on most plastics*, rubber, and metal**

*Test on plastic before using, and avoid adhesives, device screens, and keyboards.

APPLICATIONS


Circuit boards, controls, battery terminals, switches, tape heads, precision instruments, electric panels, generators, electric motors, armatures

Scan now to view our Safety Data Sheet (SDS)

Removes over 95% of many common surface contaminants** for optimal performance.



REMOVES A WIDE VARIETY OF CONTAMINANTS



**Always check with the manufacturer before performing maintenance on devices. est Lab: Sterling Laboratories (Toledo, OH); modified ASTM D4488A (cleaning done by 5s spray); Contaminants tested: Silicone Grease, hydraulic oil, tool oil, ASTM D4488 A5 soil (oily particulate), used motor oil, flux paste. Test date: 8/2018.

ITEM #: 30055	NET WEIGHT: 11 OZ.	CASE ORDER #: 300554	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



MACHINE & ENGINE DEGREASER

Our water-based formula provides deep, foaming, penetrating action and a powerful stream that sprays up to five feet to quickly and easily remove grease, oil, dirt, and grime without the time and trouble of disassembly.

NSF Nonfood Compounds C1

50-STATE VOC COMPLIANT

FEATURES

- **Low odor, water-based formula**
- **Deep penetrating foaming action gets into cracks and crevices**
- **Quickly removes grease, oil, dirt, and grime**
- **Low residue for a clean finish**

APPLICATIONS

Engines, forklifts, gears and chains, industrial machinery, power equipment, metal tools


Scan now to view our Safety Data Sheet (SDS)



Removes automotive and industrial particulate soil faster than the competition.*



EXTREME CLEANING SCORE



Test evaluates the cleaning ability of a fluid using a mechanical device. Score shows percent of soil removed.

*Test Lab: Sterling Laboratories (Toledo, OH); ASTM D4488-A3; Test date: 05/2020. ASTM D4488-A3 Soil consists of a mixture (by weight) of vegetable oil, mineral oil, base oil, jet turbine oil, metallic brown oxides, napthenic hydrocarbon solvent; Sprayway® is a registered trademark of PLZ Aeroscience Corporation; B'laster is a registered trademark of B'laster Chemical Company Inc.; CRC is a registered trademark of CRC Industries, Inc.

ITEM #: 30007	NET WEIGHT: 18 OZ.	CASE ORDER #: 300070	CASE UNITS: 4/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

CARB/THROTTLE BODY CLEANER

It's the only all-in-one spray you need to clean your carburetor, throttle body, and unpainted metal parts. It is a powerful solvent-based cleaner that blasts away tough carbon deposits, oil, and grime with a unique dual-action cleaning system that breaks it up and doesn't leave behind residue.

50-STATE VOC COMPLIANT

FEATURES

- **Powerful formula breaks up and blasts away tough deposits**
- **Proven to improve performance at high RPM**
- **Safe on oxygen sensors or catalytic converters upon incidental contact**

APPLICATIONS

Carburetors, throttle body, gas-powered equipment, fleet maintenance, non-painted metal parts

Scan now to view our Safety Data Sheet (SDS)



Powerful formula quickly breaks up and blasts away tough deposits for superior performance at high RPM.*

*Test Lab: Intertek Carnot Emission Services (San Antonio, TX); Stalling Effects at High Speed; Test date: 05/2012.



ITEM #: 30013	NET WEIGHT: 13.5 OZ.
CASE ORDER #: 300134	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

DEGREASER

A powerful solvent-based degreaser that quickly cleans machinery, engines, and equipment, restoring their appearance and ensuring smooth operation. Our fast-acting formula contains a proprietary solvent that quickly breaks down grease and grime.

NSF Nonfood Compounds K1

50-STATE VOC COMPLIANT

FEATURES

- **Contains a WD-40® Brand proprietary industrial-strength solvent**
- **Safe to use on most common application surfaces, including most metals, plastics, and glass, when used as directed**
- **High liquid flashpoint of 205°F**
- **Low residue**
- **Low fumes**

APPLICATIONS

Automotive and truck engines, tire rims, gears and chains, industrial machinery, power equipment, other metal tools

Scan now to view our Safety Data Sheet (SDS)



Industrial-strength formula quickly removes tough dirt, grease, and grime.** Safe on plastics, rubbers, glass, non-metals, and metals.



SAFE FOR USE ON:

METALS
Aluminum
Chrome
Copper-C110 Alloy (Unpolished)
Galvanized Steel
Magnesium
Steel (Cold Roll, Unpolished)
Titanium (Unpolished)
Zinc

PLASTICS / RUBBERS / NON-METALS
Acetal
Carbon Fiber
Copolymer
Neoprene (Hard Rubber)

*Test Lab: UL (Canton, MA); Surface Compatibility (Deleterious Effects to Hard Surfaces); Test date: 06/2014.
**Test Lab: Sterling Laboratories (Toledo, OH); ASTM D4488-A2, A3, A6; Test date: 05/2020.

ITEM #: 30028	NET WEIGHT: 15 OZ.	CASE ORDER #: 300280	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

CLEANER & DEGREASER

WD-40 Specialist® Cleaner & Degreaser is formulated with a unique bio-solvent that quickly breaks through tough grease and grime, protects against flash rust and is safe for use on most surfaces – meeting the EPA's Safer Choice Certification* criteria for safety and efficacy.

NSF Nonfood Compounds A1, A2, A4, A8, B1

FEATURES

- **Formulated with an industrial-strength biodegradable solvent**
- **Safe for food-processing facilities**
- **Contains anti-corrosion additives to prevent flash rust**
- **Water-based, non-flammable, non-aerosol**
- **Low odor/fragrance-free**

SAFER CHOICE Meets U.S. EPA Safer Product Standards
epa.gov/saferchoice


APPLICATIONS

Parts, tools, floors, industrial machinery, commercial appliances and equipment, power washers, ultrasonic tool cleaners

*EPA certification does not constitute endorsement of this product. The Safer Choice label or Design for the Environment logo signifies that the product's formula, as WD-40 Company has represented it to the EPA, contains ingredients that meet stringent EPA criteria for effects on human health and the environment. EPA relies solely on WD-40 Company, its integrity and good faith, for information on the product's composition, ingredients, and attributes. EPA has not independently identified, that is, via chemical analysis, the ingredients in the product formula, nor evaluated any of WD-40 Company's non-ingredient claims. EPA provides its evaluation only as to the product's human health and environmental characteristics, as specified in the Safer Choice and Design for the Environment Standard and based on currently available information and scientific understanding. (08/2025)

Scan now to view our Safety Data Sheet (SDS)

Outperforms competitors in surface compatibility tests on sensitive surfaces such as aluminum and glass.*



CLEANER & DEGREASER (32 OZ.)

ITEM #: 30035	NET WEIGHT: 32 OZ.
CASE ORDER #: 300356	CASE UNITS: 6/CASE

CLEANER & DEGREASER GALLON

ITEM #: 30036	NET WEIGHT: 1 GAL.
CASE ORDER #: 300363	CASE UNITS: 4/CASE

CLEANER & DEGREASER 55 GALLON DRUM

ITEM #: 30038	NET WEIGHT: 55 GAL.
CASE ORDER #: 30038	CASE UNITS: 1/CASE

*Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); Surface Compatibility (Deleterious Effects to Hard Surfaces); Test date: 02/2020.

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



For anyone who hasn't used this, it is superb for stopping rust on items in high humidity or wet locations. Protects long after many (most) oils have failed."

RUST MANAGEMENT

Preventing and removing rust is an important part of facility and equipment maintenance, repair and operations. Whether you are looking to prevent or remove rust, we have a product for the job.

WD-40 SPECIALIST

Rust Remover Soak

Corrosion Inhibitor

WD-40 Specialist® Brand products are represented using new can design and will vary in availability as we work through a rolling change.

WD-40 SPECIALIST

RUST REMOVER SOAK



WD-40 Specialist® Rust Remover Soak safely and effectively removes rust without acids or caustic chemicals. The formula has no toxic fumes, contains no VOCs, is non-irritating to skin, and works without harming surrounding surfaces like rubber, plastic, and paint. It restores even intricate, hard-to-reach surfaces to clean, bare metal that is ready to paint, and brightens copper, brass, and similar alloys.

NSF Nonfood Compounds P1

FEATURES


- **Removes rust and other corrosion, but safe for surrounding areas**
- **No need for scraping, chipping, or scrubbing**
- **Non-toxic fumes and acid-free**
- **Formulated to be non-irritating to skin**

APPLICATIONS


Tools, metal, cast iron, chrome parts, copper, brass, and other alloys

Scan now to view our Safety Data Sheet (SDS)

Fast-acting formula removes rust and restores surfaces to bare metal without caustic chemicals or harsh acids with minimal downtime.*



SOAK TEST





*Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); Soak Test; Test date: 09/2020.

ITEM #: 30004	NET WEIGHT: 1 GAL.	CASE ORDER #: 300042	CASE UNITS: 4/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

CORROSION INHIBITOR

SPECIALIST



Get ahead of the problem with this long-lasting corrosion inhibitor that protects metal parts by blocking rust and corrosion for up to 1 year outdoors or 2 years indoors.* Ideal for preventive maintenance applications in challenging environments such as high humidity and long-term storage. The formula continues to work even if some of the sprayed surface gets rubbed off and can reseal the vulnerable surface to continue providing protection.

NSF Nonfood Compounds A7

50-STATE VOC COMPLIANT

FEATURES

- **Seals and protects to block corrosion**
- **Works indoors and outdoors**
- **Protects metal up to two years indoors**

*Independent testing conducted in salt spray and humidity chambers. Results may vary depending on actual conditions.

APPLICATIONS

Machined surfaces, equipment and metal parts subjected to extended storage periods, tools, chains, cables

Scan now to view our Safety Data Sheet (SDS)



Protects the surface from corrosion 40x longer than B'laster® Heavy-Duty Corrosion Stop.**



CORROSION PROTECTION



WD-40 SPECIALIST.	B'LASTER® HEAVY-DUTY CORROSION STOP	B'LASTER® HEAVY-DUTY CORROSION STOP
2,000 HRS.	24 HRS.	48 HRS.

This test is used to measure the level of corrosion protection of a test fluid under extreme conditions.

**Test Lab: Petro-Lubricant Laboratories Inc. (Lafayette, NJ); ASTM B117; Test date: 05/2020; B'laster is a registered trademark of B'laster Chemical Company Inc.

ITEM #: 30003	NET WEIGHT: 6.5 OZ.	CASE ORDER #: 300035	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



FOOD & BEVERAGE

In the Food & Beverage sector, maintaining equipment cleanliness and reliability is paramount. WD-40 Specialist® offers a suite of products designed to meet the rigorous standards of Food-Grade and Food-Processing Facility environments, ensuring safety, efficiency, and compliance.

WD-40 SPECIALIST FOOD-GRADE

WD-40 SPECIALIST FOOD-PROCESSING FACILITY

Food-Grade Lubricant & Penetrant

Food-Processing Facility Electric Contact Cleaner

FOOD-GRADE

LUBRICANT & PENETRANT

Provides quality you can trust in a multi-function, high-performance lubricant. Our Food-Grade Lubricant & Penetrant is designed to meet strict food safety standards, making it safe for use both inside and outside food-processing facilities.

NSF Nonfood Compounds Program Listed H1 169828

50-STATE VOC COMPLIANT

FEATURES

- **NSF Nonfood Compounds Program Listed H1**
- **Safe on surfaces that may incidentally encounter food**
- **Performs at extreme temperatures between -100°F and 400°F (steamers, boilers, coolers and freezers)**
- **Penetrating capability comparable to leading competitors, paired with outstanding lubricating properties for reliable performance**
- **Safe to use on most metals and plastics when used as directed**

APPLICATIONS

Chains, cables, gears, rollers, moving parts, vertical surfaces

Scan now to view our Safety Data Sheet (SDS)



Withstands 15x the pressure of most food grade competition.*

Penetrates 75% faster than the competition.**



EXTREME PRESSURE TEST



This measures the load carrying properties of a lubricant. **Higher number is better.**

*Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); ASTM D3233A; Test dates: 05/2024; 08/2024; 11/2024. The load displayed for each product was obtained by averaging the results of three trials. Competitors tested: Super Lube® Multi-Purpose Synthetic Lubricant, B'laster® Food Grade Multi-Purpose Lubricant, CRC® Food Grade Silicone Multi-Purpose Lubricant, Sprayon® Food Grade Dry Silicone. Super Lube® is a registered trademark of Kano Laboratories Inc. B'laster® is a registered trademark of B'laster Chemical Company Inc. CRC® is a registered trademark of CRC Industries Inc. Sprayon® is a registered trademark of Sherwin-Williams Company.

**Test Lab: WD-40 Co. Technical Center (Pine Brook, NJ); Penetration speed measured using nail climb (time to reach 1.75cm); Test dates: 08/2024; 11/2024. Competitors tested: CRC Food Grade Penetrating Oil, Kroil Penetrant Clear.

ITEM #: 30093	NET WEIGHT: 12 OZ.	CASE ORDER #: 300936	CASE UNITS: 12/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



FOOD-PROCESSING FACILITY

ELECTRIC CONTACT CLEANER

Cleans and protects with confidence – this quick-drying, multi-use cleaner is safe on most plastics,* rubbers, and metals, ensuring residue-free performance in food-processing settings.

NSF Nonfood Compounds Program Listed K2 169580

50-STATE VOC COMPLIANT

FEATURES

- **NSF Nonfood Compounds Program Listed K2**
- **Suitable for use in food-processing areas**
- **Cleans Electrical & Electronic Parts**
- **Quick-Drying without Residue**
- **Safe for use on most Plastics,* Rubbers, and Metals**
- **Smart Straw® Sprays 2 Ways®**

APPLICATIONS

Circuit boards, controls, battery terminals, switches, tape heads, precision instruments, electric panels, generators, electric motors, armatures

Scan now to view our Safety Data Sheet (SDS)





CLEANS SENSITIVE ELECTRICAL PARTS

- CIRCUIT BOARDS
- CONTROLS
- SWITCHES
- ELECTRIC PANELS

ITEM #: 30094	NET WEIGHT: 12 OZ.	CASE ORDER #: 300943	CASE UNITS: 12/CASE

*Test on plastic before using, and avoid adhesives, device screens, and keyboards.

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov





"I have used WD-40® [Multi-Use Product] for almost any rusty bolt or squeaky door. With the EZ-REACH® nozzle it now is even easier to reach those tough spots and you don't have to bend and twist all over the place to get to that last bolt."

CLASSIC WD-40® PRODUCT

The product millions around the world know and trust, with more than 70 years of proven performance and countless applications, this is the essential product for any maintenance environment. It comes in many forms so that you have the best tools to get each job done.

- WD-40® Smart Straw®
- WD-40® Big Blast®
- WD-40® Industrial Size
- WD-40® Trigger Pro®
- WD-40® Gallon
- WD-40® 5 Gallon
- WD-40® 55 Gallon Drum
- WD-40® EZ-REACH®
- WD-40® Precision Pen
- WD-40® Low Order

WD-40® EZ-REACH®

WD-40 MULTI-USE PRODUCT

PREP IT · CLEAN IT · PROTECT IT · LUBE IT

50-STATE VOC COMPLIANT

WD-40 Multi-Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture and lubricates almost anything. WD-40 EZ-REACH features an attached 8-inch flexible straw that bends and keeps its shape to get into hard-to-reach places.

FEATURES

- **Classic WD-40 Product**
- **8" straw bends and keeps its shape**
- **Sprays 2 Ways®**
  Flip up for stream, down for spray
- **50-state VOC compliant**


APPLICATIONS

Moving and rusted metal parts, hinges, wheels, pulleys, rollers, chains, gears, joints, conveyors, hoists, tools, and more

Scan now to view our Safety Data Sheet (SDS)

The Classic WD-40 Product that can reach into **any space.**







WD-40® EZ-REACH®

ITEM #: 49019	NET WEIGHT: 14.4 OZ.	CASE ORDER #: 490194	CASE UNITS: 6 /CASE
ITEM #: 49019	NET WEIGHT: 14.4 OZ.	CASE ORDER #: 490195	CASE UNITS: 96 /CASE
ITEM #: 49019	NET WEIGHT: 14.4 OZ.	CASE ORDER #: 490199	CASE UNITS: 48 /CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

CLASSIC WD-40® PRODUCT LINE-UP

WD-40 MULTI-USE PRODUCT

The Classic WD-40® Product is available in the widest variety of products that are adaptable, efficient, and user-friendly for any maintenance, lubrication, or detailed mechanical work.

WD-40® BIG BLAST®

- **Features a wide-area spray nozzle, designed to deliver product quickly and efficiently over large areas.**

WD-40® EZ-REACH®

- **Features an attached 8-inch flexible straw that bends and keeps its shape to get into hard-to-reach places.**

WD-40® GALLON

- **Ideal for heavy jobs that require soaking and dipping.**

WD-40® 5 & 55 GALLON

- **Best used for heavy-duty industrial jobs that require repeated treatment.**

WD-40® INDUSTRIAL SIZE

- **Perfect for big jobs that require a large amount of WD-40 Multi-Use Product in one place.**

WD-40® SMART STRAW®

- **Permanently attached Smart Straw Sprays 2 Ways®. Flip up for stream, down for spray.**

WD-40® TRIGGER PRO®

- **Non-aerosol format that provides more control, less mess, and easy disposal.**

Scan now to view our Safety Data Sheet (SDS)


PREP IT · CLEAN IT · PROTECT IT · LUBE IT

50-STATE VOC COMPLIANT

One product with **thousands of uses**—protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, and lubricates almost anything.













WD-40® MULTI-USE PRODUCT

ITEM #: 49035	NET WEIGHT: 2.75 OZ.	CASE ORDER #: 490358	CASE UNITS: 12/CASE

WD-40® SMART STRAW®

ITEM #: 49002	NET WEIGHT: 8 OZ.	CASE ORDER #: 490026	CASE UNITS: 12/CASE
ITEM #: 49004	NET WEIGHT: 11 OZ.	CASE ORDER #: 490040	CASE UNITS: 12/CASE
ITEM #: 49005	NET WEIGHT: 12 OZ.	CASE ORDER #: 490057	CASE UNITS: 12/CASE

WD-40® EZ-REACH®

ITEM #: 49019	NET WEIGHT: 14.4 OZ.	CASE ORDER #: 490194	CASE UNITS: 6 /CASE

WD-40® BIG BLAST®

ITEM #: 49009	NET WEIGHT: 18 OZ.	CASE ORDER #: 490095	CASE UNITS: 12/CASE

WD-40® INDUSTRIAL SIZE

ITEM #: 49008	NET WEIGHT: 16 OZ.	CASE ORDER #: 490088	CASE UNITS: 12/CASE

WD-40® TRIGGER PRO®

ITEM #: 49010	NET WEIGHT: 20 OZ.	CASE ORDER #: 490108	CASE UNITS: 6/CASE

WD-40® GALLON

ITEM #: 49011	NET WEIGHT: 1 GAL.	CASE ORDER #: 490118	CASE UNITS: 4/CASE

WD-40® 5-GALLON

ITEM #: 49012	NET WEIGHT: 5 GAL.

WD-40® 55-GALLON

ITEM #: 49013	NET WEIGHT: 55 GAL.

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

WD-40® PRECISION PEN

WD-40 MULTI-USE PRODUCT

The WD-40 Precision Pen is portable, pocket-ready, and helps you apply the Classic WD-40 Product in tight spaces and small areas. A precise and controlled application gets the exact amount of product on any part or project.

FEATURES

- **Precise, controlled application**
- **Compact, portable, and easy to store**
- **Ideal for tight spaces, small areas, and on-the-go fixes**
- **Protects metal surfaces against rust and corrosion**
- **Loosens rust and stuck parts**
- **Displaces moisture to prevent corrosion and electrical shorts**

APPLICATIONS

Moving and rusted metal parts, squeaky hinges, rusty bolts, stuck mechanisms, and more

Scan now to view our Safety Data Sheet (SDS)





The power of the Classic WD-40 Product for on-the-go.



WD-40® PRECISION PEN (1 PACK)

ITEM #: 49074	NET WEIGHT: 0.960 OZ.	CASE ORDER #: 490743	CASE UNITS: 12/CASE
ITEM #: 49074	NET WEIGHT: 0.960 OZ.	CASE ORDER #: 490740	CASE UNITS: 24/CASE

WD-40® PRECISION PEN (3 PACK)

ITEM #: 49073	NET WEIGHT: 2.576 OZ.	CASE ORDER #: 490736	CASE UNITS: 6/CASE
ITEM #: 49073	NET WEIGHT: 2.576 OZ.	CASE ORDER #: 490733	CASE UNITS: 48/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov

WD-40® LOW ODOR

WD-40 MULTI-USE PRODUCT

The Classic WD-40 Product you trust, now with less smell. Whether you're dealing with squeaky hinges in a confined space or a sticky gear shift in a car, WD-40 Low Odor ensures the same great performance of the Classic WD-40 Product with less smell.

FEATURES

- **Our low odor formula is perfect for places you may want less smell.**
- **Ideal for indoor jobs and confined spaces, at home, on the job, and in the garage.**

APPLICATIONS

Moving and rusted metal parts, squeaky hinges, rusty bolts, stuck mechanisms, and more

Scan now to view our Safety Data Sheet (SDS)



Same great performance of the Classic WD-40 Product with less smell.



WD-40® MULTI-USE PRODUCT LOW ODOR

ITEM #: 49079	NET WEIGHT: 12 OZ.	CASE ORDER #: 490798	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



3-IN-ONE® PRODUCTS

For over 125 years, 3-IN-ONE products have delivered professional-grade performance, making it a trusted choice for on-the-job maintenance. All 3-IN-ONE drip and aerosol products are designed for long-lasting, high-performance, and precise application. 3-IN-ONE is your easy to choose, easy to use maintenance solution.

3-IN-ONE®

3-IN-ONE® AEROSOL

3-IN-ONE® DRIPS



AEROSOLS

Formulate for, and clearly calling out their specific function and use, 3-IN-ONE use-specific aerosols make it easy to select the right solution and tackle projects with confidence. Two-way smart straw sprays narrow for precision application and wide to complete big jobs fast.



LOCK DRY LUBE

Scan now to view our Safety Data Sheet (SDS)

50-STATE VOC COMPLIANT

FEATURES & BENEFITS

- Penetrates quickly and deeply to loosen sticky or stuck locks
- No-mess, graphite-free formula is clear, and won't stain or discolor the lock
- Durable, corrosion-protecting film resists dirt and won't create a mess
- Safe to use on most metal, rubber, and most plastic surfaces

APPLICATIONS

Lubricates, and protects all types of auto and commercial locks

ITEM #: 12007	NET WEIGHT: 2.5 OZ.
CASE ORDER #: 120077	CASE UNITS: 12/CASE



GARAGE DOOR LUBE

Scan now to view our Safety Data Sheet (SDS)

50-STATE VOC COMPLIANT

FEATURES & BENEFITS

- Handles heavy and high-pressure demands of commercial garage door systems
- Reduces friction and wear to quiet and extend garage door life
- Protects against rust and corrosion
- Easy, no-mess application of clear formula with narrow and wide spray that won't attract dirt

APPLICATIONS

Lubes, and protects garage door tracks, hinges, chains, springs, pulleys, and latches

ITEM #: 10058	NET WEIGHT: 11 OZ.
CASE ORDER #: 100581	CASE UNITS: 6/CASE



TRAILER HITCH GEL LUBE

Scan now to view our Safety Data Sheet (SDS)

50-STATE VOC COMPLIANT

FEATURES & BENEFITS

- Quieter and smoother ride
- Gel stays where sprayed; no dripping off, no mess
- Reduces friction and wear
- Prevents rust and corrosion for up to ONE year
- Extends ball, hitch, and receiver life

APPLICATIONS

Trailer hitch pin and clips, ball and couplers, receiver hitches and moving parts like bearings, rollers, gears, cables, and chains

ITEM #: 12010	NET WEIGHT: 10 OZ.
CASE ORDER #: 120107	CASE UNITS: 6/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



DRIPS

3-IN-ONE® DRIP PRODUCTS ARE FORMULATED FOR THE DEMANDS OF INDUSTRIAL MAINTENANCE.

Thicker drip formula ensures long-lasting, high performance, precise application with no messy over-spray, and a twist close to prevent leaking. 3-IN-ONE Drips are ideal for smaller or tighter spaces, and easy to carry and store. No VOCs or pressurization.





MULTI-PURPOSE OIL

Scan now to view our Safety Data Sheet (SDS)

50-STATE VOC COMPLIANT

FEATURES & BENEFITS

NO VOCs | NO Propellants | Easy to Carry

- Long-lasting, viscous oil has been cleaning, lubricating, and protecting since 1894
- Precision twist-tip applicator ensures precise application with no messy over-spray and prevents leaking
- Prevents friction, rust, and wear

APPLICATIONS

Precision cleaning, lubrication, and protection of any moving part or pivot point

ITEM #: 10070	NET WEIGHT: 4 OZ.
CASE ORDER #: 100703	CASE UNITS: 12/CASE



FAST-ACTING PENETRANT

Scan now to view our Safety Data Sheet (SDS)

50-STATE VOC COMPLIANT

FEATURES & BENEFITS

NO Propellants | Easy to Carry

- Frees bolts, threads, and other parts rusted together quickly
- Penetrates deep to break apart tough bonds and prevent new rust forming
- Precision twist-tip applicator ensures precise application with no messy over-spray and prevents leaking
- Safe for use on most plastics, rubber, and metal

APPLICATIONS

Stuck or rusted together parts, fasteners, machinery, tools, and toolboxes

ITEM #: 12001	NET WEIGHT: 4 OZ.
CASE ORDER #: 120015	CASE UNITS: 12/CASE



ALL-TEMP SILICONE DRIP

Scan now to view our Safety Data Sheet (SDS)

50-STATE VOC COMPLIANT

FEATURES & BENEFITS

NO VOCs | NO Propellants | Easy to Carry

- Long-lasting formula resists water and protects metal, rubber, vinyl and plastic parts, fasteners, or tools
- Dries clear
- Working temperature range: -100°F to 500°F
- Precision twist-tip applicator ensures precise application with no messy over-spray and prevents leaking

APPLICATIONS

Meets all professional lubrication needs, ideal for use on cables, pulleys, valves, and much more

ITEM #: 12000	NET WEIGHT: 4 OZ.
CASE ORDER #: 120008	CASE UNITS: 12/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



PNEUMATIC TOOL OIL

Scan now to view our Safety Data Sheet (SDS)

50-STATE VOC COMPLIANT

FEATURES & BENEFITS

NO VOCs | NO Propellants | Easy to Carry

- Durable corrosion protection and lubrication
- Reduces friction and wear
- Precision twist-tip ensures precise application and prevents leaking
- Safe to use on most metal and plastics

APPLICATIONS

Nail guns, impact wrenches, spray guns and other types of pneumatic tools

ITEM #: 12004	NET WEIGHT: 4 OZ.
CASE ORDER #: 120046	CASE UNITS: 12/CASE



MOTOR OIL

Scan now to view our Safety Data Sheet (SDS)

50-STATE VOC COMPLIANT

FEATURES & BENEFITS

NO VOCs | NO Propellants | Easy to Carry

- Long-lasting formula designed for 1/4 HP motors or larger
- Ideal for a variety of home maintenance projects, as it reduces friction that leads to wear and tear, improves overall performance, and extends motor life
- Marksman Spout and easy-squeeze bottle for quick and precise no-mess application

APPLICATIONS

Lubricating moving parts, pivot points, and bearings on small to larger motors found in sewing machines, fans, lawnmowers and trimmers, drills, chainsaws, and other tools

ITEM #: 10045	NET WEIGHT: 3 OZ.
CASE ORDER #: 101456	CASE UNITS: 24/CASE

No warnings for our products are required by California Proposition 65. Learn more at www.p65warnings.ca.gov



wd40.com/industrial
WD-40 Company Customer Relations
1-888-324-7596

© 2026 WD-40 Company

REV2-APR26