MCR SAFETY GROUP



2026

GLOVE CATALOG

PRODUCT TESTING CENTER

MCR Safety Product Testing Center
685 Highway 72
Piperton, TN 38017



In July of 2016, the MCR Safety's Product Testing Center had the pleasure of becoming one of the first North American testing labs to receive the ISO/IEC 17025 accreditation under the ANSI/ISEA 105 scope.

ISO/IEC 17025:2017 is the single most important standard for testing laboratories around the world.

Laboratories accredited to this international standard have demonstrated they are technically competent and able to produce precise and accurate test and/or calibration data.

MCR Safety's Product Testing Center (PTC) began operation in 2010. The three objectives at the forefront of the ITC lab development were:

1. Increase our ability to monitor the quality of incoming products produced at our factories.
2. Utilize the in-house testing laboratory, to increase Research and Development of new products and technologies.
3. Ensure that in-market comparisons between MCR Safety products and competitor products are viable. In other words, we want to ensure we are comparing apples-to-apples, and not apples-to-oranges.

*All testing performed for MCR Safety distributors is done free of charge.

The full scope of the accreditation includes the following tests:

ANSI/ISEA 105-2024

American National Standards Institute

Cut Resistance Testing	Abrasion Resistance Testing	Puncture Resistance Testing	Tear Resistance Testing	Conductive (Contact) Heat Resistance Test
				
Test Method ASTM F2992	Test Method ASTM D3389-21 *Coated Gloves* ASTM D3884-22 *Uncoated Gloves*	Test Method EN 388-16	Tear Testing EN 388-16	Test Method ASTM F1060

"Integrity is doing what you say you will do"- Chuck Swindoll

Any glove company can market a cut resistant glove, however, has it passed the quality management testing process of an ISO 17025 laboratory which validates the performance levels? You can have 100% confidence that MCR Safety product will perform to the advertised cut resistant levels. These tests are not audited by OSHA or any government agency so it's up to the purchaser to determine the accuracy of testing. MCR Safety takes the guess work out by having our accredited lab perform testing so you can have 100% confidence that any MCR Safety product will perform to the advertised levels.

WE PROTECT PEOPLE!

Equipment: Tomodynamometer TDM-100

Blade Validation: Before and after each sample specimen is tested, the blades must be checked, to ensure the effective sharpness of the cutting edge.

Sample Prep:
- Three glove samples are required to perform the test
- The glove samples must be conditioned to specific environmental conditions
- A 2"x 4" swatch cut from the palm of each glove at a 45-degree angle
- The test sample is then mounted to the mandrel of the machine

Testing:
- Each of the three glove samples will receive a total of 15 cut through measurements.
- The 15 cut through measurements are broken out into 3 distinct distances:
- 5 data points in the 5mm to 20mm cut through distance range
- 5 data points in the 20mm to 33mm cut through distance range
- 5 data points in the 33mm to 50mm cut through distance range
- The plotting of these data points on graph, enables us to find the cut through distance at 20mm of blade travel.

Data Recorded:

	Sample 1 1820			Sample 2 1810			Sample 3 1718		
	Load (gf)	Distance (mm)	Norm. Distance (mm)	Load (gf)	Distance (mm)	Norm. Distance (MM)	Load (gf)	Distance (mm)	Norm Distance (MM)
Calibration Cut (Before)	500	15.85		500	15.31		500	17.80	
1	2000	9.06	11.63	2000	7.83	9.46	2000	18.05	19.25
2	2000	9.37	12.03	2000	13.90	16.79	2000	5.74	6.12
3	2000	12.46	15.99	2000	6.75	8.15	2000	8.89	9.48
4	2000	5.02	6.44	2000	8.67	10.47	2000	15.26	16.28
5	2000	5.08	6.52	2000	8.96	10.82	2000	8.02	8.55
6	1800	24.44	31.37	1800	31.69	38.28	1600	20.86	22.25
7	1800	26.62	34.17	1800	20.28	24.50	1600	21.18	22.59
8	1800	20.80	26.70	1800	20.41	24.66	1600	24.94	26.60
9	1800	31.20	40.05	1800	20.14	24.33	1600	27.59	29.43
10	1800	20.39	26.17	1800	26.79	32.36	1600	28.30	30.19
11	1400	44.80	57.51	1400	33.17	40.07	1400	40.77	43.49
12	1400	33.44	42.93	1400	33.46	40.42	1400	33.20	35.41
13	1400	40.60	52.12	1400	33.11	40.00	1400	38.15	40.69
14	1400	33.03	42.40	1400	35.05	42.34	1400	39.11	41.72
15	1400	40.11	51.49	1400	41.10	49.65	1400	33.47	35.70
Calibration Cut (After)	500	15.31		500	17.80		500	19.70	
RESULTS	Sharpess Correction		1	Sharpess Correction		1	Sharpess Correction		1
	Reference Distance		20mm	Reference Distance		20mm	Reference Distance		20mm
	Rating Force (gf)		1820.16	Rating Force (gf)		1809.95	Rating Force (gf)		1718.50
	% Confidence Interval (gf)		366.50	% Confidence Interval (gf)		341.43	% Confidence Interval (gf)		291.84
	Standard Deviation (gf)		169.65	Standard Deviation (gf)		158.04	Standard Deviation (gf)		135.09
	R-Squared		0.73	R-Squared		0.76	R-Squared		0.81
	Correction Factor		0.13	Correction Factor		0.12	Correction Factor		0.09
Optional Sample Properties	Basis WT	3.11	Grams	Basis WT	3.59	Grams	Basis WT	3.11	Grams
	Thickness	0.97	MM	Thickness	0.98	MM	Thickness	0.99	MM

Reporting and Averaging the 3 gram scores

Average Rating Force (gf)	Cut Resistance Performance Level
1783	A4
3 Samples Tested	
ASTM F2992-15	ANSI/ISEA 105-2016
TDM-100	Section 5.11

ANSI/ISEA 105-2016 Cut Score Gram Levels

A9: 6,000+ grams to cut
A8: 5,000 to 5,999 grams to cut
A7: 4,000 to 4,999 grams to cut
A6: 3,000 to 3,999 grams to cut
A5: 2,200 to 2,999 grams to cut
A4: 1,500 to 2,199 grams to cut
A3: 1,000 to 1,499 grams to cut
A2: 500 to 999 grams to cut
A1: 200 to 499 grams to cut

Tomodynamometer TDM-100



Blade Validation



Sample Prep



Testing



Data Recorded



ANSI/ISEA 105 PPE UPDATE

8.2 Specific Marking

Hand and arm protection shall be marked per the pictogram here. Markings shall be affixed so as to be visible and legible throughout the normal useful life of the glove. The following convention shall be applied, where applicable classifications are claimed by the manufacturer:

a. Cut-resistance, Section 6.1.1 (inside center)


b. Abrasion resistance, Section 6.1.4 (inside left)

c. Puncture resistance, non-hypodermic needle, Section 6.1.2 (inside right).



6.1.1 Cut Resistance

When tested in accordance with ASTM F2992-23, the glove's or sleeve's cut resistance shall be classified against the levels listed in Table 1, using the weight needed to cut through the material with 20 mm of blade travel. Data collection procedures in Appendix A shall be followed. Calculation for cut-resistance classification may be done using the ISEA standardized template available at www.safetyequipment.org. The average of a minimum of 3 samples shall be used to report the classification level.



6.1.4 Abrasion Resistance

When tested in accordance with ASTM D3389-21, or ASTM D3884-22 (2022), the glove or sleeve's abrasion resistance shall be classified against the levels listed in Table 4 using the number of abrasion cycles to failure (test endpoint).


These test methods shall be followed using H-18 abrasion wheels with a 500 gram load for levels 0 to 3. If the samples exceed 1000 revolutions at the 500 gram load, new (untested) samples shall be used to determine levels 4 to 6 using 1000 gram load.

NOTE: It is not the intention to apply the 1000 gram load to the same sample to continue the test.

Using ASTM D3389-21 for coated glove materials or unsupported gloves, the end point at which the glove or sleeve material is determined to fail shall be at the number of abrasion cycles until the film or coating is worn through the glove or sleeve's coating and liner.

Using ASTM ASTM D3884-22 (2022) for uncoated glove or sleeve materials, the end point at which the glove or sleeve material is determined to fail shall be at the number of abrasion cycles needed to wear through the specimen.


The average of a minimum of 5 specimens shall be used to report the classification level.





6.1.2 Puncture Resistance (other than Hypodermic Needle)


When tested in accordance with clause 6.4 of EN 388:2016, the glove or sleeve's resistance against puncture shall be classified against the levels listed in Table 2, using the puncture force.

The average of a minimum of 12 specimens shall be used to report the classification level.









ARX® is an Aramid base fiber designed to protect against cut, abrasion, and flame resistant hazards which is available in coated knits, Leather, and sleeve configurations. This fiber is developed and manufactured in MCR Safety's state of the art spinning facility where quality is never sacrificed.
#WeProtectPeople

HyperMax® HPPE Synthetic yarns are engineered to protect against cuts and lacerations ranging from Cut Level A2 up to A9. Excellent abrasion properties and high levels of comfort are key to the success of this fiber.
#WeProtectPeople

Kevlar® is the original gold standard in cut protection. Ideal for applications requiring cut and heat protection in one. Patented Kevlar® engineered yarns combine cut-resistant soft-spun Kevlar® materials, high-strength inorganic yarns and elastic stretch-core yarns to deliver the best balance of protection and comfort.
#Kevlar

Dyneema® Diamond Technology is the latest patented fiber innovation from DSM Dyneema. This state-of-art technology is once again pushing forward the properties of cut resistance in a lightweight and "natural feeling" fiber.
#Dyneema

A9 CUT PROTECTION



ARCLIN Kevlar
CUT A9
ABR 4
PUN 5
IMPACT 1
HEAT 3
INTELLECTUAL PATENTED PROPERTY

PD4900 Sizes: S-XXXXL
- Patented Hi-Vis PD4 tire tread TPR impact protection
- Kevlar® engineered yarn palm lining
- MAXGrid™ pattern palm for grip in dry, wet, or oily conditions
- Reinforced thumb crotch
- Hook-and-loop wrist closure



ARCLIN Kevlar
CUT A9
ABR 6
PUN 4
INTELLECTUAL PATENTED PROPERTY
IMPACT 2

PD43612 Sizes: M-XXL
- Patented PD6 tire tread TPR impact protection
- Kevlar® engineered yarn palm lining
- Hook-and-loop wrist closure
- Honey gold Goatskin Leather with fourchettes
- Reinforced thumb crotch



HYPERMAX
CUT A9
ABR 4
PUN 3
IMPACT 2
HEAT 2
INTELLECTUAL PATENTED PROPERTY

PD6901 Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- HyperMax® HPPE 360° lining for extreme cut protection
- MAXGrid™ pattern palm for grip in dry, wet, or oily conditions
- Hook-and-loop wrist closure with suede pull tab
- Reinforced black MAXGrid™ thumb crotch



HYPERMAX
CUT A9
ABR 4
INTELLECTUAL PATENTED PROPERTY
PUN 3
18 GAUGE
IMPACT 2
TOUCH screen gloves

PD6954 Sizes: S-XXXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- 18-gauge HyperMax® HPPE engineered yarn shell
- Micro Foam Nitrile coated palm and fingertips
- Nitrile reinforced thumb crotch
- Hook-and-loop wrist closure



HYPERMAX
CUT A9
ABR 5
18 GAUGE
PUNCTURE 3
TOUCH screen gloves

92798NF Sizes: XS-XXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips
- Nitrile reinforced thumb crotch



HYPERMAX
CUT A9
ABR 4
18 GAUGE
PUNCTURE 3
TOUCH screen gloves

92798PU Sizes: XS-XXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips
- Nitrile reinforced thumb crotch



HYPERMAX
CUT A9
ABR 3
15 GAUGE
PUNCTURE 4
HEAT 1
TOUCH screen gloves

92735N Sizes: S-XXL
- 15-gauge HyperMax® HPPE engineered yarn shell
- Nitrile coated palm and fingertips
- Reinforced thumb crotch



HYPERMAX
CUT A9
ABR 4
13 GAUGE
PUNCTURE 3
FDA COMPLIANT MATERIAL

9273SPU Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Sandy textured Polyurethane (PU) coated palm and fingertips

A8 CUT PROTECTION





CUT A8 ABR 4 PUNT 2 HYPERMAX

3604HP HPPE Sizes: M-XXL
- Premium Goatskin Leather
- Lined with HyperMax®



CUT A8 ABR 4 PUNT 3 HEAT 3 HYPERMAX 13 GAUGE

92743LT Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Crinkle Latex over-the-knuckle coating



CUT A8 ABR 3 STEELCORE 7 GAUGE COMPLIANT FDA MATERIAL

9350 Sizes: XXS-XL
- 7-gauge regular weight Polyester wrapped Stainless Steel
- Excellent cut resistance
- Ambidextrous
- Uncoated

A7 CUT PROTECTION





HYPERMAX · CUT A7 · ABR 6 · INTELLECTUAL PATENTED PROPERTY · PUN 3 · 13 GAUGE · IMPACT 2 · TOUCH screen gloves

PD6952 Size: XS-XXXL

- Patented Hi-Vis PD6 tire tread TPR impact protection
- 13-gauge HyperMax® HPPE engineered yarn shell
- Bi-Polymer coated palm and fingertips



HYPERMAX · CUT A7 · 13 GAUGE · ABR 6 · TOUCH screen gloves · PUN 3 · COMPLIANT FDA MATERIAL

92743BP Sizes: XS-XXXL VP92743BP

- 13-gauge HyperMax® HPPE engineered yarn shell
- Bi-polymer coated palm and fingertips
- Reinforced thumb crotch



HYPERMAX · CUT A7 · ABR 6 · 13 GAUGE · PUN 3 · TOUCH screen gloves

9277NF Sizes: XS-XXL VP9277NF

- 13-gauge HyperMax® HPPE engineered yarn shell
- BNF (Breathable Nitrile Foam) with NFT® coated palm and fingertips
- Reinforced thumb crotch



HYPERMAX · CUT A7 · ABR 4 · 13 GAUGE · PUN 4 · TOUCH screen gloves

9277PU Sizes: XS-XXL

- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips

A7 CUT PROTECTION



HYPERMAX
CUT A7 | 18 GAUGE
ABR 5 | TOUCH screen gloves
PUN 3 | COMPLIANT FDA MATERIAL

92778NF Size: XS-XXXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips
- Nitrile reinforced thumb crotch



HYPERMAX
CUT A7
ABR 4 | 18 GAUGE
PUN 3 | TOUCH screen gloves

92778PU Sizes: XS-XXXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips
- Nitrile reinforced thumb crotch



ARCLIN Kevlar
CUT A7 | 7 GAUGE

9399G Sizes: XS-XXL
- 7-gauge Kevlar®/Stainless Steel engineered yarn shell
- Ambidextrous with PVC dots on palm/back of hand, and 3 fingers



ARX
CUT A7
ABR 3 | 7 GAUGE

93859 Sizes: XS-XL
- 7-gauge ARX® Aramid engineered yarn shell
- Double sided PVC dots



ARX
CUT A7
ABR 5
PUN 5
HEAT 3
7 GAUGE

93861 Sizes: S-XXL
- 7-gauge ARX® Aramid engineered yarn shell
- Split Cowhide Leather palm



ARCLIN Kevlar
CUT A7
ABR 6
PUN 5
HEAT 3

16012K Sizes: S-XXL
- Premium "A" grade side split Leather palm lined with Kevlar®
- Rugged double palm



CUT A7
ABR 3
PUN 3
IMPACT 2
INTELLECTUAL PROPERTY PATENTED
HEAT 2

PD4971 Size: S-XXL
- Patented Hi-Vis PD4 tire tread TPR impact protection
- 360˚ Cut Resistant Aramid liner
- White Goatskin Leather



CUT A7
7 GAUGE
ABR 3
COMPLIANT FDA MATERIAL

9345D Sizes: XS-XL
- 7-gauge string knit engineered yarn shell
- Made with FDA accepted material for use in food processing
- Ambidextrous

A6 CUT PROTECTION



HYPERMAX
CUT A6
ABR 5
INTELLECTUAL PATENTED PROPERTY
PUNC 3
13 GAUGE
IMPACT 2
TOUCH screen gloves

PD6951 Sizes: XS-XXXL

- Patented Hi-Vis PD6 tire tread TPR impact protection
- 13-gauge seamless gray HyperMax® HPPE shell
- Gray Polyurethane (PU) coated palm and fingertips
- Hi-tech Nylon stitched on reinforced thumb crotch



HYPERMAX
CUT A6
ABR 4
INTELLECTUAL PATENTED PROPERTY
PUNV 3
21 GAUGE
IMPACT 2
TOUCH screen gloves

PD6953 Sizes: S-XXXL
- Patented PD6 tire tread TPR impact protection
- 21-gauge HyperMax® HPPE cut resistant shell
- Micro-foam Nitrile coated palm and fingertips



HYPERMAX
CUT A6
ABR 4
13 GAUGE
PUNV 3
TOUCH screen gloves

92730HV Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Sandy Nitrile coated palm and fingertips



HYPERMAX
CUT A6
ABR 5
13 GAUGE
PUNV 3
TOUCH screen gloves

92743PU Sizes: XXS-XXXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX
CUT A6
ABR 4
13 GAUGE
PUNV 4
TOUCH screen gloves

92793PU Sizes: XXS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips

A6 CUT PROTECTION



HYPERMAX
CUT A6
ABR 5
10 GAUGE
PUN 3
TOUCH screen gloves

92720NF Sizes: S-XXL
- 10-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips



ARCLIN
Kevlar
CUT A6
ABR 6
PUN 3
18 GAUGE
HEAT 2
TOUCH screen gloves

9388NF Sizes: XS-XXL
- 18-gauge Kevlar®/Stainless-Steel engineered yarn shell
- Nitrile Foam coated palm and fingertips
- Reinforced thumb crotch



ARCLIN
Kevlar
CUT A6
ABR 4
PUN 4
13 GAUGE
HEAT 2
TOUCH screen gloves

9178NFO Sizes: XS-XXL
- 13-gauge Kevlar® engineered yarn shell
- Nitrile Foam coated palm and fingertips



HYPERMAX
CUT A6
13 GAUGE
ABR 3
TOUCH screen gloves
COMPLIANT FDA MATERIAL

92743UC Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Uncoated



ARCLIN
Kevlar
CUT A6
ABR 4
PUN 3
IMPACT 2
INTELLECTUAL PATENTED PROPERTY
HEAT 3

36136KDP Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- Select grade grain Goatskin
- Kevlar®/Aramid liner
- Keystone thumb
- Padded double palm for greater protection



3613H Sizes: S-XXL
- Cut-resistant ARX® Aramid engineered yarn liner
- Keystone thumb design
- Select grain Goatskin
- Shirred elastic back



93840 Sizes: XS-XL
- 13-gauge ARX® Aramid engineered yarn shell
- Uncoated



93840G Sizes: S-XXL
- 13-gauge ARX® Aramid engineered yarn shell
- Uncoated 3.5" knit wrist, extended cuff



93847 Sizes: XS-XL
- 13-gauge ARX® Aramid engineered yarn shell
- PVC dotted palm on 1 side



93860 Sizes: XS-XXL
- 7-gauge ARX® Aramid engineered yarn shell
- Uncoated

VP93860



93867 Sizes: XS-XXL
- 7-gauge ARX® Aramid engineered yarn shell
- PVC dotted palm on 1 side

A5 CUT PROTECTION





9379BP Sizes: XS-XXL
- 13-gauge DuPont™ Nomex® shell
- ARC rating of 9.8 cal/cm² (HRC2/CAT2)
- Neoprene and Nitrile coated palm and fingertips



9828PU Sizes: XXS-XXL VP9828PU
- 18-gauge ARX® Aramid engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



9813NF Sizes: S-XXL
- 13-gauge ARX® Aramid engineered yarn shell
- Nitrile Foam coated palm and fingertips



3611DT Sizes: M-XXL
- Premium grade grain Goat
- Dyneema® Diamond Technology lined split leather
- Sewn with Kevlar® thread



92754BP Sizes: XS-XXXL VP92754BP
- 13-gauge HyperMax® HPPE engineered yarn shell
- Bi-polymer coated palm and fingertips
- Reinforced thumb crotch



92785NF Sizes: XS-XXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Micro-foam Nitrile coated palm and fingertips
- Reinforced thumb crotch

A5 CUT PROTECTION



HYPERMAX
CUT A5
ABR 5
PUN 4
13 GAUGE

92755PU Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX
CUT A5
ABR 3
13 GAUGE
PUN 3

92901KD Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell with Acrylic Terry interior
- Nitrile Foam over-the-knuckle coating



HYPERMAX
CUT A5
ABR 4
18 GAUGE
PUN 4
TOUCH screen gloves

92738PU Sizes: XS-XXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX
CUT A5
ABR 5
PUN 4
IMPACT 1
13 GAUGE

UT1954 Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR back of hand protection



HYPERMAX
CUT A5
ABR 4
PUN 4
IMPACT 1
13 GAUGE

UT1955 Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR back of hand protection



HYPERMAX
CUT A5
ABR 6
PUN 4
IMPACT 2
HEAT 2
INTELLECTUAL PATENTED PROPERTY

PD3430 Sizes: S-XXXL
- Patented PD6 tire tread TPR impact protection
- HyperMax® HPPE cut resistant 360° liner



HYPERMAX
CUT A5
ABR 4
PUN 5
IMPACT 2
INTELLECTUAL PATENTED PROPERTY
HEAT 3
D30®

FF2931 Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- HyperMax® HPPE cut resistant palm liner
- D30® Padded Palm



HYPERMAX
CUT A5
ABR 4
PUN 5
IMPACT 1
INTELLECTUAL PATENTED PROPERTY

PD2911 Sizes: M-XXL
- Patented Hi-Vis PD2 tire tread TPR impact protection
- HyperMax® HPPE cut resistant palm liner
- MAXGrid™ reinforced palm for extreme grip conditions



HYPERMAX
CUT A5
ABR 4
PUN 3
IMPACT 2
INTELLECTUAL PATENTED PROPERTY

PD4903 Sizes: S-XXXL
Patented Hi-Vis PD4 tire tread TPR impact protection
- HyperMax® HPPE cut resistant 360° liner

A5 CUT PROTECTION



PD5931 Sizes: M-XXL
- Patented Hi-Vis PD5 tire tread TPR impact protection
- Extreme abrasion protection against rugged materials
- Internal palm lined with HyperMax® HPPE cut resistant layer
- Sewn with Kevlar® thread
- Reinforced thumb-thumb crotch-index finger



3601K Sizes: S-XXXL
- 13-gauge Kevlar®/Synthetic liner
- ARC rating of 37.5 cal/cm²
- Premium grade grain Goatskin

VP3601K



3601SKHV Sizes: S-XXL
- 13-gauge Kevlar®/Steel liner
- ARC rating of 37.5 cal/cm²
- Premium grade grain Goatskin



36136HP Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- HyperMax® HPPE cut resistant 360° liner



PD6955 Sizes: S-XXXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- 18-gauge HyperMax® HPPE engineered yarn shell
- Flat Nitrile full coating
- Sandy Nitrile Foam coated palm and fingertips



ARCLIN Kevlar
CUT A5 | ABR 3 | PUN 3 | IMPACT 2 | HEAT 3 | INTELLECTUAL PATENTED PROPERTY

48406K Sizes: S-XXL
- Patented PD6 tire tread TPR impact protection
- Premium grade grain Goatskin
- 5" brown split Cow Leather cuff
- Lined and sewn with Kevlar®
- Padded palm



ARCLIN Kevlar
CUT A5 | ABR 3 | PUN 3 | HEAT 3

4840K Sizes: S-XXL
- Kevlar® lined grain Goatskin Leather
- 6" split Cowhide cuff



ARCLIN Kevlar
CUT A5 | ABR 5 | CAT 4 | PUN 3 | HEAT 4

MU3664KGT Sizes: S-XXXL
- Full Kevlar® lined Goatskin Leather double palm
- ARC rating of 50 cal/cm² (HRC4/CAT4)
- 300 grams of FR thermal insulation
- Sewn with Kevlar® thread
- Shirred elastic 4" gauntlet cuff
- Reinforced thumb, index finger, palm



ARCLIN Kevlar
CUT A5 | ABR 5 | CAT 4 | PUN 3 | HEAT 4

MU3664KGW Sizes: S-XXXL
- Kevlar® lined grain Goatskin Leather double palm
- ARC rating of 50 cal/cm² (HRC4/CAT4)
- Sewn with Kevlar® thread
- Shirred elastic 4" gauntlet cuff
- Reinforced thumb, index finger, and palm



ARCLIN Kevlar
CUT A5 | ABR 5 | CAT 4 | PUN 3 | HEAT 4

MU3664K Sizes: XS-XXXL
- Kevlar® lined grain Goatskin Leather double palm
- ARC rating of 50 cal/cm² (HRC4/CAT4)
- Sewn with Kevlar® thread
- Reinforced thumb, index finger, and palm

A4 CUT PROTECTION



HYPERMAX
CUT A4
ABR 4
18 GAUGE
PUNT 4
TOUCH screen gloves

9818NF Sizes: XXS-XXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips



HYPERMAX
CUT A4
ABR 3
21 GAUGE
PUN 2
TOUCH screen gloves

92721 Sizes: XS-XXL
- 21-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX
CUT A4
ABR 3
18 GAUGE
PUN 3
TOUCH screen gloves

VP92748 Sizes: XS-XXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips
- Vend Pack only



HYPERMAX
CUT A4
ABR 4
PUN 3
15 GAUGE

92773 Sizes: XS-XXL
VP92773
- 15-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips
- Reinforced thumb crotch



HYPERMAX
CUT A4
ABR 4
PUN 3
15 GAUGE
TOUCH screen gloves

92745PU Sizes: XS-XXL
- 15-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX
CUT A4
ABR 4
13 GAUGE
PUN 3
TOUCH screen gloves

92724 Sizes: XS-XXL
VP92724
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX
CUT A4
ABR 5
13 GAUGE
PUN 4
COMPLIANT FDA MATERIAL

92754 Sizes: XXS-XXXL
VP92754
- 13-gauge HyperMax® HPPE engineered yarn shell
- Nitrile double coated palm and fingertips

A4 CUT PROTECTION



HYPERMAX · CUT A4 · ABR 5 · 13 GAUGE · PUN 4 · TOUCH screen gloves

9273PU Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX · CUT A4 · ABR 4 · 13 GAUGE · PUN 3 · TOUCH screen gloves

9273HV Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips



HYPERMAX · CUT A4 · ABR 5 · 18 GAUGE · PUN 3 · TOUCH screen gloves

92748HV Sizes: XS-XXL VP92748HV
- 18-gauge HyperMax® HPPE engineered yarn shell
- Nitrile coated palm and fingertips
- Nitrile micro dotted palm
- Reinforced thumb crotch



HYPERMAX · CUT A4 · ABR 4 · PUN 3 · 13 GAUGE

92713PU Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX · CUT A4 · ABR 5 · PUN 4 · 13 GAUGE

92753 Sizes: XS-XXL
- 13-Gauge HyperMax® HPPE engineered shell
- 1st Flat Nitrile over the knuckle coating
- 2nd Foam Nitrile coated palm and fingertips



HYPERMAX · CUT A4 · ABR 6 · 13 GAUGE · PUN 4 · TOUCH screen gloves

92753PU Sizes: S-XXL
- 13-Gauge HyperMax® HPPE engineered shell
- Polyurethane coated palm and fingertips
- Touch Screen Friendly

MCR SAFETY HYPERMAX

CUT A4 | ABR 4 | PUN 3 | HEAT 1 | 13 GAUGE



92783 Sizes: XS-XXL VP92783
- 13-gauge HyperMax® HPPE engineered yarn shell
- Flat Nitrile full coating
- Nitrile Foam coated palm and fingertips

MCR SAFETY CUT PRO

10 GAUGE | CUT A4 | ABR 4 | PUN 3 | TOUCH screen gloves | COMPLIANT FDA MATERIAL



K9697 Sizes: XS-XXL
- 10-gauge Acrylic Terry interior
- 13-gauge Polyester yarn shell
- Sandy Latex palm and fingertips
- Waterproof gloves

ARCLIN Kevlar

CUT A4 | ABR 5 | PUN 4 | 13 GAUGE | TOUCH screen gloves



9178NF Sizes: XS-XXXL
- 13-gauge Kevlar® engineered yarn shell
- Nitrile Foam coated palm and fingertips

ARCLIN Kevlar

CUT A4 | ABR 3 | PUN 4 | 13 GAUGE | TOUCH screen gloves



9389 Sizes: S-XXL
- 13-gauge Kevlar®/Stainless Steel engineered yarn shell
- Latex coated palm and fingertips

ARCLIN Kevlar

CUT A4 | ABR 3 | PUN 2 | 18 GAUGE | TOUCH screen gloves



9188PUB Sizes: XS-XXL
- 18-gauge Kevlar® engineered yarn shell
- Polyurethane (PU) coated palm and fingertips
- Reinforced thumb crotch

ARCLIN Kevlar

CUT A4 | ABR 5 | PUN 2 | 18 GAUGE | HEAT 3 | TOUCH screen gloves



9188SFB Sizes: XS-XXL
- 18-gauge Kevlar® engineered yarn shell
- Sandy Nitrile Foam coated palm and fingertips
- Reinforced thumb crotch

A4 CUT PROTECTION



HYPERMAX
CUT A4
ABR 6
PUN 3
IMPACT 2
15 GAUGE

N2659HVL Sizes: M-XXL
- 15-gauge HyperMax® HPPE engineered yarn shell
- Fully double coated with PVC
- TPR back-of-hand impact protection



HYPERMAX
CUT A4
ABR 4
PUN 5
IMPACT 1
13 GAUGE

UT1951 UltraTech® Sizes: S-XXL
- 13-gauge CutPro® HyperMax® HPPE engineered shell
- Crinkle Latex coated palm and fingertips
- TPR back of hand protection



HYPERMAX
CUT A4 15 GAUGE
ABR 3 7 GAUGE
PUN 3

N9691 Sizes: S-XXL
- 15-gauge HyperMax® HPPE with 7-gauge Acrylic Terry interior engineered yarn shell
- HPT coated palm and fingertips



HYPERMAX
CUT A4
ABR 5
PUN 2
IMPACT 1
INTELLECTUAL PATENTED PROPERTY

PD2909 Sizes: S-XXL
- Patented PD2 tire tread TPR impact protection
- HyperMax® HPPE palm liner
- Synthetic Leather palm
- Silicone tire tread grip



HYPERMAX
CUT A4
ABR 4
PUN 4
IMPACT 1
13 GAUGE

UT1952 UltraTech® Sizes: S-XXXL
- 13-gauge CutPro® HyperMax® HPPE engineered shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR back of hand protection



MU3624GFR Sizes: M-XL
- Kevlar® lined grain Goatskin Leather double palm
- ARC rating of 24.7 cal/cm² (HRC2/CAT2)
- Nomex® back of hand with 4" cuff



MU3624GK Sizes: M-XXL
- 13-gauge Kevlar® lined grain Goatskin Leather double palm
- ARC rating of 61.4 cal/cm²
- 4" gauntlet cuff



MU3624FR Sizes: M-XL
- Kevlar® lined grain Goatskin Leather double palm
- ARC rating of 24.7 cal/cm²
- Nomex® back of hand with 2.5" cuff



MU3624K Sizes: XS-XXL
- 13-gauge Kevlar® lined grain Goatskin Leather double palm
- ARC rating of 61.4 cal/cm²



MU3634K Sizes: M-XXL
- Kevlar® lined grain Goatskin Leather double palm
- ARC rating of 61.4 cal/cm²



4955H Sizes: M-XL
- ARX® Aramid lined grain Leather
- 4" split Cowhide Leather cuff
- Sewn with cut resistant thread for durability

A3 CUT PROTECTION





9278NF Sizes: XXS-XXL VP9278NF
- 18-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips
- Reinforced thumb crotch



92737 Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Clear Silicone coated palm and fingertips



92715NF Sizes: XS-XXL
- 15-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips
- Reinforced thumb crotch



92715PU Sizes: XS-XXL VP92715PU
- 15-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips

A3 CUT PROTECTION



HYPERMAX
CUT A3
ABR 4
PUN 4
13 GAUGE

92752 Sizes: XXS-XXL VP92752
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX
CUT A3
ABR 4
PUN 3
13 GAUGE

92733PU Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



HYPERMAX
CUT A3
ABR 4
PUN 2
13 GAUGE

92752PU Sizes: XS-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



CUT A3
ABR 5
PUN 2
13 GAUGE

9677 Sizes: XS-XXL
- Dyneema® Diamond Technology engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



CUT A3 · ABR 5 · PUN 3 · 13 GAUGE

9672 Sizes: S-XXL
- 13-gauge Dyneema® Diamond Technology engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



CUT A3 · ABR 6 · PUN 3 · 13 GAUGE

9676 Sizes: S-XXL
- 13-gauge Dyneema® Diamond Technology engineered yarn shell
- Polyurethane (PU) coated palm and fingertips

VP9676



CUT A3 · ABR 5 · 10 GAUGE · PUN 3 · TOUCH screen gloves

N9676G Sizes: S-XL
- 10-gauge Dyneema® Diamond Technology engineered yarn shell
- Bi-polymer coated palm and fingertips



ARCLIN Kevlar

CUT A3 · ABR 4 · PUN 5 · HEAT 4 · 10 GAUGE

9687 Sizes: S-XXL
- 10-gauge Kevlar® engineered yarn shell
- Crinkle Latex coated palm and fingertips

A3 CUT PROTECTION



ARCLIN Kevlar CUT A3 ABR 2 7 GAUGE

9365 Sizes: XXS-XL
- 7-gauge Kevlar® engineered yarn shell
- PVC dots on 1 side



ARCLIN Kevlar CUT A3 ABR 2 7 GAUGE

9366 Sizes: XS-XL
- 7-gauge Kevlar® engineered yarn shell
- PVC dots on 2 sides

VP9366L



ARCLIN Kevlar CUT A3 ABR 2 HEAT 3 392°F 7 GAUGE

9367 Sizes: S, L
- 7-gauge Kevlar® engineered yarn shell with Cotton interior
- Uncoated shell



ARCLIN Kevlar CUT A3 ABR 2 HEAT 3 392°F 7 GAUGE

9370 Sizes: S-XL
- 7-gauge Kevlar® engineered yarn shell
- Uncoated shell



9760K Predator® Size: L
- Kevlar® reinforced palm
- Premium Nitrile over-the-knuckle, palm, and safety cuff
- Jersey lining
- Safety cuff



9686 Sizes: S-XL
- 7-gauge Kevlar® engineered yarn shell
- Split Leather palm



1400K Sizes: S-XXL
- Select "B+" grade shoulder split Leather Cowhide
- Lined with Kevlar® fibers
- 2.5" plasticized safety cuff
- Wing thumb
- Blue Cotton canvas back with black and yellow stripes



1702 Sizes: S-XL
- Premium side "A" grade split Leather Cowhide
- Non-Woven Kevlar® palm lined
- 2.75" safety cuff
- Wing thumb
- Sewn with Kevlar® thread



9470K Red Brick® Size: L
9471K Red Brick® Size: M
- Contact heat level 5 for protection up to 608° F
- Heavy weight Kevlar®/Cotton engineered yarn shell
- Cut-resistant
- 2-sided Nitrile blocks

A2 CUT PROTECTION



HYPERMAX
CUT A2
ABR 4
18 GAUGE
PUNT 3
TOUCH screen gloves

96782 Sizes: XS-XXXL VP96782

- 18-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips
- Reinforced thumb crotch



PD6902 Sizes: M, L, XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- White corded cotton double palm
- Hi-visibility flourescent lime back
- 2" Neoprene open cuff with red TPR pull tab



9672DT2 Sizes: S-XXL
- 18-gauge Dyneema® Diamond Technology engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



92718NF Sizes: XXS-XXL VP92718NF
- 18-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips



92723NF Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips



92718PU Sizes: XS-XXL VP92718PU
- 18-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips



92723PU Sizes: XS-XXL VP92723PU
- 13-gauge HyperMax® HPPE engineered yarn shell
- Polyurethane (PU) coated palm and fingertips

A2 CUT PROTECTION



HYPERMAX

CUT A2 | ABR 3 | PUN 3 | 18 GAUGE | TOUCH screen gloves

92728HV Sizes: XS-XXL
- 18-gauge HyperMax® HPPE engineered yarn shell
- Nitrile Foam coated palm and fingertips
- Reinforced thumb crotch



ARCLIN Kevlar

CUT A2 | ABR 3 | PUN 2 | 15 GAUGE | HEAT 2 | TOUCH screen gloves

9693 Sizes: XS-XXL
- 15-gauge stretch Kevlar® engineered yarn shell
- Textured Nitrile coated palm and fingertips



ARCLIN Kevlar

CUT A2 | ABR 2 | HEAT 3 | 13 GAUGE

9393 Sizes: S-XL
- 13-gauge light weight Kevlar® engineered yarn shell
- Uncoated



ARCLIN Kevlar

CUT A2 | ABR 2 | HEAT 3 | 13 GAUGE

9394 Sizes: XS-XL
- 13-gauge ultra-light weight Kevlar® engineered yarn shell
- Uncoated



ARCLIN Kevlar

CUT A2 | ABR 2 | 7 GAUGE

9362 Sizes: S-XL
- 7-gauge Kevlar® engineered yarn shell with Cotton interior
- Uncoated



ARCLIN Kevlar

CUT A2 | ABR 3 | HEAT 4 | 7 GAUGE

9430KM Sizes: M-L
9432KM Size: S
- 7-gauge Kevlar®/Cotton engineered yarn shell
- Knit wrist

MCR SAFETY



ARCLIN Kevlar
CUT A2
ABR 3
HEAT 4
7 GAUGE

9430KME Size: L
- 7-gauge Cotton/Polyester/ Kevlar® engineered yarn shell
- Knit wrist



ARCLIN Kevlar
CUT A2
ABR 3
HEAT 4
7 GAUGE

9433KM Size: L
- 7-gauge Cotton/Polyester/ Kevlar® engineered yarn shell
- Knit wrist

MCR SAFETY CUT PRO



ARCLIN Kevlar
CUT A2
ABR 3
HEAT 4
7 GAUGE

9435KM Sizes: XS-L
- 7-gauge regular weight Cotton/ Polyester/Kevlar® engineered yarn shell
- Uncoated



ARCLIN Kevlar
CUT A2
ABR 3
HEAT 4
7 GAUGE

9436KM Sizes: S, L
- 7-gauge Kevlar®/Cotton engineered yarn shell
- Knit wrist



ARCLIN Kevlar
CUT A2
ABR 3
7 GAUGE

9363 Sizes: XS-XL
- 7-gauge Kevlar® engineered yarn shell with Cotton interior
- PVC dots on 2 sides



ARCLIN Kevlar
CUT A2
PUNV 4
HEAT 3
7 GAUGE

9380 Sizes: S-XL
- 7-gauge Kevlar® engineered yarn shell with Cotton interior
- Black split Leather palm



ARCLIN Kevlar
CUT A2
ABR 4
PUNV 3
HEAT 3
7 GAUGE

3204K Sizes: S-XXL
- 7-gauge Kevlar® lined competitive value
- Cow grain Leather palm/ split Leather back
- Sewn with Kevlar® thread



CUT A2
ABR 4
PUNV 3
IMPACT 2
INTELLECTUAL PATENTED PROPERTY

PD4906 Sizes: M-XXXL
- Patented Hi-Vis PD4 tire tread TPR impact protection
- Black Synthetic suede Leather palm
- Hi-Vis lime rough PVC patch palm overlay
- Reflective material on both sides of cuff

MCR SAFETY SLEEVES



Premium Grade Sleeve:
3-3.25" Width



Competitive Value Grade Sleeve:
2.25" Width



Equal length sleeves pictured

7" 8" 10" 12" 14" 15" 18" 20" 21" 22" 24"

Sleeve Length

Fiber	7"	8"	10"	12"	14"	15"	18"	20"	21"	22"	24"
ARX® Aramid	-	-	●	-	-	-	●	-	-	-	-
Kevlar® Blend	-	-	●	●	●	-	●	-	-	●	●
Steelcore®	-	-	-	●	-	-	●	-	●	-	-
Dyneema®	-	-	-	●	●	-	●	-	-	-	-
Kevlar®	●	●	●	●	●	●	●	-	-	●	●
HyperMax® HPPE	-	-	-	●	●	-	●	●	-	-	-
Competitive Value	-	-	●	-	●	-	●	-	-	●	-



Bar Tack



Thumb Slot



Cotton Interior



Bicep Gusset



Leather Pad



Adjustable Bicep

Sleeve Options

Fiber	Bar Tack	Thumb Slot	Cotton Interior	Bicep Gusset	Leather Pad	Adjustable Bicep
ARX® Aramid	-	●	-	-	-	-
Kevlar® Blend	-	●	●	-	-	-
Steelcore®	-	-	-	-	-	-
Dyneema®	-	●	-	●	-	-
Kevlar®	●	●	-	●	●	-
HyperMax® HPPE	-	●	-	-	-	●
Competitive Value	●	●	-	-	-	-

SLEEVE CUT PROTECTION





HYPERMAX

CUT A8

ABR 4

EN 388 TEAR 3

13 GAUGE

9218SVT Size: 18"

- 13-gauge HyperMax® HPPE engineered yarn
- Adjustable hook and loop bicep, thumb slot



STEELCORE

CUT A8

ABR 3

EN 388 TEAR 4

7 GAUGE

COMPLIANT FDA MATERIAL

Other Lengths Available

9321 Size: 21"

9318 Size: 18"

- 7-gauge SteelCore® yarn
- FDA accepted material
- Plain sleeve



ARX

CUT A6

ABR 3

EN 388 TEAR 3

HEAT 3 392°F

7 GAUGE

Available WITHOUT ThumbSlot

9318K7 Size: 18"

9318K7T Size: 18"

- 7-gauge ARX® Aramid engineered yarn
- Thumb slot



ARX

CUT A6

ABR 3

EN 388 TEAR 3

HEAT 2 284°F

13 GAUGE

Available WITHOUT ThumbSlot

9318K13 Size: 18"

9318K13T Size: 18"

- 13-gauge ARX® Aramid engineered yarn shell
- Thumb slot

SLEEVE CUT PROTECTION



HYPERMAX
CUT A6
ABR 2
EN 388 TEAR 4
15 GAUGE

92185VR Size: 18"
- 15-gauge HyperMax® HPPE engineered yarn
- Adjustable hook & loop bicep



HYPERMAX
CUT A5
ABR 3
EN 388 TEAR 3
13 GAUGE

Other Lengths Available
9218OVT Size: 18"
VP9218OVT Vend Pack
9214OVT Size: 14"
VP9214OVT Vend Pack

9222OVT Size: 22"
- 13-gauge HyperMax® HPPE engineered yarn shell
- Adjustable hook & loop bicep
- Thumb slot



HYPERMAX
CUT A5
ABR 3
EN 388 TEAR 3
13 GAUGE

9218OVTW Size: 18"
- 13-gauge HyperMax® HPPE engineered yarn shell
- Adjustable hook & loop bicep
- Added Bicep Gusset to fit larger arms
- Elastic wrist
- Thumb slot



HYPERMAX

CUT A5

ABR 3

EN 388 TEAR 3

13 GAUGE

92180 Size: 20"
- 13-gauge HyperMax® HPPE engineered yarn shell
- Silicone Bicep Grip Pads



ARCLIN Kevlar

CUT A5

ABR 3

EN 388 TEAR 3

HEAT 2

7 GAUGE

Other Lengths Available

91740 Size: 14"

91780 Size: 18"
- 7-gauge Kevlar® engineered yarn shell
- Plain sleeve



HYPERMAX

CUT A4

ABR 4

EN 388 TEAR 4

13 GAUGE

921830 Size: 18"
- 13-gauge HyperMax® HPPE engineered yarn shell
- Thumb slot

SLEEVE CUT PROTECTION



ARCLIN Kevlar

CUT A4

ABR 2

EN 388 TEAR 2

HEAT 3 392°F

7 GAUGE

Available WITHOUT ThumbSlot

9378KF Size: 18"

9378KFT Size: 18"
- 7-gauge Kevlar® engineered yarn shell
- Thumb slot



ARCLIN Kevlar

CUT A4

PUNCTURE 4

EN 388 TEAR 4

HEAT 4 500°F

9374TL Size: 14"
- Double Ply Kevlar® engineered yarn shell with Leather pad
- Thumb slot



STEELCORE

CUT A4

ABR 2

EN 388 TEAR 3

HEAT 2 284°F

13 GAUGE

9338 Size: 18"
- 13-gauge SteelCore®
- Thumb slot



HYPERMAX

CUT A3

ABR 3

EN 388 TEAR 4

15 GAUGE

Other Lengths Available

921480 Size: 14"
- 18-gauge HyperMax® HPPE engineered yarn shell

921850 Size: 18"
- 15-gauge HyperMax® HPPE engineered yarn shell
- Thumb slot



ARCLIN Kevlar

CUT A3

ABR 2

EN 388 TEAR 4

HEAT 2 284°

93724T Size: 24"
- 3.25" wide double ply Kevlar® engineered yarn shell
- Thumb slot



ARCLIN Kevlar

CUT A3

ABR 2

EN 388 TEAR 4

HEAT 3 392°

9373B Size: 23"
- 3.25" wide double ply Kevlar® engineered yarn shell
- Bar tacked fingers
- Thumb slot

SLEEVE CUT PROTECTION



ARCLIN Kevlar

CUT A3

ABR 2

EN 388 TEAR 4

HEAT 2

Other Lengths Available

9378 Size: 18"
9374 Size: 14"
9372 Size: 12"
9371 Size: 10"
9370 Size: 8"
9307 Size: 7"

9379 Size: 22"

- 3.25" wide double ply Kevlar® engineered yarn shell
- Plain sleeve



ARCLIN Kevlar

CUT A3

ABR 2

EN 388 TEAR 3

HEAT 3

9378BE Size: 18"

- 2.25" wide Kevlar® engineered yarn shell
- Bar tack thumb



ARCLIN Kevlar

CUT A3

ABR 2

EN 388 TEAR 3

HEAT 3

Available WITHOUT ThumbSlot

9378E Size: 18"

9378TE Size: 18"

- 2.25" wide Kevlar® engineered yarn shell
- Thumb slot



ARCLIN Kevlar

CUT A3

ABR 2

EN 388 TEAR 4

HEAT 2 284°F

VP9378T

9378T Size: 18"
- 3.25" wide double ply Kevlar® engineered yarn shell
- Thumb slot



ARCLIN Kevlar

CUT A3

ABR 2

EN 388 TEAR 4

HEAT 2 284°F

9178T Size: 18"
- 3.25" wide double ply black Kevlar® engineered yarn shell
- Thumb slot



ARCLIN Kevlar

CUT A3

ABR 2

EN 388 TEAR 3

HEAT 3 392°F

Other Lengths Available

9372E Size: 12"

9374E Size: 14"
- 2.25" wide double ply Kevlar® engineered yarn shell
- Plain sleeve

SLEEVE CUT PROTECTION



ARCLIN Kevlar
CUT A3
ABR 2
EN 388 TEAR 4
HEAT 2

Other Lengths Available
9372T Size 12"
9371T Size 10"


9374T Size: 14"
- 3.25" wide double ply Kevlar® engineered yarn shell
- Thumb slot



ARCLIN Kevlar
CUT A3
ABR 2
EN 388 TEAR 3
HEAT 3

Available WITHOUT ThumbSlot
9371E Size: 10"


9371TE Size: 10"
- 2.25" wide double ply Kevlar® engineered yarn shell
- Thumb slot



CUT A2
ABR 4
EN 388 TEAR 2
10 GAUGE
FDA COMPLIANT MATERIAL

VP9318D10T

9318D10T Size: 18"
- 10-gauge Dyneema® Diamond Technology
- Upper arm gusset
- Thumb slot



CUT A2

ABR 4

EN 388 TEAR 2

10 GAUGE


COMPLIANT FDA MATERIAL

Other Lengths Available

9314D10
Size: 14

VP9318D10

9318D10 Size: 18"
- 10-gauge Dyneema® Diamond Technology
- Upper arm gusset
- Plain sleeve



CUT A2

ABR 3

EN 388 TEAR 2

7 GAUGE

COMPLIANT FDA MATERIAL

Available WITHOUT ThumbSlot

9318D7 Size: 18"

9318D7T Size: 18"
- 7-gauge Dyneema® Diamond Technology
- Upper arm gusset
- Thumb slot



CUT A2

ABR 3

EN 388 TEAR 3


7 GAUGE

Available WITHOUT ThumbSlot

9318D7M Size: 18"

9318D7MT Size: 18"
- 7-gauge 4" wide Dyneema® Diamond Technology
- Thumb slot

SLEEVE CUT PROTECTION



HYPERMAX

CUT A2

ABR 3

EN 388 TEAR 2

13 GAUGE

9218M13 Size: Size: 18"
- 13-gauge HyperMax® HPPE engineered yarn shell
- Plain sleeve



ARCLIN Kevlar

CUT A2

ABR 2

EN 388 TEAR 3

HEAT 2

9378P Size: 18"
- 7-gauge Single ply competitive value Kevlar® engineered yarn shell
- Plain sleeve



ARCLIN Kevlar

CUT A2

ABR 2

EN 388 TEAR 3

9378SPW Size: 18"
- 3.25" wide Single ply Kevlar® engineered yarn shell
- Wider Elastic on Ends
- Plain sleeve



ARCLIN Kevlar

CUT A2

ABR 1

HEAT 2 284°F

7 GAUGE

9371ES Size: 10"
- 7-gauge Single ply competitive value Kevlar® engineered yarn shell
- Plain sleeve



ARCLIN Kevlar

CUT A2

ABR 2

EN 388 TEAR 3

HEAT 3 392°F

7 GAUGE

Other Lengths Available

9378KCT Size: 18"

9379KCT Size: 22"
- 7-gauge 3.25" wide Kevlar® engineered yarn shell
- Thumb slot



ARCLIN Kevlar

CUT A2

ABR 2

EN 388 TEAR 3

HEAT 3 392°F

7 GAUGE

9379KCTE Size: 22"
- 7-gauge 2.25" wide Kevlar® engineered yarn shell
- Cotton interior
- Thumb slot



ARCLIN Kevlar

CUT A2

ABR 2

EN 388 TEAR 3

HEAT 3 392°F

7 GAUGE

9378KC Size: 18"
- 7-gauge 3.25" wide Kevlar® engineered yarn shell
- Cotton interior
- Plain sleeve

ULTRATECH COATED



CUT A1 · 21 GAUGE · ABR 3 · ESD · PUN 2 · TOUCH screen gloves

96671 Sizes: XS-XXL
- 21-gauge Nylon yarn shell
- Micro-foam Nitrile coated palm and fingertips
- Electrostatic Dissipative ESD gloves



CUT A1 · 21 GAUGE · ABR 4 · ESD · PUN 2 · TOUCH screen gloves

96691 Sizes: XS-XXL
- 21-gauge Nylon yarn shell
- Polyurethane (PU) coated palm and fingertips
- Electrostatic Dissipative ESD gloves



ABR 3 · 15 GAUGE · PUN 2 · TOUCH screen gloves

9674 Sizes: XS-XL
- 15-gauge Nylon shell
- Nitrile Foam coated palm and fingertips



CUT A1 · 15 GAUGE · ABR 2 · TOUCH screen gloves · PUN 2 · COMPLIANT FDA MATERIAL

9674IN Sizes: XS-XXL
- 15-gauge Nylon/Spandex shell
- Merino Wool liner
- Micro Foam Nitrile coated palm and fingertips
- EN511 Contact cold level 1

MCR SAFETY







96091 Sizes: XS-XXL
- 15-gauge PET recycled Polyester shell
- Micro-Foam Nitrile coated palm and fingertips
- Environmentally friendly gloves


9699 Sizes: XS-XXL VP9699
- 15-gauge Nylon shell
- HPT coated palm and fingertips

96092 Sizes: XS-XXL
- 15-gauge PET recycled Polyester/Cotton shell
- Biodegradable Nitrile Foam coated palm and fingertips
- Environmentally friendly gloves

MCR SAFETY

Intelligent Manufacturing

NXG



MCR SAFETY

Product - *Advanced Coatings*





Product Purity
Made with Consistent Quality
All NXG® gloves are manufactured in 100% enclosed environments, ensuring only the highest quality output.

7-Step Product Cleansing
Washed 7X For Maximum Comfort
Ensures gloves smell fresh, with no strong chemical odors attached.

Process - *Cutting-Edge Efficiencies*



Production Efficiencies
We've streamlined our dipping machines, resulting in faster glove dipping and faster production.

Packaging Automation
We've leveraged the latest technology to automatically roll and seal gloves, as well as fill glove case packs.

Planet - *Eco-Friendly*







Zero Contamination of the Environment
Achieved by incorporating premier water treatment and filtration systems.

Exhaust Gas Cleaning
Gloves manufactured under the NXG® brand ensure less gas is released into the ecosystem due to improved air filtering processes.

Clean Energy Utilization
Our new factory relies less on electricity generated by coal, natural gas, and petroleum and more on alternative energy sources like sustainable solar and wind energy.

POLYURETHANE (PU) COATED



ABR 2
PUNT 2
13 GAUGE

9666 Sizes: XS-XXL VP9666
- 13-gauge Nylon shell
- Polyurethane (PU) coated palm and fingertips

CUT A1
ABR 3
PUNT 2
13 GAUGE
TOUCH screen gloves

9696 Sizes: XS-XXL VP9696
- 13-gauge Nylon shell
- Polyurethane (PU) coated palm and fingertips

MCR SAFETY



ABR 3 · PUN 2 · 15 GAUGE

96695 Sizes: XS-XXL
- 15-gauge Nylon shell
- Polyurethane (PU) coated palm and fingertips
- Latex free



ABR 2 · PUN 2 · 13 GAUGE

9665 Sizes: XS-XL
- 13-gauge Nylon shell
- Polyurethane (PU) coated palm and fingertips



ABR 3 · 13 GAUGE · PUN 2 · TOUCH screen gloves

VP9669

9669 Sizes: XS-XXL
- 13-gauge Nylon shell
- Polyurethane (PU) coated palm and fingertips



ABR 3 · PUN 1 · 18 GAUGE

96658 Sizes: XS-XL
- 18-gauge Polyester shell
- Polyurethane (PU) coated palm and fingertips



ABR 3 · PUN 2 · 13 GAUGE

96655 Sizes: XXS-XL
- 13-gauge Polyester shell
- Polyurethane (PU) coated palm and fingertips



CUT A1 · ABR 3 · PUN 2 · 13 GAUGE

96699 Sizes: XS-XXL
- 13-gauge Polyester shell
- Polyurethane (PU) coated palm and fingertips

NITRILE COATED





967315 Sizes: XS-XXL
- 15-gauge Nylon shell
- Nitrile Foam coated palm and fingertips
- Latex free



96715 Sizes: XS-XXL
- 15-gauge Nylon shell
- Nitrile Foam coated palm and fingertips
- Latex free

VP96715



MG9694 Sizes: S-XL
- 15-Gauge Nylon/Spandex shell
- Bi-polymer over the knuckle coating
- Nitrile Dots on the palm and fingertips



9673SF Sizes: XS-XXL
- 13-gauge Nylon shell
- Sandy Nitrile Foam coated palm and fingertips

NITRILE COATED



CUT A1

ABR 3

15 GAUGE

PUNT 2

TOUCH screen gloves

9683 Sizes: XS-XL
- 15-gauge Nylon shell
- Nitrile coated palm and fingertips



CUT A1
ABR 3
PUN 2
13 GAUGE

96781 Sizes: XS-XXL
- 13-gauge Nylon shell
- Nitrile Foam over-the-knuckle coating



ABR 3
PUN 2
13 GAUGE

9673GW Sizes: XS-XL
- 13-gauge Nylon shell
- Nitrile Foam coated palm and fingertips



CUT A1
ABR 4
PUN 2
13 GAUGE

9679 Sizes: XS-XL
- 13-gauge Nylon shell
- Flat Nitrile coated palm and fingertips



ABR 6
10 GAUGE

FT350 Size: M
- 10-gauge Cotton/Polyester shell
- Smooth Nitrile coated palm and fingertips

LATEX COATED



CUT A3
ABR 3
PUNC 3
10 GAUGE
HEAT 2

9690 Sizes: S-XL
- 10-gauge Acrylic/Cotton Polyester shell
- Latex coated palm and fingertips
- Textured palm dip for extra grip and durability
- Extra thermal protection



96731 Sizes: XS-XL
- 13-gauge Nylon shell
- Foam Latex coated palm and fingertips



96731HV Sizes: S-XL
- 13-gauge Nylon/Polyester shell
- Foam Latex coated palm and fingertips

VP96731HV



9688 Sizes: S-XL
- 10-gauge Cotton/Polyester shell
- Latex coated palm and fingertips
- Textured palm dip for extra grip and durability



9690Y Sizes: S-XL
- 10-gauge Acrylic shell
- Latex coated palm and fingertips
- Textured palm dip for extra grip and durability
- Extra thermal protection

NINJA® COATED STRING KNITS




MCR SAFETY
GROUP
DEWALT 20V MAX XR LITHIUM ION

BREATHABLE NITRILE FOAM BNF WITH NFT®





ABR 4 · PUN 2 · 15 GAUGE · HEAT 2 · TOUCH screen gloves

N96051 Sizes: XS-XL
- 15-gauge Ingenia™ engineered yarn shell
- Breathable Nitrile Foam BNF with NFT® coated palm and fingertips



ABR 4 · 15 GAUGE · PUN 2 · TOUCH screen gloves

N96797 Sizes: XS-XXL VP96797
- 15-gauge Nylon/Spandex engineered yarn shell
- Breathable Nitrile Foam BNF with NFT® coated palm and fingertips with Dots



ABR 4 · 18 GAUGE · PUN 1 · COMPLIANT FDA MATERIAL · HEAT 2 · TOUCH screen gloves

N96970 Sizes: XS-XXL
- 18-gauge Nylon/Spandex engineered yarn shell
- Breathable Nitrile Foam BNF with NFT® coated palm and fingertips



ABR 5 · PUN 2 · HEAT 3 · 18 GAUGE

N96783 Sizes: XS-XXL
- 18-gauge Nylon/Spandex engineered yarn shell
- Breathable Nitrile Foam BNF with NFT® coated palm and fingertips with flat Nitrile over-the-knuckle coating

BREATHABLE NITRILE FOAM BNF WITH NFT®





ABR 4 · PUN 2 · 15 GAUGE · HEAT 2 · TOUCH screen gloves

N96790 Sizes: XS-XXXL VPN96790

- 15-gauge Nylon/Spandex engineered yarn shell
- Breathable Nitrile Foam BNF with NFT® coated palm and fingertips



CUT A1 · ABR 5 · PUN 2 · HEAT 3 · 18 GAUGE

N96785 Sizes: XS-XXL

- 18-gauge Nylon/Spandex engineered yarn shell
- Flat Nitrile full coating with over-the-knuckle Breathable Nitrile Foam BNF with NFT® coating



CUT A1 · ABR 4 · 15 GAUGE · PUN 2 · TOUCH screen gloves

N96793 Sizes: S-XL

- 15-gauge Nylon/Spandex engineered yarn shell
- Breathable Nitrile Foam BNF with NFT® over-the-knuckle coating



ABR 5 · PUN 2 · 15 GAUGE

N96795 Sizes: S-XXL

- 15-gauge Nylon/Spandex engineered yarn shell
- Breathable Nitrile Foam BNF with NFT® full coating

HYDROPELLENT TECHNOLOGY HPT®



ABR 3

PUNV 2

15 GAUGE

N9699 Sizes: S-XL
- 15-gauge Nylon engineered yarn shell
- HPT coated palm and fingertips



N9690 Sizes: S-XXL
- 15-gauge Nylon with 7-gauge Acrylic Terry interior engineered yarn shell
- HPT coated palm and fingertips



N9690FC Sizes: S-XXL
- 15-gauge Nylon with 7-gauge Acrylic Terry interior engineered yarn shell
- HPT full coating



N9690HV Sizes: XS-XXL
- 15-gauge Nylon with 7-gauge Acrylic Terry interior engineered yarn shell
- HPT over-the-knuckle coating



N9690FCO Sizes: M-XXL
- 15-gauge Nylon with 7-gauge Acrylic Terry interior engineered yarn shell
- HPT full coating


MCR SAFETY
N9696L
ABRASION 3
NINJA
LITE
MCR SAFETY
N9696L
ABRASION 3
NINJA
LITE



N9696 Sizes: XS-XXL
- 18-gauge Nylon engineered yarn shell
- Polyurethane (PU) coated palm and fingertips

VP9696



N9676G Sizes: S-XL
- 10-gauge Dyneema® Diamond Technology engineered yarn shell
- Bi-polymer coated palm and fingertips




N9674 Sizes: S-XL
- 15-gauge Nylon/Lycra® engineered yarn shell
- Bi-Polymer coated palm and fingertips


MCR SAFETY
NINJA ICE
ANSI CUT
ABRASION
CPC

MCR SAFETY

NINJA® FLEX

CROSS SECTION



1. Crinkle Latex coating channels liquids away from the contact surface for improved wet grip
2. Lightweight Liner



CUT A1 · ABR 3 · 15 GAUGE · PUN 3 · FDA COMPLIANT MATERIAL

N9680 Sizes: S-XXL

- 15-gauge Nylon engineered yarn shell
- Latex coated palm and fingertips

VPN9680



DYNEEMA · CUT A5 · 13 GAUGE · ABR 4 · 7 GAUGE · PUN 4

N9690TC Sizes: S-XXL

- 13-gauge Dyneema® Diamond Technology with 7-gauge Acrylic Terry interior engineered yarn shell
- Bi-Polymer coated palm and fingertips



HYPERMAX · CUT A4 · 15 GAUGE · ABR 3 · 7 GAUGE · PUN 3

N9691 Sizes: S-XXL

- 15-gauge HyperMax® HPPE with 7-gauge Acrylic Terry interior engineered yarn shell
- HPT coated palm and fingertips



CUT A2 · ABR 4 · PUN 2 · IMPACT 2 · HEAT 1 · 15 GAUGE

N2658HVO Sizes: S-XXL

- 15-gauge Nylon engineered yarn shell
- Fully double coated with PVC
- TPR back-of-hand impact protection



HYPERMAX · CUT A4 · ABR 6 · PUN 3 · IMPACT 2 · 15 GAUGE

N2659HVL Sizes: M-XXL

- 15-gauge HyperMax® HPPE engineered yarn shell
- Fully double coated with PVC
- TPR back-of-hand impact protection




MCR SAFETY
GROUP

ANSI/ISEA 138 IMPACT RESISTANT TEST

ANSI/ISEA 138 aims to establish minimum performance, classification and labeling requirements for gloves designed to protect the knuckles and fingers from impact forces, while performing occupational tasks.

The new impact standard mandates four key requirements:

1. Defines an agreed-upon testing method for gloves' impact protection

2. Includes three clearly defined performance levels

3. Specifies a pictogram mark for each of the levels of compliant gloves

4. Requires that products be tested in a laboratory with a certificate of accreditation meeting the requirements ISO/IEC 17025:2017, General requirements for the competence of testing and calibration laboratories

What is the testing methodology?

Flat 80mm diameter striking face

Palm side of glove removed

Impact locations marked on gloves

Samples mounted centrally on hemispherical (100mm radius) anvil

2.5kg mass dropped with an impact energy of 5J

Peak transmitted force recorded by force transducer beneath anvil

Lower transmitted force = greater degree of protection and a higher performance level

Impact test performed on knuckles and fingers separately

25mm from tip

50mm from tip

Knuckle Impact



Performance Level	Mean (kN)	All Impacts (kN)
ANSI / ISEA 138 3	<4 kN	<5
ANSI / ISEA 138 2	<6.5 kN	<8.1
ANSI / ISEA 138 1	<9 kN	<11.3

Greater Protection

The ANSI/ISEA 138 Pictogram must be present on the glove or inside the tag of the glove to comply. Here is an example of MCR Safety's label for the PD5931 series:



MCR SAFETY

MCR SAFETY CUT PRO

ANSI / ISEA 138 3

Predator® Mechanics Gloves

MCR Safety's Predator® work gloves with Sasquatch® Leather are premium quality, rugged, and will work as hard as you do! The PD5931 Leather palm gloves are made with a premium grade split Leather and possess a softness and suppleness not found in all Leather work gloves. The black spandex back features a full TPR back of hand and fingers with internal D3O® Foam that combine to provide level 3 impact protection! Other features include a HyperMax® HPPE cut resistant palm liner and a reinforced thumb, thumb crotch and index finger for superior durability. A sturdy pull tab makes this glove easier for donning and doffing and an internal cuff loop makes it perfect for hang up storage. This glove also has reflective material on the both sides of the cuff for additional high visibility. Looking for the best Leather palm impact resistant work glove options? Look no further than MCR Safety!



FEATURES:

- Patented Hi-Vis PD5 tire tread TPR impact protection
- Predator® impact mechanics glove
- Sasquatch® Leather palm work gloves
- Cut, abrasion, tear, and impact resistant
- TPR back provides level 3 impact protection

HYPERMAX

CUT A5

ABR 6

PUNC 4

IMPACT 3

INTELLECTUAL PATENTED PROPERTY

HEAT 2

D3O®



Close-up of the palm surface

Surpasses 20,000 Abrasion Cycles!

Abrasion Level 6

PD5931 Sizes: M-XXL

- Extreme abrasion protection against rugged materials
- Internal palm lined with HyperMax® HPPE cut resistant layer
- Reinforced thumb-thumb crotch-index finger

PREDATOR® IMPACT LEVEL 2



MCR SAFETY

ANSI / ISEA 138

2

48406 Series Welders

This MCR Safety Welding option is made of premium grain Goatskin. This supple Leather contains natural lanolin that helps create a very soft feel. Characteristics include strongest tensile strength and excellent tactile sensitivity. Best combination of flexibility and comfort. The 48406 Series are Mig/Tig gloves with a 5" russet split Cowskin cuff for additional safety. Sewn with Kevlar® thread, has a keystone thumb and a self-hem sewn cuff. The TPR back offers excellent impact resistance on the fingers and back of the hand.

- Patented PD6 tire tread TPR impact protection
- Premium grain Goatskin Leather
- Sewn with Kevlar® thread
- Impact level 2 TPR on back of hand,
- 11" total length including a 5" brown split Cow Leather cuff
- Keystone thumb
- Contact Heat, 3 - Less than 392°F



ARCLIN
Kevlar
ABR 3
PUN 3
INTELLECTUAL PATENTED PROPERTY
IMPACT 2
HEAT 3 392°

48406 Sizes: M-XL



ARCLIN
Kevlar
CUT A5
ABR 3
PUN 3
INTELLECTUAL PATENTED PROPERTY
IMPACT 2
HEAT 3 392°

48406K Sizes: S-XXL
- Lined with Kevlar®

PREDATOR® IMPACT LEVEL 2



CUT A7 · ABR 3 · PUN 3 · IMPACT 2 · HEAT 2 · INTELLECTUAL PATENTED PROPERTY

PD4971 Size: S-XXL
- Patented Hi-Vis PD4 tire tread TPR impact protection
- 360° Cut Resistant Aramid liner
- White Goatskin Leather



HYPERMAX · CUT A5 · ABR 4 · PUN 3 · IMPACT 2 · INTELLECTUAL PATENTED PROPERTY

PD4903 Sizes: S-XXXL
- Patented Hi-Vis PD4 tire tread TPR impact protection
- HyperMax® HPPE cut resistant 360° liner
- Hi-Vis red Synthetic Leather palm
- Sturdy pull tab for donning and doffing
- Reinforced thumb crotch and rolled index finger



HYPERMAX · CUT A2 · ABR 4 · PUN 3 · IMPACT 2 · INTELLECTUAL PATENTED PROPERTY

PD4906 Sizes: M-XXXL
- Patented Hi-Vis PD4 tire tread TPR impact protection
- Rough PVC patch palm overlay
- Reflective material on both sides of cuff



HYPERMAX · CUT A9 · ABR 4 · PUN 3 · IMPACT 2 · HEAT 2 · INTELLECTUAL PATENTED PROPERTY

PD6901 Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- MAXGrid™ pattern palm for grip in dry, wet, or oily conditions
- HyperMax® HPPE 360° lining for extreme cut protection
- Hook-and-loop wrist closure with suede pull tab
- Reinforced black MAXGrid™ thumb crotch



HYPERMAX · CUT A7 · ABR 6 · PUN 3 · 13 GAUGE · IMPACT 2 · INTELLECTUAL PATENTED PROPERTY · TOUCH screen gloves

PD6952 Sizes: XS-XXXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- 13-gauge seamless salt and pepper HyperMax® HPPE shell
- Black Bi-Polymer coated palm and fingertips
- Hi-tech Nylon stitched on reinforced thumb crotch



HYPERMAX · CUT A6 · ABR 5 · PUN 3 · 13 GAUGE · IMPACT 2 · INTELLECTUAL PATENTED PROPERTY · TOUCH screen gloves

PD6951 Sizes: XS-XXXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- 13-gauge seamless gray HyperMax® HPPE shell
- Gray Polyurethane (PU) coated palm and fingertips
- Hi-tech Nylon stitched on reinforced thumb crotch



PD6955 Sizes: S-XXXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- 18-gauge HyperMax® HPPE engineered yarn shell
- Flat Nitrile full coating
- Sandy Nitrile Foam coated palm and fingertips



PD6953 Sizes: S-XXXL
- Patented PD6 tire tread TPR impact protection
- 21-gauge HyperMax® HPPE cut resistant shell
- Micro-foam Nitrile coated palm and fingertips



PD6954 Sizes: S-XXXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- 18-gauge HyperMax® HPPE engineered yarn shell
- Micro Nitrile Foam coated palm and fingertips
- Nitrile reinforced thumb crotch



PD3430 Sizes: S-XXXL
- Patented PD6 tire tread TPR impact protection
- Sasquatch® premium split Leather impact driver
- Extreme abrasion protection against rugged materials
- 360° coverage with HyperMax® HPPE cut resistant liner
- Sewn with aramid thread for increased seam strength
- Wing thumb pattern

PREDATOR® IMPACT LEVEL 2



ARCLIN Kevlar
CUT A9
ABR 6
PUN 4
IMPACT 2
INTELLECTUAL PATENTED PROPERTY

PD43612 Sizes: M-XXL
- Patented PD6 tire tread TPR impact protection
- Kevlar® engineered palm lining for extreme cut protection
- Hook-and-loop wrist closure
- Honey gold Goatskin Leather with fourchettes
- Reinforced thumb crotch



CUT A6
ABR 4
PUN 3
ARCLIN Kevlar
IMPACT 2
INTELLECTUAL PATENTED PROPERTY
HEAT 3

36136KDP Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- Select grade grain Goatskin
- Kevlar®/Aramid liner
- Keystone thumb
- Padded double palm for greater protection



HYPERMAX
CUT A5
ABR 4
PUN 5
INTELLECTUAL PATENTED PROPERTY
D30®
IMPACT 2
HEAT 3

FF2931 Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- Patented D3O® metacarpal protection and padded palm
- MAXGrid™ reinforced palm for extreme grip conditions
- HyperMax® HPPE engineered cut resistant palm liner



HYPERMAX
CUT A5
ABR 3
PUN 3
INTELLECTUAL PATENTED PROPERTY
IMPACT 2

36136HP Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- Select grade grain Goatskin
- Lined with HyperMax® HPPE
- Keystone thumb



CUT A2
IMPACT 2
INTELLECTUAL PATENTED PROPERTY

PD6902 Sizes: M, L, XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- White corded cotton double palm
- Hi-visibility flourescent lime back
- 2" Neoprene open cuff with red TPR pull tab



ABR 3
PUN 3
IMPACT 2
INTELLECTUAL PATENTED PROPERTY
HEAT 2

36136 Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- Select grade grain Goatskin
- Keystone thumb

ANSI / ISEA 138

2

Chemical and Impact Resistant
=
Superior Flexibility!

The N2658HVO Ninja Alchemy is a silicone-free, 14" waterproof double coated PVC featuring a 15-gauge Nylon liner. The TPR on the back of each hand provides Impact Level 2 protection.

PERFECT FOR:

Chemical Handling*, Industrial Plumbing Repairs, Oil Rigs, Agriculture, Cleaning Works, Impact and Chemical Resistance Application



CUT A2 | ABR 4 | PUNT 2 | IMPACT 2 | HEAT 1 | 15 GAUGE

N2658HVO Sizes: S-XXL
- 15-gauge Nylon engineered yarn shell
- Fully double coated with PVC
- TPR back-of-hand impact protection

Cut, Chemical and Impact Resistant
=
The Perfect Glove!

The N2659HVL Ninja Alchemy is a silicone-free, 14" waterproof double coated PVC featuring a 15-gauge HyperMax® HPPE cut resistant liner. The TPR on the back of each hand provides Impact Level 2 protection.

PERFECT FOR:

Chemical Handling*, Industrial Plumbing Repairs, Oil Rigs, Agriculture, Cleaning Works, Impact and Chemical Resistance Applications



CUT A4 | ABR 6 | PUNT 3 | IMPACT 2 | HYPERMAX | 15 GAUGE

N2659HVL Sizes: M-XXL
- 15-gauge HyperMax® HPPE engineered yarn shell
- Fully double coated with PVC
- TPR back-of-hand impact protection

PREDATOR® IMPACT LEVEL 1



ARCLIN
Kevlar
CUT A9
ABR 4
PUNCTURE 5
IMPACT 1
HEAT 3
INTELLECTUAL PROPERTY PATENTED

PD4900 Sizes: S-XXXXL

- Patented Hi-Vis PD4 tire tread TPR impact protection
- MAXGrid™ pattern palm for grip in dry, wet, or oily conditions
- Kevlar® engineered palm lining for extreme cut protection
- Reinforced thumb crotch
- Hook-and-loop wrist closure



PD2901 Sizes: S-XXL
- Patented PD2 tire tread TPR impact protection
- Textured PVC coated Synthetic palm
- Reinforced thumb crotch



PD2903 Sizes: M-XXL
- Patented PD2 tire tread TPR impact protection
- D30® padded palm dissipates impact and vibration
- Durable, Cow grain Leather palm
- Reinforced thumb crotch



PD2909 Sizes: S-XXL
- Patented PD2 tire tread TPR impact protection
- HyperMax® HPPE engineered palm liner
- Premium black Synthetic Leather palm
- Red silicone tire tread pattern grip
- Breathable fourchettes



PD2911 Sizes: M-XXL
- Patented Hi-Vis PD2 tire tread TPR impact protection
- HyperMax® HPPE cut resistant palm liner
- MAXGrid™ reinforced palm for extreme grip conditions

ULTRATECH® IMPACT LEVEL 1





CUT A2 | IMPACT 1 | HEAT 4

UT1902 Sizes: L-XL
- Cotton/Polyester corded double palm and knit wrist
- Wing thumb
- TPR metacarpal protection



CUT A2 | ABR 3 | PUNCTURE 2 | IMPACT 1 | 13 GAUGE | TOUCH screen gloves

UT1950 Sizes: S-XXXL
- 13-gauge Nylon shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR metacarpal protection
- Available vend packaging



CUT A4 | ABR 4 | PUNCTURE 5 | IMPACT 1 | HYPERMAX | 13 GAUGE

UT1951 Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered shell
- Crinkle Latex coated palm and fingertips
- TPR metacarpal protection
- Reinforced thumb crotch
- Padded palm

ULTRATECH® IMPACT LEVEL 1



UT1954 Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR back of hand protection



HYPERMAX
CUT A4
ABR 4
PUN 4
IMPACT 1
13 GAUGE

UT1952 Sizes: S-XXXL
- 13-gauge HyperMax® HPPE engineered shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR back of hand protection
- Reinforced thumb crotch



HYPERMAX
CUT A4
ABR 4
PUN 4
IMPACT 1
13 GAUGE

UT1953 Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR back of hand protection
- Reinforced thumb crotch
- Padded palm



HYPERMAX
CUT A5
ABR 4
PUN 4
IMPACT 1
13 GAUGE

UT1955 Sizes: S-XXL
- 13-gauge HyperMax® HPPE engineered shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR back of hand protection
- Reinforced thumb crotch and padded palm



HYPERMAX
CUT A5
ABR 4
PUN 3
13 GAUGE
IMPACT 1

UT1956 Sizes: S-XXL
- 13-gauge CutPro® HyperMax® HPPE/Acrylic winter shell
- Sandy Nitrile Foam coated palm and fingertips
- TPR back of hand protection
- Reinforced thumb crotch
- Tailored for cold conditions

IMPACT LEVEL 1



ANSI / ISEA 138



ARCLIN Kevlar

CUT A5

ABR 4

PUN 3

IMPACT 1

HEAT 3

36336K Sizes: S-XXL
- Lined with Kevlar®
- Double stitched with Kevlar® thread
- Oil block technology
- Padded palm
- Keystone thumb



ARCLIN Kevlar

CUT A4

ABR 4

PUN 4

IMPACT 1 CAT 4

HEAT 3

MU3634K Sizes: M-XXL
- Kevlar® lined grain Goatskin
- Leather double palm
- ARC rating of 61.4 cal/cm²




MCR SAFETY
GROUP

HYPERFIT® MECHANICS PROTECTION



HyperFit® Mechanics Work Gloves,
Safety, comfort, and style. These are attributes the industrial worker wants when gearing up for the job.

- "Hyperfit®" designed slip on cuff
- Super stretch knuckle region for greater flexibility
- Touch screen friendly Synthetic Leather palm
- Elastic cuff for a snug fit
- Reinforced thumb crotch
- Reflective logo on the back for added safety



CUT A1 ABR 3 PUNT 2 TOUCH screen gloves

950 S-XXL
Black mechanics work gloves



CUT A1 ABR 3 PUNT 2 TOUCH screen gloves

951 S-XXL
Blue mechanics work gloves



CUT A1 ABR 3 PUNT 2 TOUCH screen gloves

953 S-XXL
Hi-Vis Lime mechanics work gloves

TASKFIT™ MECHANICS PROTECTION



MCR SAFETY



CUT A2 ABR 3 PUNC 2 D3O®

963 Sizes: S-XXL
- Synthetic Leather palm
- PVC grip design on index finger and thumb
- D3O® padded palm



ABR 4 PUNC 3 D3O®

964 Sizes: S-XXL
- Premium grain honey gold Goatskin Leather palm
- D3O® padded palm

WINTER MECHANICS PROTECTION





980 M-XXL Moderate Climate
- 100g Thinsulate®
- Waterproof/Windproof barrier
- EN511: Contact cold level 2



983 M-XXL Extreme Climate
- 200g Thinsulate®
- Waterproof/Windproof barrier
- EN511: Contact cold level 3



926 Multi-Task Insulated Sizes: S-XXL
- Black Synthetic Leather palm and fingertips
- Adjustable wrist closure and Hi-Vis green fabric back
- Lined with 40 gram Thermosock® for warmth
- Silicone dots on palm
- Waterproof and wind proof lining



968 Luminator™ Insulated Sizes: S-XL
- 2 reflective stripes on back and on 3 fingertips
- Adjustable wrist closure
- Hi-Vis material with quality reflective stripes
- Insulated with Thermosock® lining
- Premium grain Goatskin Leather


MCR
SAFETY
MEMPHIS
9010CH

MCR SAFETY



ABR 5
PUNV 2

B100 Sizes: M-XXL
- Adjustable hook and loop wrist closure with nylon pull tab
- Terrycloth on back of thumb for perspiration
- TPR light bump protection



ABR 3
PUNV 2

MB100 Sizes: M-XXL
- 2 way spandex back
- Adjustable closure for a snug fit
- Comfortable, durable, launderable, breathable, and light-weight
- Star fabric to maximize comfort, breathability and fit
- High dexterity



ABR 3
PUNV 2

MR100 Sizes: M-XXL
- Adjustable closure for a snug fit
- Comfortable, durable, launderable, breathable, and light-weight
- Star fabric to maximize comfort, breathability and fit
- High dexterity



MD100 Size: M
- Synthetic grain Deerskin palm and fingers
- Digital camouflage back
- Adjustable wrist closures



HYPERMAX
CUT A4
ABR 5
PUNV 2

PD1902 Sizes: S-XXL
- Adjustable wrist closure
- Premium black Synthetic palm with red Silicone tire tread pattern grip
- Super stretch knuckle region for greater flexibility
- HyperMax® HPPE engineered cut resistant palm liner



935CH Size: S-XXL
- Synthetic Leather palm
- Spandex back
- G shape EVA padded palm
- Vented finger sidewall fourchettes
- Adjustable wrist closure

MCR SAFETY



ABR 3 · PUN 2 · HEAT 2 · TOUCH screen gloves

900 Sizes: S-XXL
- Synthetic Leather palm and fingers
- Blue spandex back
- Adjustable wrist closures



ABR 3 · PUN 4 · HEAT 2

901 Sizes: S-XXL
- Premium grain Deerskin palm and fingers
- Black spandex back
- Adjustable wrist closures



902 Sizes: S-XL
- Synthetic Leather palm design
- 3 Fingerless design
- G shape gel palm padding
- Adjustable wrist closures



903 Sizes: S-XXL
- Grain Goatskin Leather palm and fingertips
- Foam palm padding
- Multi-layered knuckle protection, spandex fabric back
- Adjustable wrist closures



ABR 3 · PUN 2 · HEAT 2

905 Sizes: S-XXL
- Synthetic Leather palm design
- "G" shape palm patch with Foam pads
- Spandex fabric back
- Adjustable wrist closures



ABR 4 · PUN 5 · HEAT 3

906DP Size: S-XXL
- White grain natural Goatskin
- Gray Cowhide split double palm
- Reinforced thumb crotch
- Adjustable wrist closures

MCR SAFETY



ABR 4
PUN 5
HEAT 3

906DPO Sizes: S-XXL
- White grain natural Goatskin
- Hi-Vis orange Nylon/Spandex back
- Split double palm and reinforced thumb crotch

ARCLIN
Kevlar



CUT A5
ABR 3
PUN 4
HEAT 2

906DPOK Sizes: M-XXXL
- Kevlar® reinforced palm
- White grain natural Goatskin
- Hi-Vis orange Nylon/Spandex back
- Split double palm and reinforced thumb crotch



920 Sizes: S-XXL
- Split Leather palm and fingertips
- Adjustable hook and loop wrist closure
- Black spandex back
- Terrycloth thumb to wipe perspiration



CUT A2
ABR 3
PUN 4
HEAT 4

914 Sizes: S-XXXL
- White premium natural Goatskin
- Padded palm for vibration reduction
- Neoprene knuckle strap



919 Sizes: S-XL
- White premium natural Goatskin
- Padded palm for vibration reduction
- Neoprene knuckle strap


NITRISHIELD
Powder-Free Nitrile Single Use Gloves
Industrial-Food Service Grade, Non-Medical, 100 Gloves
6 mil Thickness • 12" Length • Textured Finish • 100% Nitrile • Rolled Cuff • Ambidextrous
Component materials comply with all relevant federal regulations for food contact.
6062
L


MCR SAFETY
GROUP

NITRILE MEDICAL GRADE



6 MIL · PUNV 1 · COMPLIANT FDA MATERIAL · TOUCH screen gloves

6012 NitriShield™ Sizes: S-XXL
- 6 mil (7.2 g) powder free Nitrile gloves
- 12" length
- Medical grade - Class 1 Medical Device
- Textured grip, rolled cuff
- Passes ASTM D6978 to handle Fentanyl substances



4.5 MIL · COMPLIANT FDA MATERIAL · TOUCH screen gloves

6010 NitriShield™ Sizes: S-XL
- 4.5 mil (5.5 g) powder free Nitrile gloves
- 9.5" length
- Medical grade - Class 1 Medical Device
- Textured grip, rolled cuff



4 MIL · COMPLIANT FDA MATERIAL · TOUCH screen gloves

6010O NitriShield™ Sizes: M-XL
- 4 mil (5.03 g) powder free Nitrile gloves
- 9.5" length
- Medical grade - Class 1 Medical Device
- Textured grip, rolled cuff

Nitrile Industrial/Food Grade



6 MIL · I · COMPLIANT FDA MATERIAL · TOUCH screen gloves

6016B Sizes: S-XXL
- NitriShield™ with Grippaz™ Technology
- 6 mil (6.3 g) powder free Nitrile gloves
- 9.5" length
- Passes ASTM D6978 to handle Fentanyl substances



6 MIL · I · COMPLIANT FDA MATERIAL · TOUCH screen gloves

6062 NitriShield™ Sizes: S- XXL
- 6 mil (8.0 g) black powder free Nitrile gloves
- 12" length
- Textured grip, rolled cuff
- Passes ASTM D6978 to handle Fentanyl substances



6 MIL · I · COMPLIANT FDA MATERIAL · TOUCH screen gloves

6006 NitriShield™ Sizes: S-XXL
- 6 mil powder free Nitrile gloves
- 9.5" length
- Industrial food service grade
- Smooth palm with textured fingers



6 MIL · I · COMPLIANT FDA MATERIAL · TOUCH screen gloves

6006B NitriShield™ Sizes: S-XXL
- 6 mil powder free Nitrile gloves
- 9.5" length
- Industrial food service grade
- Smooth palm with textured finish



6 MIL · I · COMPLIANT FDA MATERIAL · TOUCH screen gloves

6016O Sizes: S-XXL
- NitriShield™ with Grippaz™ Technology
- 6 mil (6.2 g) powder free Nitrile gloves
- 9.5" length
- Passes ASTM D6978 to handle Fentanyl substances

NITRILE INDUSTRIAL/FOOD GRADE



4.5 MIL

NIT645 NitriShield™ Size: L
- 4.5 mil powder free Nitrile gloves
- 9.5" length
- Industrial food service grade
- Textured finish



4 MIL

6015 NitriShield™ Sizes: S-XXL
- 4 mil (5.5 g) powder free Nitrile gloves
- 9.5" length
- Industrial food service grade
- Textured finish

VP6015



4 MIL

6001 NitriShield™ Sizes: S-XXXL
- 4 mil (5.5 g) powder free Nitrile gloves
- 9.5" length
- Industrial food service grade
- Textured finish



4 MIL

6061 NitriShield™ Stealth™ Sizes: S-XXL
- 4 mil (4.5 g) powder free Nitrile gloves
- 9.5" length
- Industrial food service grade
- Textured grip



3.5 MIL

60035O NitriShield™ Sizes: S-XXL
- 3.5 mil (4 g) powder free Nitrile gloves
- 9.5" length
- Industrial food service grade
- Textured finish



3 MIL

6060 NitriShield Stealth™ Sizes: S-XXL
- 3 mil (4.62 g) powder free Nitrile gloves
- 9.5" length
- Industrial food service grade
- Textured finish

LATEX MEDICAL GRADE



5049 SensaTouch™ Sizes: S-XL
- 11 mil (13.01 g) powder free Latex gloves
- 12" length
- Medical grade - Class 1 Medical Device
- NFPA 1950-2025 Certified
- Passes ASTM D6978 to handle Fentanyl substances
- Textured finish



5045 SensaTouch™ Sizes: S-XL
- 5 mil (7.36 g) powder free Latex gloves
- 9.5" length
- Medical grade - Class 1 Medical Device
- Textured finish

Latex FDA Grade



5055 SensaTouch™ Sizes: S-XL
- 5 mil (4.9 g) powder free Latex gloves
- 9.5" length
- Industrial food service grade
- Complies with all federal regulations for food contact
- Textured finish

Polymer Blend Industrial/Food Grade



7036 ChemTech™ Sizes: S- XL
- 6 mil (7.4 g) powder free Tri-Polymer, Nitrile, Neoprene and Latex blended gloves
- 12" length
- Textured finish



7010 ChemTech™ Sizes: S-XL
- 4 mil (4.4 g) powder free Bi-Polymer, Nitrile, Vinyl blended gloves
- 9.5" length
- Industrial food service grade
- Smooth finish

VINYL MEDICAL GRADE





5 MIL

ESD · FDA COMPLIANT MATERIAL

5010 SensaTouch™ Sizes: S-XL
- 5 mil (4.1 g) powder free Vinyl gloves
- 9" length
- Medical grade - Class 1 Medical Device
- Anti-static ESD safe gloves
- Smooth finish

Vinyl Industrial/Food Grade



3 MIL

ESD · I · FDA COMPLIANT MATERIAL

5014 SensaTouch™ Sizes: L-XL
- 3 mil (3.2 g) powder free Vinyl gloves
- 9" Length
- Industrial food service grade
- Anti-static ESD safe gloves
- Smooth finish



5 MIL

ESD · I · FDA COMPLIANT MATERIAL

5015 SensaTouch™ Sizes: S-XL
- 5 mil (3.5 g) powder free Vinyl gloves
- 9.5" Length
- Industrial food service grade
- Anti-static ESD safe gloves




MCR SAFETY
GROUP

LATEX OVERVIEW

Latex gloves are known for their exceptional elasticity and comfort. They provide excellent tactile sensitivity, making them ideal for tasks that require precision and dexterity. Latex gloves offer effective barrier protection against pathogens and contaminants and are widely used in healthcare, laboratories, food service, and industrial settings.

Benefits	Advantages in Wearing	Disadvantages in Wearing	Industries Preferring the Polymer
Exceptional elasticity, tactile sensitivity	Allow for precision movement, offer a comfortable fit	Potential latex allergies	Healthcare, Laboratories, Food Service, Industrial Settings

Latex, Unlined



5070B Size: S, 5080B Size: M,
5090B Size: L, 5099B Size: XL
- 18 mil premium Latex canner
- Diamond grip
- 12" length



5180B Size: M, 5190B Size: L,
5199B Size: XL
- 18 mil premium Latex canner
- Raised Z pattern grip
- 12" length



5110 Sizes: M-XL
- 18 mil premium Latex canner
- Rolled cuff
- Diamond grip
- 12" length

Latex, Flock-Lined



5270B Size: S, 5280B Size: M,
5290B Size: L, 5299B Size: XL
- 18 mil Flock-lined Latex
- Straight cuff
- Raised Z pattern grip
- 12" length



5270 Size: S, 5280 Size: M,
5290 Size: L, 5299 Size: XL
- 18 mil Flock-lined Latex
- Recessed honeycomb grip
- Straight cuff
- 12" length



5280P Size: M, 5290P Size: L,
5299P Size: XL
- 18 mil Flock-lined Latex
- Recessed honeycomb grip
- Scalloped cuff
- 12" length

NITRILE OVERVIEW

Nitrile gloves are highly versatile and offer excellent chemical resistance. They are latex-free, making them an excellent choice for individuals with latex allergies. Nitrile gloves are known for their durability and puncture resistance, making them suitable for healthcare, food processing, automotive, and industrial applications.

Benefits	Advantages in Wearing	Disadvantages in Wearing	Industries Preferring the Polymer
Excellent chemical resistance, latex-free	Durability, puncture resistance	Slightly reduced tactile sensitivitys	Healthcare, Food Processing, Automotive, Industrial

Nitrile, Unlined



5307 Size: S, 5308 Size: M, 5309 Size: L, 5310 Size: XL, 5311 Size: XXL
- 11 mil unlined Nitrile
- 13" length, textured grip



5307E Size: S, 5308E Size: M 5309E Size: L, 5310E Size: XL, 5311E Size: XXL
- 11 mil industry standard unlined Nitrile
- 13" length, textured grip



5350 Sizes: L-XXL
- 22 mil unlined Nitrile
- 18" length, textured grip

Nitrile, Flock-Lined



5316 Size: XS, 5317 Size: S, 5318 Size: M, 5319 Size: L, 5320 Size: XL, 5321 Size: XXL
- 15 mil Flock-lined Nitrile
- 13" length
- Raised diamond grip
- Straight cuff



5317E Size: S, 5318E Size: M 5319E Size: L, 5320E Size: XL, 5321E Size: XXL
- 15 mil industry standard
- Flock-lined Nitrile
- 13" length
- Raised diamond grip

NEOPRENE

Neoprene gloves offer good chemical resistance and durability, making them suitable for tasks involving exposure to many hazardous substances. They are commonly used in laboratories, industrial environments, and applications where protection against chemicals is crucial.

Benefits	Advantages in Wearing	Disadvantages in Wearing	Industries Preferring the Polymer
Good chemical resistance, durability	Protection against chemicals	Less elasticity compared to latex	Laboratories, Industrial Settings



Chem-Tech™
5407S Size: S, 5408S Size: M, 5409S Size: L, 5400S Size: XL, 5401S Size: XXL
- 28 mil, Flock-lined
- Neoprene on Latex
- Straight cuff
- Raised diamond grip
- 12" length



5430 Size: S-XL
- 28 mil, Flock-lined
- Neoprene Latex blend
- Honeycomb pattern grip
- Straight cuff
- 12" length



6962 Duoprene® Sizes: S-XL
- Double dipped black over blue Neoprene
- Sandy finish
- Brushed Interlock liner
- 12" length



6912 Neomax™ Sizes: S-XL
- Double dipped Neoprene
- Sandy textured finish
- Brushed Interlock lining
- 12" length



6914 Neomax™ Sizes: M-XXL
- Double dipped Neoprene
- Sandy textured finish
- Brushed Interlock lining
- 14" length



6924 Black Jack® Sizes: L-XXL
- Multi-dipped black Neoprene
- Smooth finish
- Fully coated
- Brushed Interlock lining
- 14" length



6948 Black Jack® Size: L
- Multi-dipped black Neoprene
- Smooth finish
- Fully coated
- Brushed Interlock lining
- 18" length



6950 Black Jack® Size: L
- Multi-dipped black Neoprene
- Smooth finish
- Fully coated
- Brushed Interlock lining
- 31" shoulder length



6932 Black Jack® Size: L
- Multi-dipped black Neoprene
- Etched rough finish
- Fully coated
- Brushed Interlock lining
- 12" length



6944 Black Jack® Sizes: L-XL
- Multi-dipped black Neoprene
- Etched rough finish
- Fully coated
- Foam lining
- 14" length

NITRILE - INTERLOCK LINING



ABR 4 | COMPLIANT FDA MATERIAL

9780 Predalite® VP9780
Sizes: S-XL
- Nitrile over-the-knuckle coating
- Interlock lining
- Knit wrist



ABR 4 | COMPLIANT FDA MATERIAL

9781 Predalite® Sizes: S-XL
- Nitrile fully coated
- Interlock lining
- Knit wrist



ABR 4 | COMPLIANT FDA MATERIAL

9786 Predalite® VP9786
Sizes: S-XL
- Nitrile fully coated
- Interlock lining
- PVC safety cuff



ABR 3 | PUNV 2 | COMPLIANT FDA MATERIAL

97980 Sizes: S-XL VP97980
- Industry standard Nitrile over-the-knuckle coating
- Interlock lining
- Knit wrist



COMPLIANT FDA MATERIAL

9782 Predaknit® Sizes: M-XXL
- Full rough Nitrile coating
- Interlock lining
- 12" gauntlet



ABR 6 | PUNV 2 | HEAT 1

MG9796 PredaFlex™ Sizes: S-XXL
- Nitrile fully coated
- Sandy finish
- Brushed Interlock lining
- Shoulder length

NITRILE - JERSEY LINING

MCR SAFETY



CUT A2 · ABR 3 · COMPLIANT FDA MATERIAL

Predator® 9750S Size: S, 9750 Size: L — VP9750

- Premium Nitrile over-the-knuckle coating
- Smooth finish
- Jersey lining
- Knit wrist



CUT A2 · HEAT 3 · COMPLIANT FDA MATERIAL

9760 Predator® Sizes: S-XL — VP9760

- Premium Nitrile over-the-knuckle coating
- Smooth finish
- Jersey lining
- Safety cuff



CUT A2 · HEAT 3 · COMPLIANT FDA MATERIAL

9761 Predator® Sizes: S-L

- Premium Nitrile fully coated
- Smooth finish
- Jersey lining
- Safety cuff



COMPLIANT FDA MATERIAL

9770 Predator® Size: L

- Premium Nitrile fully coated
- Smooth finish
- Jersey and Foam lining
- Safety cuff



ABR 3 · PUNV 2 · COMPLIANT FDA MATERIAL

97961 Size: L

- Industry Standard Nitrile fully coated
- Smooth finish
- Jersey lining
- Safety cuff

ARCLIN Kevlar

CUT A3 · ABR 3 · PUNV 3 · HEAT 3



9760K Predator® Size: L

- Kevlar® reinforced palm
- Premium Nitrile over-the-knuckle, palm, and safety cuff
- Jersey lining
- Safety cuff



CUT A3 · ABR 6 · PUNV 3 · COMPLIANT FDA MATERIAL

9761R Predator® — VP9761R

Sizes: S-XL

- Rough premium Nitrile fully coated
- Jersey lining
- Safety cuff



Single dipped black PVC, Interlock lining
Size: L

• Smooth finish

6100	Knit Wrist
6212	12" gauntlet
6300	14" gauntlet
6218	18" gauntlet



Single dipped black PVC, Interlock lining
Size: L

• Rough finish

6212R	12" gauntlet



Industry standard double dipped, black PVC, sandy finish
Size: L

• Interlock lining

6522S	12" gauntlet



Premium double dipped, black PVC, sandy finish
Size: L

• Interlock lining

6212S	12" gauntlet



Industry standard double dipped, black PVC, Jersey lining
Size: L

• Sandy finish

6521SC	Safety cuff



Industry Standard double dipped green PVC, sandy finish

- Jersey lining

6422 12" gauntlet Size: L
6424 14" gauntlet Size: L



Double dipped Nitrile reinforced green PVC, sandy finish

- Jersey lining

6412 12" gauntlet Size: L
6414 14" gauntlet Size: L
6418 18" gauntlet Size: L



ABR 6
PUN 2

6632 Blue Coat® Sizes: M-XXXL

- Triple dipped blue PVC
- Seamless Knit lining
- Textured finish
- 12" length



CUT A4
ABR 5
PUN 3
HEAT 1
15 GAUGE

MG9645 PredaStretch™ Sizes: S-XXL

- 15-gauge cut-resistant Synthetic shell
- Full PVC coating, second black PVC coating
- Sandy finish
- 14" gauntlet



ABR 4
HEAT 1
18 GAUGE

MG9648 PredaStretch™ Sizes: S-L

- 18-gauge seamless Nylon shell
- Full PVC coating, second black PVC coating
- Sandy finish
- 12" gauntlet



CUT A2
ABR 4
PUN 2
IMPACT 2
HEAT 1
15 GAUGE

N2658HVO Ninja® Alchemy
Sizes: S-XXL

- 15-gauge Nylon shell
- Double dipped Hi-Vis waterproof PVC
- TPR back-of-hand impact protection
- Sandy finish
- 14" gauntlet



HYPERMAX
CUT A4
ABR 6
PUN 3
IMPACT 2
15 GAUGE

N2659HVL Ninja® Alchemy
Sizes: M-XXL

- 15-gauge cut-resistant HyperMax® HPPE liner
- Double dipped Hi-Vis waterproof PVC
- TPR back-of-hand impact protection
- Sandy finish
- 14" gauntlet



6410SC Oil Hauler™ Size: L
- Premium double dipped green PVC on Hi-Vis orange PVC
- Jersey liner
- Sandy finish
- Safety cuff



6410SCHV Oil Hauler™ Size: L
- Premium double dipped Hi-Vis orange PVC on Hi-Vis lime PVC
- Jersey liner
- Sandy finish
- Safety cuff



6710F Size: L
- Premium double dipped Hi-Vis orange PVC
- Foam liner
- Sandy finish
- Safety cuff



6710T Size: L
- Premium double dipped tan PVC
- Foam liner
- Sandy finish
- Safety cuff



6521SCO Size: L
- Premium double dipped Hi-Vis orange PVC
- Foam liner
- Sandy finish
- Safety cuff



6714FF Harbor Master Gloves Size: L
- Premium double dipped Hi-Vis orange PVC
- Both Foam and Polar Fleece linings
- Sandy textured finish
- Internal knit wrist
- 14" gauntlet



6712F Size: L
- Premium single dipped Hi-Vis orange PVC
- Foam liner
- Smooth finish
- 12" gauntlet

BUTYL RUBBER



USA MADE FDA COMPLIANT MATERIAL

CP05 Sizes: S-XL
- 5 mil Butyl Rubber
- Smooth finish
- 14" gauntlet
- Rolled cuff



USA MADE FDA COMPLIANT MATERIAL

CP7 Sizes: S-XL
- 7 mil Butyl Rubber
- Smooth finish
- 14" gauntlet
- Rolled cuff



USA MADE FDA COMPLIANT MATERIAL

CP14 Sizes: S-XL
- 14 mil Butyl Rubber
- Smooth finish
- 14" gauntlet
- Rolled cuff



USA MADE FDA COMPLIANT MATERIAL

CP25 Sizes: S-XL
- 25 mil Butyl Rubber
- Smooth finish
- 14" gauntlet
- Rolled cuff



USA MADE FDA COMPLIANT MATERIAL

CP14R Sizes: S-XL
- 14 mil Butyl Rubber
- Rough finish
- 14" gauntlet
- Rolled cuff



USA MADE FDA COMPLIANT MATERIAL

CP25R Sizes: S-XL
- 25 mil Butyl Rubber
- Rough finish
- 14" gauntlet
- Rolled cuff

NATURAL RUBBER



6800 Size: L
- Industrial grade Natural Rubber over-the-knuckle coating
- Crinkle texture finish
- Interlock lining
- Rubberized safety cuff



HEAT 4 up to 500°F

COMPLIANT FDA MATERIAL

6845 Sizes: S-XXL
- Industrial grade Natural Rubber fully coated
- Crinkle texture finish
- Interlock lining
- 12" length



BIO DEGRADABLE

COMPLIANT FDA MATERIAL

6830 Size: L
- Industrial grade Natural Rubber over-the-knuckle coating
- Crinkle texture finish
- Jersey lining
- Knit wrist

LEATHER GLOVES




MCR SAFETY
GROUP

LEATHER CHARACTERISTICS

Leather Hides

Leather's widespread usage is due, in part, to its excellent inherent properties. One of these is the density of fibers found in Leather. Leather's fibers are so closely intertwined that it is highly resistant to tearing. Here are some of the many characteristics of Leather that make it a popular material in a variety of uses.


Characteristics:



Durable-Strong-Tough



Abrasion Resistant




Puncture Resistant



Tear Resistant




Heat and Spark Resistant



Cowhide

Best Abrasion
Good for Heat
Durability-Long Lasting
Availability of Hides


Drivers, Leather Palms, Welding, Mechanics



Pigskin

Good Abrasion
Best for Wet Conditions
Pliable
Good Dexterity


Driver, Leather Palms, Welding



Goatskin

Better Abrasion
High Tensile Strength
Contains Natural Lanolin
Great Dexterity


Driver, Leather Palms, Welding, Mechanics



Deerskin

Good Tensile Strength
Excellent Dexterity and Flexibility
Soft and Supple for 5-star Comfort


Driver Gloves, Mechanics



Elkskin

Thicker than Deerskin
Insulates better
Soft and Supple

Welding Gloves



Water Buffalo


Best Abrasion
Thick Hide Density

Limited Offering-Driver Glove

LEATHER GRADING SCALE

Leather Grading Scale

Like all personal protective equipment, Leather work gloves will wear out over time and need to be replaced. However, a Leather's grade directly impacts the overall glove's longevity. By knowing the differences in Leather grading, you'll avoid unnecessary spending and will be protected with better quality PPE. Hides are split up into either grain or split Leather. An essential component of shopping for Leather work gloves is knowing the location of where on the animal the Leather was cut. Whether the Leather comes from the animal's side or its shoulder or the belly strongly impacts the overall grading and cost of Leather gloves.



Leather Grading Scale

Premium A+
Premium A
Select B+
Select B
Competitive Value C+
Competitive Value C
Competitive Value D
Competitive Value E

Leather Grading



Grain
Premium
Select
Competitive Value (CV)





Split
Premium A+
Premium A
Select B+
Select B
Competitive Value C+
Competitive Value C
Competitive Value D
Competitive Value E

GRAIN COW - STRAIGHT THUMB



Helping Hand Knowledge:
Straight thumb design lies straight with the index finger when not in use. Straight thumbs are the most economically priced option since a smaller amount of material is required to produce this style of thumb.





ABR 4
PUN 3
HEAT 2

3220 Sizes: S-XL
- Premium grade grain Cowhide
- Straight thumb
- Rolled Leather hem
- Pull strap



ABR 3
PUN 3
HEAT 2

3201 Sizes: XS-XXL
- Select grade grain Cowhide
- Straight thumb
- Cotton hem
- Shirred elastic back



3203 Sizes: S-XXL
- Competitive value grade grain Cowhide
- Straight thumb
- Cotton hem
- Shirred elastic back



3202 Sizes: S-XXL
- Competitive value grade grain Cowhide
- Straight thumb
- Cotton hem
- Shirred elastic back



32013 Sizes: S-XXL
- Competitive value grade grain Cowhide
- Straight thumb
- Cotton hem
- Shirred elastic back

GRAIN COW - KEYSTONE THUMB



Helping Hand Knowledge:
Keystone thumb design is an inset thumb which is sewn in as a separate piece. It is reinforced with extra stitching and provides greater comfort, range of motion, and dexterity over gloves manufactured with straight thumbs.





ABR 4
PUN 3
HEAT 2

VP3200

3200 Sizes: S-XXL
- Premium grade grain Cowhide
- Keystone thumb
- Rolled Leather hem
- Shirred elastic back



ABR 3
PUN 3
HEAT 2

VP3211

3211 Sizes: XS-XXXL
- Select grade grain Cowhide
- Keystone thumb
- Cotton hem
- Shirred elastic back



3213 Sizes: S-XXXL
- Competitive value grade grain Cowhide
- Keystone thumb
- Cotton hem
- Shirred elastic back



3215 Sizes: S-XXXL
- Competitive value grade grain Cowhide
- Keystone thumb
- Cotton hem
- Shirred elastic back



32113 Sizes: S-XXXL
- Competitive value grade grain Cowhide
- Keystone thumb
- Cotton hem
- Shirred elastic back



32114 Sizes: S-XXL
- Select grade grain Cowhide
- Keystone thumb
- Rolled leather hem
- Shirred elastic back
- Sewn with Kevlar® thread

GRAIN COW - WING THUMB



Helping Hand Knowledge:
Wing thumb design is an angled thumb which is sewn out to the side and doesn't include seams, making it the most durable, longest-wearing, and comfortable thumb style available in our line. This thumb style mirrors the natural shape of a person's hand and allows the thumb to move freely.



ARCLIN Kevlar

ABR 4

PUN 3

HEAT 2

3224 Sizes: S-XL
- Premium grade grain Cowhide
- Wing thumb
- Rolled Leather hem
- Shirred elastic back
- Sewn with Kevlar® thread

VP3224



3214 Sizes: S-XL
- Select grade grain Cowhide
- Wing thumb
- Cotton hem
- Shirred elastic back



ABR 4

32113DP Sizes: S-XXL
- Competitive value grade grain Cowhide
- Wing thumb
- Double Palm

GRAIN COW - KEYSTONE THUMB

Hi-Vis COW - Keystone Thumb:
Orange fingertips and the "Watch Your Hands" logo serve as a reminder to be safe. By incorporating a "Watch Your Hands" logo on the back of the glove, workers are reminded of the constant hazards faced. Our "Watch Your Hands" lineup includes Pigskin Leather gloves, Goatskin Leather gloves, and Cowhide Leather gloves.



3213HVI Sizes: XS-XXL
- Competitive value grade grain Cowhide
- Keystone thumb
- Cotton hem
- Orange fingertips with orange "Watch Your Hands" logo



3215PI Sizes: S-XXXL
- Competitive value grade grain Cowhide
- Keystone thumb
- Cotton hem
- Orange fingertips with orange "Watch Your Hands" logo



3215HVI Sizes: S-XXL
- Competitive value grade grain Cowhide
- Keystone thumb
- Cotton hem
- Orange fingertips with orange "Watch Your Hands" logo

SPLIT GRAIN COW



Helping Hand Knowledge:
Split back drivers provide you an economical option when compared to a full grain driver. The split texture also allows you to customize the back of the glove with the logo design of your choice.



ARCLIN Kevlar

CAT 4

MU3213DP Sizes: S-XXXL
- Grain Leather palm side with split Leather back, double palm
- ARC rating of 52.7 cal/cm² (HRC4/CAT4)
- Heat Attenuation Factor (HAF) of 94.5%
- Keystone thumb
- Sewn with Kevlar® thread



ARCLIN Kevlar

VP3204

3204 Sizes: XS-XXXL
- Grain Leather palm, split Leather back
- Keystone thumb
- Rolled Leather hem
- Sewn with Kevlar® thread



ABR 4

PUNT 3

32055 Sizes: S-XXL
- Competitive value grade
- Grain Leather patch palm
- Split Leather back
- Keystone thumb



ARCLIN Kevlar

32057 Sizes: S-XXXL
- Competitive value grade grain Leather palm, split Leather back
- Keystone thumb
- Cotton hem
- Shirred elastic back
- Sewn with Kevlar® thread



3205 Sizes: S-XXL
- Competitive value grade grain Leather palm, split Leather back
- Keystone thumb
- Cotton hem
- Shirred elastic back

VP3205



32056 Sizes: XS-XXL
- Competitive value grade grain Leather palm, split Leather back
- Keystone thumb
- Cotton hem
- Shirred elastic back



32056DP Sizes: S-XXL
- Competitive value grade grain Leather palm side with split Leather back and palm
- Wing thumb
- Cotton hem
- Double palm and reinforced index finger

GRAIN PIG



Helping Hand Knowledge:

MCR Safety's Pigskin Leather gloves are multi-faceted, offering exceptional durability and breathability. If you look at this image, you can see the porous texture; this texture makes Pigskin the most breathable Leather glove you'll find. It is this same texture characteristic that also keeps Pigskin gloves flexible after frequent contact with water

Benefits of Pigskin:


- Offers the best abrasion-resistance and is known for its resilience and holding up well to rough surfaces
- Excellent in wet conditions; quick-drying and Leather remains soft
- Offers the best breathability
- Stays pliable and flexible with wear
- Excellent price point for a Leather work glove





Surpasses 20,000 Abrasion Cycles!

ANSI Abrasion Level 6



3430 Sizes: S-XXL

- Sasquatch® premium split leather
- Keystone thumb
- Sewn with quality aramid thread
- Shirred elastic back

MCR SAFETY



ABR 3 | PUNV 3 | HEAT 2

3402 Sizes: S-XXL
- Competitive value grade grain Pigskin
- Straight thumb
- Cotton hem
- Shirred elastic back



PUNV 4 | HEAT 1

M3411 Sizes: S-XL
- Premium grade grain Pigskin
- Keystone thumb
- Cotton hem
- Shirred elastic back



PUNV 3 | HEAT 2

34111 Sizes: S-XXL
- Premium grade grain Pigskin
- Keystone thumb
- Cotton hem
- Orange mesh back with lime retro-reflective material
- Shirred elastic back



ABR 3 | PUNV 3 | HEAT 2

M3400 Sizes: S-XL
- Select grade grain Pigskin
- Straight thumb
- Cotton hem
- Shirred elastic back



ABR 3 | PUNV 3 | HEAT 2

3401 Sizes: S-XXXXL
- Select grade grain Pigskin
- Keystone thumb
- Cotton hem
- Shirred elastic back



PUNV 4 | HEAT 1

3405 Sizes: M-XL
- Competitive value grade grain Leather palm, split Leather back
- Keystone thumb
- Cotton hem
- Shirred elastic back

GRAIN GOAT



Helping Hand Knowledge:

MCR Safety's Goatskin work gloves are naturally thin which allow you to handle delicate parts and materials with precision. In addition to being known for superior tensile strength, the hide also contains natural lanolin which softens the skin of the wearer.

Benefits of Goatskin:

- Excellent flexibility and tactile sensitivity
- Provides users with the best tensile strength
- Supple because of natural lanolin, keeping your hands soft
- Best water-resistance properties of all Leather hides
- Good abrasion- and puncture-resistance



3601 Sizes: S-XXXL
VP3601
- Premium grade grain Goat
- Straight thumb
- Cotton hem
- Shirred elastic back



3603 Sizes: S-XL
- Select grade grain Goat
- Straight thumb
- Cotton hem
- Shirred elastic back



3611 Sizes: S-XXL
VP3611
- Premium grade grain Goat
- Keystone thumb
- Cotton hem
- Shirred elastic back



3613 Sizes: S-XL
- Select grade grain Goat
- Keystone thumb
- Cotton hem
- Shirred elastic back



36133 Sizes: M-XXL
- Competitive value grade grain Goat
- Keystone thumb
- Cotton hem
- Shirred elastic back



36111 Sizes: S-XL
- Premium grade grain Goat
- Keystone thumb
- Cotton hem
- Hi-Vis orange back with silver reflective stripes

GRAIN GOAT



ARCLIN Kevlar
ABR 5 | PUN 3 | CAT 3 | HEAT 3

MU3664 Sizes: S-XXXL
- Premium honey gold grain Goatskin
- ARC rating of 34 cal/cm² (HRC3/CAT3)
- Wing thumb
- A second layer of Goatskin in the palm, index finger, knuckle, reinforced thumb
- Sewn with Kevlar® thread



ARCLIN Kevlar
CUT A2 | ABR 3 | PUN 3 | CAT 3 | HEAT 3

MU3624 Sizes: S-XXL
- Premium brown Goatskin Leather
- ARC rating of 28.6 cal/cm² (HRC3/CAT3)
- Heat Attenuation Factor, HAF = 94%
- Wing thumb
- Rolled Leather hem
- A second layer of premium brown Goatskin in the palm, fingertips, thumb crotch, index finger and knuckle
- Double stitched, sewn with Kevlar® thread
- Shirred elastic around entire wrist

ARCLIN Kevlar
CUT A5 | ABR 5 | PUN 3 | HEAT 4 | CAT 2

MU3644 Sizes: M-XXL
- Premium gold Goatskin Leather
- ARC rating of 24 cal/cm² (HRC2/CAT2)
- 5" split Cowhide bell cuff
- Wing thumb
- Rolled Leather hem
- A second layer of premium brown Goatskin in the palm, fingertips and knuckle
- Double stitched, sewn with Kevlar® thread
- Shirred elastic back



GRAIN BUFFALO AND DEER



3313 Sizes: S-XXL
- Competitive value grade grain Buffalo
- Keystone thumb
- Cotton hem
- Excellent abrasion resistance
- Good flexibility
- Shirred elastic back



3500T Sizes: S-XXL
- Premium grade grain Deerskin
- Lined with 3M C100 Thinsulate®
- Rolled Leather hem
- Shirred elastic back



3500 Sizes: S-XXL
- Premium grade grain Deerskin
- Keystone thumb
- Rolled Leather hem
- Shirred elastic back



3505 Sizes: S-XXXL
- Select grade grain Deerskin palm
- Split Deerskin back
- Keystone thumb
- Rolled Leather hem
- Shirred elastic back



3501 Sizes: S-XL
- Select grade grain Deerskin
- Keystone thumb
- Rolled Leather hem
- Shirred elastic back

CUT RESISTANT COW



ARCLIN Kevlar

CUT A3

ABR 4

PUNC 5

HEAT 4 500°F

1400K Sizes: S-XXL

- Select "B+" grade shoulder split Leather Cowhide
- Lined with Kevlar® fibers
- 2.5" plasticized safety cuff
- Wing thumb
- Blue Cotton canvas back with black and yellow stripes



ARX
CUT A4
ABR 3
PUN 3
HEAT 3

1400H Sizes: S-XL
- Select shoulder "B+" grade split Leather Cowhide
- Lined with ARX® Aramid cut-resistant material
- 2.5" plasticized cuff
- Wing thumb
- Gunn pattern



ARCLIN
Kevlar
CUT A3
ABR 5
PUN 5
HEAT 3

1702 Sizes: S-XL
- Premium "A+" grade split Leather Cowhide
- Non-Woven Kevlar® palm lined
- 2.75" safety cuff
- Wing thumb
- Sewn with Kevlar® thread



ARX
CUT A4
ABR 4
PUN 3
HEAT 3

4955H Sizes: M-XL
- Competitive value grade grain Cowhide
- ARX® Aramid lined grain Leather
- 4" split Cowhide Leather cuff
- Wing thumb and wrapped index finger
- Sewn with cut resistant thread for durability



ARCLIN
Kevlar
CUT A2
ABR 4
PUN 3
HEAT 3

3204K Sizes: S-XXL
- Competitive value grade grain Leather palm, split Leather back Cowhide
- 7-gauge Kevlar® fiber lined
- Keystone thumb
- Sewn with Kevlar® thread

CUT RESISTANT GOAT



MCR SAFETY

HYPERMAX

CUT A8

ABR 4

PUN 2



3604HP Sizes: M-XXL
- Premium grade grain Goatskin
- Lined with HyperMax®
- Wing thumb
- Shirred elastic back

ARCLIN Kevlar

CUT A5

ABR 5

PUN 3

CAT 4

HEAT 4



MU3664K Sizes: XS-XXXL
- Kevlar® lined grain Goatskin Leather double palm
- ARC rating of 50 cal/cm² (HRC4/CAT4)
- Sewn with Kevlar® thread
- Reinforced thumb, index finger, and palm

ARCLIN Kevlar

CUT A5

ABR 3

CAT 3

PUN 3

HEAT 3



VP3601K

3601K Sizes: S-XXXL
- Premium grade grain Goatskin
- ARC rating of 37.5 cal/cm² (HRC3/CAT3)
- 13-gauge Kevlar®/Synthetic liner
- Straight thumb
- Shirred elastic back

ARCLIN Kevlar

CUT A5

ABR 3

PUN 3

HEAT 2



4850K Sizes: S-XXL
- Premium grade grain Goatskin
- Lined and sewn with Kevlar® fibers
- 4.5" blue split Cow Leather cuff
- Wing thumb
- Greater softness for sense of touch

ARCLIN Kevlar

CUT A4

ABR 4

CAT 4

PUN 4

HEAT 3



MU3624K Sizes: XS-XXL
- Premium grade grain Goatskin
- ARC rating of 61.4 cal/cm² (HRC4/CAT4)
- 13-gauge Kevlar® lined
- Wing style thumb
- Double stitched, sewn with Kevlar® thread
- Fourchette panels for enhanced fit
- Shirred elastic around entire wrist

ARCLIN Kevlar

CUT A4

ABR 4

PUN 4

CAT 2

HEAT 3



MU3624GFR Sizes: M-XL
- Premium grade grain Goatskin
- ARC rating of 24.7 cal/cm² (HRC2/CAT2)
- Heat Attenuation Factor, HAF = 91.3%
- Lined with Kevlar®
- Nomex® back of hand with 4" cuff
- Wing thumb
- Double stitched, sewn with Kevlar® thread
- Shirred elastic around entire wrist

CUT AND IMPACT RESISTANT GOAT



MCR SAFETY

ARCLIN Kevlar

CUT A6 | ABR 4 | PUN 3 | IMPACT 2 | HEAT 3



36136KDP Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- Select grade grain Goatskin
- Kevlar®/Aramid liner
- Keystone thumb
- Padded double palm for greater protection

HYPERMAX

CUT A5 | ABR 3 | PUN 3 | IMPACT 2



36136HP Sizes: S-XXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- Select grade grain Goatskin
- Lined with HyperMax® HPPE
- Keystone thumb

CUT A5 | ABR 4 | PUN 3



MC503 Sizes: S-XXL
- Premium grade grain Goatskin palm
- Lined with DSM Dyneema® Diamond Technology
- Wing thumb with reinforced thumb crotch
- Excellent cut resistance
- Open cuff with pull tab and ID panel on the wrist

ARCLIN Kevlar

CUT A5 | ABR 4 | PUN 3 | IMPACT 1 | HEAT 3



36336K Sizes: S-XXL
- Select grade grain Goatskin
- Lined with Kevlar®
- Keystone thumb
- Oil block technology
- Padded palm
- Double stitched, sewn with Kevlar® thread

ARCLIN Kevlar

CUT A5 | ABR 3 | PUN 3 | IMPACT 2 | HEAT 3



48406K Sizes: S-XXL
- Patented PD6 tire tread TPR impact protection
- Premium grade grain Goatskin
- 5" brown split Cow Leather cuff
- Lined and sewn with Kevlar®
- Padded palm

ARCLIN Kevlar

CUT A4 | ABR 4 | CAT 4 | PUN 4 | IMPACT 1 | HEAT 3



MU3634K Sizes: M-XXL
- Double palm, reinforced index finger and thumb crotch
- Lined with Kevlar®
- Wing thumb
- Double stitched, sewn with Kevlar® thread
- Shirred elastic around entire wrist

INSULATED GRAIN LEATHER





3250 Sizes: S-XL
- Select "B" grade grain Cowhide
- Straight thumb
- Shirred elastic back
- Red Fleece lined

VP3250



MU36211 Sizes: M-XXL
- Premium grade grain Goatskin
- Wing thumb
- Double stitched, sewn with Kevlar® thread
- Waterproof bladder
- Shirred elastic wrist
- Fleece lined for protection from the cold



3450 Sizes: S-XL
- Premium grade grain Pigskin
- Keystone thumb
- Shirred elastic back
- Red Fleece lined



1965 Sizes: M-XXL
- Premium grade grain Pigskin
- 2.5" rubberized safety cuff
- Wing thumb
- Full sock Thermosock® lined



3440 Size: M-XL
- Select "B" grade grain Pigskin
- Wing thumb
- Knit wrist
- Orange material back with silver retro-reflective material
- Thermosock® lined



34411 Size: S-XL
- Premium grade grain Pigskin
- Wing thumb
- Knit wrist
- Orange and lime back with silver reflective material
- Thermosock® lined

INSULATED GRAIN LEATHER



1925W Artic Jack® Sizes: S-XL
- Premium "A" grade grain Pigskin
- 2.5" rubberized safety cuff
- Wool lined



3460 Artic Jack® Sizes: S-XL
- Premium "A" grade grain Pigskin
- Keystone thumb
- Shirred elastic back
- Thermosock® lined



3255 Sizes: M-XL
- Competitive value grade grain Cowhide
- Straight thumb
- Shirred elastic back
- Red Fleece lined



3313T Sizes: S-XL
- Competitive value grade grain Buffalo
- Keystone thumb
- Shirred elastic back
- 100 gram Thinsulate® lined



32801 Sizes: S-XXXL
- Competitive value grade grain Cowhide
- Keystone thumb
- Shirred elastic back
- Thermal lined



3750 Sizes: S-XL
- Premium grade grain Synthetic Leather
- Keystone thumb
- Shirred elastic back
- Red Fleece lined



1970 Sizes: S-XXL
- Premium grade grain Pigskin
- 2.5" rubberized safety cuff
- Wing thumb
- Black fabric back
- Thermal full sock lined



19261 Sizes: S-XL
- Premium grade grain Pigskin
- 2.5" safety cuff
- Wing thumb
- Orange back
- Reflective stripes on back and cuff
- Thermosock® lined



3555 Sizes: M-XL
- Select grade grain Deerskin
- Keystone thumb
- Split Deerskin back
- Rolled Leather hem
- Red Fleece lined



3451 Sizes: S-XXL
- Competitive value grade grain Pigskin
- Keystone thumb
- Shirred elastic back
- Red Fleece lined



3280 Sizes: S-XXL
- Competitive value grade grain Cowhide
- Keystone thumb
- Shirred elastic back
- Thermal lined

INSULATED SPLIT LEATHER





3150 Sizes: M-XXL
- Select "B" grade split Cowhide
- Straight thumb
- Red Fleece lined



1956 Sizes: S-XL
- Premium "A" grade split Pigskin
- Wing thumb
- Elastic wrist
- Blue fabric back
- Thermosock® lined



1955 Sizes: S-XL
- Premium "A" grade split Pigskin
- 2.5" rubberized safety cuff
- Wing thumb
- Full Sock Thermosock® lined



1450 Size: L
- Select "B+" grade grain Cowhide
- 2.5" plasticized safety cuff
- Wing thumb
- Shirred elastic back
- Foam lined

GRAIN LEATHER PALMS





1940 Sizes: M-XL
- Premium grade grain Goat
- 2.5" rubberized safety cuff
- Wing thumb
- Shirred elastic red fabric back
- Jersey Palm lined



1936 Sizes: M-XL VP1936
- Premium grade grain Cowhide
- 4.5" rubberized gauntlet cuff
- Wing thumb
- Shirred elastic back



1935 Sizes: S-XL VP1935
- Premium grade grain Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Shirred elastic back



1925 Sizes: S-XL
- Premium grade grain Pigskin
- 2.5" rubberized safety cuff
- Wing thumb
- Shirred elastic back
- Fleece lined palm



1933 Size: L
- Competitive value grade grain Cowhide
- 4.5" rubberized gauntlet cuff
- Wing thumb
- Shirred elastic back



1931 Size: L
- Competitive value grade grain Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Shirred elastic back

SPLIT LEATHER SINGLE PALMS



Helping Hand Knowledge:
Leather palm work gloves utilize split Leather, which is thick and offers heavy-duty protection.
Workers who need excellent abrasion-resistance, puncture-resistance, and heat-resistance, turn to a Leather palm work glove that holds up to all three. MCR Safety's Leather palm work gloves are designed to withstand some of the toughest jobs. Think of someone splitting and stacking firewood. A day's work will quickly destroy a thin piece of Leather. Or, consider someone carrying large and bulky items all day long. A glove must be able to withstand the wear and tear caused by these heavier-duty activities.

- Higher puncture-resistance than grain Leather
- High heat-resistance for working around hot objects
- Highly abrasion-resistant due to the dense fibers
- A higher degree of water-resistance as compared to grain Leather

MCR SAFETY



ARCLIN Kevlar
ABR 4
PUN 5
HEAT 2

1710 Sizes: M-XL
- Premium "A" grade split Cowhide
- 4.5" rubberized safety cuff
- Wing thumb
- Sewn with Kevlar® thread
- Full feature gun pattern
- Private label imprint program available



ARCLIN Kevlar
ABR 4
PUN 5
HEAT 2

1700 Sizes: S-XXL VP1700
- Premium "A" grade split Cowhide
- 2.75" rubberized safety cuff
- Wing thumb
- Sewn with Kevlar® thread
- Full feature gunn pattern



ARCLIN Kevlar
PUN 5
HEAT 2

1730 Sizes: L-XL VP1730
- Premium "A" grade split Cowhide
- 4.5" duck gauntlet cuff
- Wing thumb
- Sewn with Kevlar® thread



ARCLIN Kevlar

1717 Size: XL
- Premium "A" grade split Cowhide
- 2.75" rubberized safety cuff
- Wing thumb
- Sewn with Kevlar® thread



ARCLIN Kevlar

1900 Sizes: M-XL
- Premium "A" grade split Cowhide
- 2.75" rubberized safety cuff
- Wing thumb
- Sewn with Kevlar® thread
- Full featured gunn pattern



ARCLIN Kevlar
ABR 4
PUN 4
HEAT 2

16010 Sizes: S-XL
- Premium "A" grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Sewn with Kevlar® thread

16011 Sizes: L-XL • 4.5" rubberized safety cuff

SPLIT LEATHER SINGLE PALMS



1680 Size: L
- Premium side "A" grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Full featured gunn pattern
- Fabric back
- Shirred elastic back



1500K Sizes: M-XL
- Select side "A" grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Sewn with Kevlar® thread
- Cotton canvas back



1400A Sizes: S-XXXL
- Select "B+" grade split Cowhide
- 2.5" plasticized safety cuff
- Wing thumb

VP1400A



1420A Sizes: S, L
- Select "B+" grade split Cowhide
- Knit wrist
- Wing thumb



1417A Sizes: M-XXL
- Select shoulder "B" grade split Cowhide
- 2.5" plasticized safety cuff
- Wing thumb
- Full Leather back



1418A Sizes: L, XXL, XXXL VP1418A
- Select shoulder "B" grade split Cowhide
- 4.5" plasticized safety cuff
- Wing thumb
- Full Leather back



1300 Sizes: S-XL
- Select shoulder "B" grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Blue fabric with red/black stripes



1310 Sizes: L-XL
- Select shoulder "B" grade split Cowhide
- 4.5" rubberized safety cuff
- Wing thumb
- Blue fabric with red/black stripes

SPLIT LEATHER SINGLE PALMS



1317 Size: L
- Select shoulder "B" grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Full leather back



1231 Sizes: L-XL
- Competitive value grade split Cowhide
- 4.5" rubberized safety cuff
- Wing thumb
- Green fabric with pink stripes



1201S Size: S
- Competitive value grade split Cowhide
- 2.5" starched safety cuff
- Wing thumb
- Striped cotton fabric back



1220DX Size: L
- Competitive value grade split Cowhide
- 2.5" denim safety cuff
- Wing thumb
- Breathable denim fabric back



1220SX Size: L
- Competitive value grade split Cowhide
- 2.5" starched safety cuff
- Wing thumb
- Leather Patch Palm

MCR SAFETY



ABR 4 | PUN 4 | HEAT 3

1230 Sizes: S-XL
- Competitive value grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Green fabric with pink stripes



ABR 4 | PUN 4 | HEAT 3

1200 Sizes: L-XXL
- Competitive value grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Gray fabric with red stripe back



ABR 4 | PUN 4 | HEAT 2

12010 Sizes: S-XL
- Competitive value grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Assorted fabric color



ABR 4 | PUN 4 | HEAT 3

1200S Sizes: L-XL
- Competitive value grade split Cowhide
- 2.5" starched safety cuff
- Wing thumb
- Striped fabric back



ABR 3 | PUN 4 | HEAT 3

1040 Size: L
- Competitive value grade split Cowhide
- Straight thumb
- Comfortable clute style
- Cool Cotton back
- Palm lined



ABR 4 | PUN 4 | HEAT 2

12011 Size: L
- Competitive value grade split Cowhide
- 4.5" rubberized safety cuff
- Wing thumb
- Assorted fabric color

SPLIT LEATHER DOUBLE PALMS



DUPONT Kevlar
CUT A2
ABR 6
PUNCTURE 5
HEAT 5 392°F 608°F

1745 Sizes: S-XL
- Full premium "A" grade split side Cowhide
- 2.5" rubberized safety cuff
- Straight thumb
- Double reinforced thumb crotch, palm, index finger and middle finger
- Absorbent Fleece lined

• All Big Jake® styles are sewn with Kevlar® thread



ARCLIN Kevlar ABR 6 HEAT 5

VP1711

1711 Size: XL
- Premium "A" grade split side Cowhide
- 2.75" rubberized safety cuff
- Wing thumb
- Double palm and index finger
- Absorbent Fleece lined, fully in-sewn on thumb, little finger
- Cotton canvas back



ARCLIN Kevlar ABR 6

1716P Sizes: L-XL
- Premium "A" grade split side Cowhide
- Double leather palm and all fingers
- 4.5" rubberized safety cuff



ARCLIN Kevlar ABR 6

1715 Size: XL
- Premium "A" grade split side Cowhide
- 2.75" rubberized safety cuff
- Wing thumb
- Double palm and 3 middle fingers

1715P Size: L
- Double Leather palm and all fingers



ARCLIN Kevlar

VP1735

1735 Sizes: M-XL
- Full premium "A" grade split side Cowhide
- Double palm and fingers, full Leather back, reinforced thumb crotch
- Absorbent Fleece lined, fully in-sewn on thumb, little finger
- 2.75" rubberized safety cuff, straight thumb



ARCLIN Kevlar CUT A2 ABR 6 PUNCTURE 5 HEAT 5

1746 Sizes: S-XXL
- Full premium "A" grade split side Cowhide
- 8" Leather bell cuff with hook and loop adjustability
- Straight thumb
- Double reinforced thumb crotch, palm, index finger, middle finger
- Absorbent Fleece lined



ARCLIN Kevlar PUNCTURE 5

16012 Sizes: M-XL
- Premium "A" grade split side Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Double palm, thumb and index finger

SPLIT LEATHER DOUBLE PALMS



MCR SAFETY



ABR 4 | PUN 5 | HEAT 4

1411A Sizes: S-XXL
- Select shoulder "B+" grade split Cowhide
- 2.5" plasticized safety cuff
- Wing thumb
- Double palm, thumb and index finger



ABR 4 | PUN 5 | HEAT 4

1412A Size: L
- Select shoulder "B+" grade split Cowhide
- 4.5" plasticized safety cuff
- Wing thumb
- Double palm, thumb and index finger



ABR 6 | PUN 5 | HEAT 4

1311 Sizes: L-XL
- Select shoulder "B" grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Double palm, thumb and index finger
- Blue fabric with red/black stripes



ABR 6 | PUN 5 | HEAT 4

1312 Size: L
- Select shoulder "B" grade split Cowhide
- 4.5" rubberized safety cuff
- Double palm, thumb and index finger



ABR 4 | PUN 5

1211 Sizes: L-XL
- Competitive value grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Double palm, thumb and index finger



ABR 3 | PUN 5 | HEAT 4

1211J Size: L
- Competitive value grade split Cowhide
- 2.5" rubberized safety cuff
- Wing thumb
- Jointed double palm
- Double palm, thumb and index finger

GRAIN WELDERS



ABR 3 PUNT 3 HEAT 2 ARCLIN Kevlar

4850 Sizes: M-XXL
- Large Left Hand (4850LH) and Large Right Hand (4850RH)
- Premium grade grain Goatskin
- 4.5" blue split Cow Leather cuff
- Wing thumb
- Sewn with Kevlar® thread
- Greater softness for sense of touch

4850K Sizes: S-XXL
- Lined and Sewn with Kevlar® fibers, Cut A5



ARCLIN Kevlar CUT A3 HEAT 4

4891 Sizes: M-L
- Premium grade grain Goatskin
- 13" total length including a 4.5" Cowhide cuff
- Keystone thumb
- Top grain drag patch
- Sewn with Kevlar® thread
- Padded palm



ARCLIN Kevlar ABR 3 PUNY 3 IMPACT 2 INTELLECTUAL PATENTED PROPERTY HEAT 3

48406 Sizes: M-XL
- Patented PD6 tire tread TPR impact protection
- Premium grade grain Goatskin
- 11" total length including a 5" Cowhide cuff
- Sewn with Kevlar® thread
- Padded palm



ARCLIN Kevlar ABR 3 PUNY 2

4890 Sizes: M-XL
- Premium top grain Goatskin palm and forefinger
- 2.5" brown Cowhide split leather cuff
- Split leather back
- Top grain leather drag patch and knuckle strap
- Sewn with Kevlar® thread
- Padded palm



ARCLIN Kevlar ABR 3 PUNY 3 HEAT 3

49600 Sizes: M-XL
- Premium grade grain Pigskin
- 4.5" Cowhide gauntlet cuff
- Wing thumb
- Sewn with Kevlar® thread

GRAIN WELDERS



MCR SAFETY



ARCLIN
Kevlar
ABR 3
PUN 3
HEAT 2

4950 Sizes: S-XL
- Premium grade grain Cowhide
- 4.5" split Cowhide gauntlet cuff
- Wing thumb
- Sewn with Kevlar® thread



ARCLIN
Kevlar
ABR 3
PUN 3
HEAT 3

4940 Sizes: S-XL
- Premium grade grain Cowhide
- 5" split Cowhide bell cuff
- Straight thumb
- Sewn with Kevlar® thread



ARCLIN
Kevlar

4984 Sizes: M-XL
- Premium grade grain Deerskin
- 4.5" split Cowhide safety cuff
- Straight thumb
- Sewn with Kevlar® thread



ARCLIN
Kevlar
CUT A5
ABR 5
PUN 3
CAT 2
HEAT 4

MU3644 Sizes: M-XXL
- Premium grade grain Goatskin
- 24 cal/cm² (HRC2/CAT2)
- A second layer of premium brown Goatskin in the palm, fingertips and knuckle
- 5" split Cowhide bell cuff
- Wing style thumb
- Sewn and lined with Kevlar®
- Shirred elastic back



ABR 3
PUN 3
HEAT 2

4907 Size: XS, 4908 Size: S, 4909 Size: M,
4910 Size: L, 4911 Size: XL, 4912 Size: XXL, 4913 Size: XXXL
- Premium grade grain Goatskin
- 2.5" grain Goat band top
- Straight thumb



ARCLIN
Kevlar
ABR 3
PUN 3
HEAT 2

4840 Sizes: S-XL
- Premium grade grain Goatskin
- 5" split Cowhide cuff
- Straight thumb
- Sewn with Kevlar® thread

GRAIN WELDERS



ARCLIN
Kevlar
ABR 4
PUN 3
HEAT 2

4960 Sizes: M-L
- Premium grade grain Cowhide
- 4" brown split Cow Leather cuff
- Sewn with Kevlar® thread
- Split Leather back
- Top grain drag patch

MCR SAFETY



ARCLIN Kevlar

ABR 4

PUN 3

HEAT 2

4952 Sizes: M-XL
- Select grade grain Cowhide
- 4.5" split Cowhide gauntlet cuff
- Wing thumb
- Sewn with Kevlar® thread



4903L Sizes: M-XL
- Select grade grain Cowhide
- Split Leather cuff
- Wing thumb



ARX

ABR 3

PUN 3

HEAT 2

4955 Sizes: M-XL
- Competitive value grade grain Cowhide
- 4" brown split Cow Leather gauntlet cuff
- Wing thumb
- Sewn with cut resistant ARX® Aramid thread



ARCLIN Kevlar

CAT 4

MU3213DP Sizes: S-XXXL
- Select grade grain Cowhide
- ARC rating of 52.7 cal/cm² (HRC4/CAT4)
- Heat Attenuation Factor (HAF) of 94.5%
- Keystone thumb
- Rolled Leather hem
- Sewn with Kevlar® thread
- A second layer of split Cowhide in the palm and knuckles

SPLIT WELDERS



MCR SAFETY

ARCLIN Kevlar

ABR 4

PUN 5

HEAT 3



4600 Sizes: XL-XXL
4600LH Size: XL, Left Hand Only
- Premium "A" grade split Cowhide
- One piece back
- Jersey lined
- Wing thumb
- Sewn with Kevlar® thread
- Reinforced palm and thumb strap

ARCLIN Kevlar

CUT A2

ABR 4

PUN 5

HEAT 2



4620 Size: XL
- Premium "A" grade split side Cowhide
- One piece back
- Cotton full sock Jersey lined
- Wing thumb
- Sewn with Kevlar® thread

ARCLIN Kevlar

ABR 5

PUN 5

HEAT 3



4602 Sizes: XL
- Premium side "A" grade split Cowhide
- One piece back
- Cotton drill cuff lined
- Reinforced wing thumb, palm and thumb strap
- Sewn with Kevlar® thread
- Foam lined

ARCLIN Kevlar

ABR 5

PUN 5

HEAT 4



4750 Size: XL
- High heat treated premium side "A" grade split Cowhide
- 3.5" duck safety cuff
- Double wool lined palm
- Wing thumb
- Protects up to 500F

ARCLIN Kevlar

CUT A2

ABR 4

PUN 4

HEAT 3



4500 Sizes: S-XXXL
- Select shoulder "B+" grade split Cowhide
- One piece back
- Foam lined
- Reinforced wing thumb
- Sewn with Kevlar® thread

ABR 4

PUN 5

HEAT 3



4300 Size: XL
- Select shoulder "B+" grade split Cowhide
- One piece back
- Black Cotton drill lined
- Wing thumb

SPLIT WELDERS



MCR SAFETY

ARCLIN Kevlar
CUT A1
PUN 5
HEAT 4



4730 Size: XL
- Premium "A" grade split Cowhide
- 13" one piece back
- Foam lined
- Wing thumb
- Sewn with Kevlar® thread

ARCLIN Kevlar
PUN 5
HEAT 3



4550 Size: XL
- Select shoulder "B" grade split Cowhide
- High heat foundry glove
- Red Jersey Foam full sock lined
- Straight thumb
- Sewn with Kevlar® thread
- Protects up to 392° F
- Clute pattern

ARCLIN Kevlar
PUN 4
HEAT 2



4501 Size: XL
- Competitive value grade split Cowhide
- 13.5" one piece back
- Soft Jersey lined hand
- Cotton drill lined cuff
- Wing thumb
- Sewn with Kevlar® thread
- Reinforced palm

ARCLIN Kevlar
ABR 4
PUN 5
HEAT 3



4320 Size: XL
4320LH Size: XL, Left Hand Only
- Select shoulder "B+" grade split Cowhide
- One piece back, welted and lined
- Fleece lined
- Reinforced straight thumb
- Sewn with Kevlar® thread
- Russet color

ABR 4
PUN 4
HEAT 2



4150 Size: XL
- Select shoulder "B+" grade split Cowhide
- 13" one piece back
- Full Cotton sock lined
- Wing thumb

4150LH Left hand only, 4150RH Right hand only

ABR 4
PUN 4
HEAT 3



4150B Size: XL
- Competitive value grade split Cowhide
- 13" one piece back
- Full Cotton drill lined
- Wing thumb

LEATHER WELDING APPAREL

ARCLIN Kevlar® Gray Select Split Cow Leather, Sewn with Kevlar®

38063	Welding Blanket, 6' x 3'
38030MW	Jacket, 30" Length, with 3 Pockets, M-XXXL
38100MW	Cape Sleeve with Open Back, with 2 Pockets, M-XXXL
38120MW	Bib with Snaps to Fit Cape Sleeve, 20" (*Bib Only, Cape Sleeves Sold Separately)*
38130MW	Bib Apron with Front Pocket, 24" x 30" (*Bib Only, Cape Sleeves Sold Separately)*
38136MW	Bib Apron with Front Pocket, 24" x 36" (*Bib Only, Cape Sleeves Sold Separately)*
38142MW	Bib Apron with Front Pocket, 24" x 42" (*Bib Only, Cape Sleeves Sold Separately)*
38236MW	Bib Apron with Split Leg and Front Pocket, 24" x 36"
38242MW	Bib Apron with Split Leg and Front Pocket, 24" x 42"
38318MW	Waist Apron, 24" x 18"
38324MW	Waist Apron, 24" x 24"
38418MW	Sleeve with Snaps, 18" Length
38425MW	Sleeve with Adjustable Neck Strap, 25" Length
38505MW	Shoe Protector
38600MW	Welding Chaps, 38" Long




38505MW


38418MW

38318MW

38600MW

LIMITED FLAMMABILITY GARMENTS

9 oz., Green, Sateen Finish Cotton, Treated to be Limited Flammability

39030	Jacket, 30" Length, S-X5
39136	Bib Apron, 36" Length
39142	Bib Apron, 42" Length
39418	Sleeve with 2 1/4" Elastic Top and Bottom, 18" Length
39423	Sleeve with 2 1/4" Elastic Top and Bottom, 23" Length

39030



39136





39142



39418



39423

COTTON GLOVES




MCR SAFETY
GROUP

COTTON GLOVES



CUT A3 ABR 2 HEAT 5

9450K Size: L
- Contact heat level 5 for protection up to 608° F
- Heavy weight 2-ply construction
- Loop-in terry cloth, heat-resistant gloves



CUT A3 ABR 3 HEAT 5 ARCLIN Kevlar

9470K Red Brick® Size: L
9471K Red Brick® Size: M
- Contact heat level 5 for protection up to 608° F
- Heavy weight Kevlar®/Cotton engineered yarn shell
- Cut-resistant
- 2-sided Nitrile blocks



CUT A3 ABR 2 HEAT 5

9460K Red Brick® Size: L
9462K Red Brick® Size: S
- Contact heat level 5 for protection up to 608° F
- Heavy loop-in terry cloth
- 2-sided Nitrile blocks

VP9460K
VP9462K

MCR SAFETY

10 GAUGE

9670 Red Hare™ Sizes: S-L
- 10-gauge 100% Cotton shell
- Red Nitrile palm coat



CUT A3 HEAT 5 608°

9432GFR Hotline™ Size: XL
- Contact heat level 5 for protection up to 608° F
- 32 oz. Premium cut and sewn heavy duty terry cloth
- Fully quilted with 10 oz. Jersey lining
- Treated to be limited flammability
- 5" gauntlet cuff



COTTON GLOVES

MCR SAFETY



7100

Brown Jersey, clute pattern,
Cotton/Polyester blend, knit wrist, straight thumb

7100 Size: L
7 oz. Weight

7100P Size: L
8 oz. Weight



7810

Brown Jersey, clute pattern, Cotton/ Polyester blend, dotted palm, thumb, and index finger, knit wrist

7800 Size: L

7810 Size: L
Mini dots



7900 Size: L
Brown Jersey, gunn pattern, red Fleece lined, slip-on cuff, straight thumb



8000I

Natural Jersey, reversible pattern

8000I Size: L
100% Cotton, knit wrist

8002I Size: S
98% Cotton/2% Elastic Blend

MCR SAFETY

8100



8 oz. Canvas clute pattern, knit wrist

8100 Size: L
White, 8 oz. Cotton/Polyester blend, straight thumb

8100A Size: L
Tan, 8 oz. Cotton/Polyester blend, wing thumb

8808



Dotted Cotton canvas, knit wrist, clute pattern, straight thumb

8808S Size: L
7 oz. economy weight, Cotton/Polyester blend

8808 Size: L
8 oz. regular weight, Cotton/Polyester blend

8200



10 oz. Natural Cotton canvas fabric, straight thumb

8200 Size: L
Knit wrist, Cotton/Polyester blend

8200G Size: L
4.5" gauntlet cuff, Cotton/Polyester blend

8516S



Regular weight golden quilted Fleece palm, index finger and thumb, natural canvas back, straight thumb

8516 Size: L
Knit wrist

8516S Size: L
2.5" Safety cuff

8300A



12 oz. Cotton canvas fabric, clute pattern, knit wrist

8300A Size: L
Wing thumb, Cotton/Polyester blend

8300C Size: L
Straight thumb, Cotton/Polyester blend



HEAT 3 392°F

8516G Size: L
- Regular weight, golden quilted Fleece palm, index finger and thumb
- Natural canvas back
- Straight thumb
- 5" Plasticized gauntlet cuff

DOUBLE PALM, CLUTE PATTERN, STRAIGHT THUMB



ABR 2
PUN 2
HEAT 4 500°F

9018C Sizes: S-XL
- 18 oz. 100% Cotton
- Nap-in
- Knit wrist



9018CRPC Size: L
- 18 oz. Cotton/ Polyester blend outer and liner
- Nap-in
- Red knit wrist



ABR 2
PUN 2
HEAT 5 608°F

9018 Size: L
- 18 oz. Cotton/ Polyester blend
- Nap-in
- Knit wrist



9018CDPCR Size: L
- 18 oz. corded Cotton/Polyester blend
- Nap-out
- Red knit wrist



9018CB Size: L
- 18 oz. Cotton/ Polyester blend
- Nap-in
- 2.5" Band top



9018CDPCS Size: L
- 18 oz. Corded Cotton/Polyester blend
- Nap-in
- Safety cuff



9018CDGB Size: L
- 18 oz. Hi-Vis green corded Cotton/ Polyester blend
- Nap-in
- Knit wrist



9118B Size: L
- 18 oz. Cotton/ Polyester blend
- Nap-out
- 2.5" Plasticized band top

HOT MILL, KNUCKLE STRAP, STRAIGHT THUMB



9124C Size: L
- 24 oz. regular weight Cotton canvas
- 100% Cotton liner
- Knuckle strap
- 2.5" Band top



ABR 2
HEAT 4 500°F

9124G Size: L
- 24 oz. regular weight Cotton canvas
- Knuckle strap
- 4.5" plasticized gauntlet cuff

VP9124G



ABR 3
PUNC 2
HEAT 5 608°F

9128 Size: L
- 28 oz. heavy weight Cotton canvas
- Knuckle strap
- 2.5" Band top



CUT A4
ABR 2
HEAT 4 500°F

9132G Size: L
- 32 oz. heavy weight Cotton canvas
- Burlap-lined
- Knuckle strap
- 5" plasticized gauntlet cuff



HEAT 5 608°F

9136K Size: L
- 36 oz. heavy weight Cotton canvas
- Burlap-lined
- Knuckle strap
- 2.5" Band top



9124K Size: L
- 24 oz. regular weight Cotton canvas
- Recycled liner
- Knuckle strap
- 2.5" Band top

VP9124K



9124KI Size: L
- 24 oz. regular weight nap-in Cotton canvas
- Recycled liner
- Knuckle strap
- 2.5" Band top



9132 Size: L
- 32 oz. heavy weight Cotton canvas
- Knuckle strap
- 2.5" Band top



9132K Sizes: M-XL
- 32 oz. heavy weight Cotton canvas
- Burlap-lined
- Knuckle strap
- 2.5" Band top

COTTON GLOVES

Economy Weight Strings, 7 Gauge

9634L	67% Cotton/29% Polyester, Natural, Hemmed, S-L
9638LM	100% Cotton, Natural, SM-XLM
9642L	Cotton/Polyester Multi-Color, S-L
9600L	Cotton/Polyester, White, Hemmed, S-L

9642



Regular Weight Strings, 7 Gauge

9635L	Cotton/Polyester, Natural, Hemmed, S-L
9636L	Cotton/Polyester, Natural, Hemmed, S-L
9636MM	Cotton/Polyester, Natural, M
9636LM	Cotton/Polyester, Natural, L
9501LM	Cotton/Polyester, Natural, XSM-LM
9500LM	Cotton/Polyester, Natural, Hemmed, XSM-XLM
9637L	Cotton/Polyester, Gray, Hemmed, S-L
9500L	Cotton/Polyester, White, Hemmed, S-L
9500LB	Cotton/Polyester, Black, Hemmed, LB, SB, Heat 3
9509LM	Cotton/Polyester, Fingerless, Natural, LM, SM
9642LM	Cotton/Polyester, Multi-Color, SM-LM
9512G	Cotton/Polyester, Hunter Green, L, XL
9638L	70% Polyester/30% Cotton, Natural, Hemmed, S-L
9510LM	100% Cotton, Natural, Hemmed, SM-LM

9500LM



9506LM



Heavy Weight Strings, 7 Gauge

9506L	Cotton/Polyester, Natural, Hemmed, S-L
9506LB	Cotton/Polyester, Black, Hemmed, LB, Cut A2, Abrasion 1, Heat 3
9506LM	98% Cotton/2% Elastane, Natural, SM-LM, Cut A2, Abrasion 1, Heat Level 3
9507L	Cotton/Polyester, Gray, Hemmed, S-L
9507LM	Cotton/Polyester, Gray, LM, SM, Heat Level 4
9507LMH	Cotton/Polyester, Gray, Hemmed, LMH, MMH, SMH, Heat Level 4
9507LMHG	Cotton/Polyester, Gray, Hemmed, Gauntlet Cuff, SMHG, MMHG, LMHG
9643LM	Cotton/Polyester, Multi-Color, Reversible, SM-LM, Heat Level 3

9610LB



Heavy Weight Strings, 10 Gauge

9610LM	100% Cotton, Natural, LM, SM
9610LB	Cotton/Polyester, Black, Hemmed, LB, SB
9630LM	100% Stretch Nylon, White, LM, SM

Heavy Weight Strings, 13 Gauge

9613LM	100% Cotton, Natural, LM, SM (Vend Pack - VP9613LM)
9633LM	100% Stretch Nylon, White, ESD Safe, XSM, SM, LM, XLM

9613LM



Thermal Insulation for Warmth and Dryness

9620	Hollow-Core Spun Poly/Lycra Fiber, White
9622	Poly/Lycra/Poly Blended Fiber, Blue

9620



Multi-Purpose String Knit Gloves, Coated
PVC 1 Side Dotted Styles, 7 Gauge

9657LM	Economy Weight, Cotton/Polyester, Natural, LM, SM
9658L	Regular Weight, Cotton/Polyester, Natural, Hemmed, XXS-XL
9650LM	Regular Weight, Cotton/Polyester, Natural, XSM-LM
9650L	Regular Weight, Cotton/Polyester, White, PVC Fingertips, Hemmed, S-L
9650LW	Regular Weight, Cotton/Polyester, Natural, White PVC Dots 1 Side, S-L

9657LM



PVC Block Coated Styles, 7 Gauge

9660LMB	Cotton/Polyester, Natural, Blue PVC Blocks 2 Sides, LMB, SMB

9660LMB



Palm Coated Styles, 7 Gauge

9670L	"Red Hare®", 10 Gauge, 100% Cotton, Natural, Nitrile Palm Coated, S-L

PVC 2 Sides Dotted Styles, 7 Gauge

9668L	Regular Weight, Cotton/Polyester, Natural, Hemmed, S-XL (Vend Pack - VP9668L)
9667LM	Economy Weight, Cotton/Polyester, Natural, LM, SM
9667L	Regular Weight, Cotton/Polyester, Natural, PVC on Fingertips, Hemmed, L, S
9662LM	Regular Weight, Cotton/Polyester, Gray, LM, SM
9660LM	Regular Weight, Cotton/Polyester, Natural, XS, S, L, XL
9508LM	Regular Weight, Cotton/Polyester, Fingerless, Natural, LM, SM, XLM
9660L	Regular Weight, Cotton/Polyester, White, PVC Fingertips, Hemmed, L, M, S

9668L



Heavy Weight, Criss-Cross Coated Styles, 7 Gauge

9675LM	"Honey Grip", Cotton/Poly Blend, Orange, Honeycomb, SM-XLM, A2, Abr2
9675L	"Honey Grip", Acrylic/Poly, Bright Orange, Honeycomb, S-XL, A2, Abr3

9675LM



COTTON GLOVES



8600 Size: L
8610 Size: S
• Inspectors reversible/unhemmed
• Blended Cotton/Polyester lisle
• Straight thumb



8610CJ Size: XL
8600C Size: L
8610C Size: S
• Inspectors reversible/unhemmed
• 100% Cotton lisle
• Straight thumb



8614C Size: L
• Long inspectors reversible/unhemmed
• 100% Cotton lisle
• Straight thumb
• 14" Length



8612C Size: L
8613C Size: S
• Inspectors reversible/unhemmed
• 100% heavy weight Cotton lisle
• Straight thumb



8620C Size: L
8621C Size: S
• Inspectors reversible/hemmed
• 100% medium weight Cotton lisle
• Straight thumb



8700 Sizes: Men's XS-XL
8710 Sizes: Ladies' S-L
• Inspectors reversible/hemmed
• 100% Nylon, low lint
• Straight thumb



8720 Sizes: Men's M-L
8730 Sizes: Ladies' S-L
• Inspectors reversible/hemmed
• 100% medium weight stretch Nylon, low lint
• Straight thumb




8750 Size: XS, S, L
• Inspectors reversible/hemmed
• 100% medium weight stretch Nylon, low lint
• Inset thumb



8760 Size: S, L
• Inspectors reversible/hemmed
• 100% heavy weight stretch Nylon, low lint
• Inset thumb



8771 Size: S, L
• Inspectors reversible/hemmed
• 100% Stretch Polyester, low lint
• Finger fourchettes
• Inset thumb


MCR SAFETY
GROUP
ENGINEERED FOR SAFETY. BUILT FOR WORK.
Customer Service | 800.955.6887
www.mcrsafety.com
PREDATOR
4/23/2026 - 25683