



**GLAZE
SURFACE COB
DOWNLIGHT**



PRODUCT CHARACTERISTICS


GLAZE SURFACE DOWNLIGHT

- PREMIUM QUALITY CNC FINISH
- SOFT, ANTI-GLARE AMBIENT LIGHTING
- FRONT OPENING DESIGN
- ENERGY EFFICIENCY
- HIGHER LUMINOUS EFFICACY
- LOW LIGHT DECAY
- 10 STEP DIMMING
- CCT TUNABLE CCT
- HIGH CRI
- 50,000 HOUR LAMP LIFE




PRODUCT DIMENSIONS

GLAZE SURFACE DOWNLIGHT



BMGS : 07W



BMGS12 : 12W



BMGS20: 20W



230V
AC



PRODUCT DIMENSIONS

GLAZE SURFACE DOWNLIGHT



BMGS24: 24W



BMGS30: 30W



230V
AC



Dimmable



3000K 6500K



TECHNICAL SPECIFICATIONS

GLAZE SURFACE DOWNLIGHT

INPUT VOLTAGE	230V AC
MATERIAL	ALUMINIUM
LUMINOUS EFFICIENCY	140 LUMENS / WATT
FRONT RING COLOR	BLACK / WHITE
REFLECTOR OPTION	GUN METEL BLACK CHROME GOLD
BEAM ANGLE	15 °, 36°, 55°
COLOR RENDERING INDEX	MORE THAN 90 CRI
CCT	6500K, 5000K, 4000K, 3000K TUNEABLE



**230V
AC**



CONTROL OPTIONS

SINGLE COLOR

ON OFF 230V AC

2.4G CONTROL



DIMMABLE , TUNEABLE CAN BE PAIRED WITH LED STRIPS
CAN WE CONTROLLED WITH REMOTE AND WALL PANEL

SMART CONTROL

DIMMABLE , TENABLE
CAN BE CONTROLLED WITH REMOTE , MOBILE APPLICATION
OVER BLUETOOTH AND WIFI
ADDITIONAL VOICE CONTROL WITH GOOGLE HOME AND ALEXA



DIMMABLE
10-100%
SAVES ENERGY

TUNING OPTIONS FROM
3000K-6500K

LIGHT CAN BE CONTROLLED
WITH MOBILE APPLICATION
USING BLUETOOTH IN SHORT
RANGE AND WIFI FROM
ANYWHERE IN WORLD .

USE 2.4G REMOTE TO
CONTROL CCT AND
BRIGHTNESS OF YOUR LED
LIGHTS



230V
AC



PRODUCT
IMAGES

GLAZE SURFACE
DOWNLIGHT



FRONT VIEW

HEATSYNC

SIDE VIEW



230V
AC



Dimmable



PRODUCT IMAGES

GLAZE SURFACE DOWNLIGHT



**230V
AC**



Dimmable

