




## MAGNETIC TRACK LIGHT




5mm

2026

BEAM MASTER  
EXTREMELY NARROW

MAGNETIC TRACK LIGHT


## 4.5MM MAGNETIC TRACK LIGHT



**REDEFINING MINIMALISM IN  
MAGNETIC LIGHTING**



**ELEGANCE**  
MEETS ENGINEERING



## CONCEAL FLOOD CONCEAL LASER




### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K



### COLOR



LED DC 40V IP20

WATT	PRODUCT SIZE (MM)	VOLTAGE	Ra	CCT
5W	275mm*15mm*5mm	DC48V	≥90	300K 400K 600K



## FLOOD LIGHT TILT TABLE



### Information


CRI: 90

Material: Aluminum

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6000K



### COLOR



LED DC 40V IP20

WATT	PRODUCT SIZE (MM)	VOLTAGE	BEAM ANGLE	CCT
5W	130mm*18mm*14.5mm	DC48V	≥90	300K 400K 600K
10W	240mm*18mm*14.5mm	DC48V	≥90	300K 400K 600K



## LASER LIGHT TILT TABLE



### Information


CRI: 90

Material: Aluminum

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6000K



### COLOR



LED DC 40V IP20

WATT	PRODUCT SIZE (MM)	VOLTAGE	BEAM ANGLE	CCT
5W	130mm*18mm*14.5mm	DC48V	≥90	300K 400K 600K
10W	240mm*18mm*14.5mm	DC48V	≥90	300K 400K 600K



## TRACK LIGHT



### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR

SBK SWT

LED DC 40V IP20



WATT	PRODUCT SIZE (MM)	VOLTAGE	BEAM ANGLE	CCT
6W	Ø36*H60	DC48V	≥90	300K 400K 600K



## MINISPOT TILT TABLE



### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR

SBK SWT

LED DC 40V IP20



WATT	PRODUCT SIZE (MM)	VOLTAGE	BEAM ANGLE	CCT
6W	Ø36*H60	DC48V	≥90	300K 400K 600K



## GLOBE




### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR

SBK SIVT



LED DC 40V IP20

WATT	PRODUCT SIZE (MM)	VOLTAGE	BEAM ANGLE	CCT
5W	Ø60	DC48V	≥90	300K 400K 600K



## MOVABLE SURFACE



### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR

SBK SIVT



LED DC 40V IP20

WATT	PRODUCT SIZE (MM)	VOLTAGE	BEAM ANGLE	CCT
7W	Ø70*H50	DC48V	≥90	300K 400K 600K



## ROUND FLOOD / LASER




### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR

SBK SWT



LED DC 40V IP20

WATT	PRODUCT SIZE (MM)	VOLTAGE	BEAM ANGLE	CCT
10W	Ø96*H30	DC48V	≥90	300K 400K 600K



## HANGING SPOT



### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR

SBK SWT

LED DC 40V IP20



WATT	PRODUCT SIZE (MM)	VOLTAGE	BEAM ANGLE	CCT
5W	Ø60	DC48V	≥90	300K 400K 600K



## MAGNETIC TRACK CHANNEL



### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR

58K SWT

LED DC 40V IP20

### LENGTH


### PRODUCT AVAILABLE

2MT


RECESSED TRACK 5MM

2MT

SURFACE TRACK 5MM



**CONCEAL TRACK**



**SURFACE TRACK**




## MAGNETIC CONNECTOR




### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR



LED DC 40V IP20




## 48V POWER SUPPLY



### Information

CRI: 90  
Material: Aluminum  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6000K

### COLOR



LED DC 40V IP20

WATT	PRODUCT SIZE (MM)	VOLTAGE
200W	275mm*15mm*5mm	DC48V





[WWW.BEAMMASTERLED.COM](http://WWW.BEAMMASTERLED.COM)

AT BEAM MASTER,  
EVERY BEAM TELLS A STORY OF DESIGN AND  
DETAIL.

WE OFFER:

**SKD | CKD | OEM | ODM**

- READY STOCK FOR QUICK AVAILABILITY
- FAST PAN-INDIA DELIVERY
- PRECISION ARCHITECTURAL LIGHTING
- INNOVATIVE AND ELEGANT DESIGNS

**Light Mart**  
Complete Lighting Solution

SKD | CKD | OEM | ODM

Manufacturer & OEM: Premium LED  
Lights, LED Drivers & fixtures

27, PODDAR PLAZA,  
NEW SIYAGANJ, INDORE(M.P),  
452003, INDIA



PRATYUSH AGRAWAL



WEBSITE

