



EDGE DEEP DOWN LIGHT



PRODUCT CHARACTERISTICS

- PREMIUM QUALITY CNC FINISH
- SOFT, ANTI-GLARE AMBIENT LIGHTING
- ENERGY EFFICIENCY
- HIGHER LUMINOUS EFFICACY
- LOW LIGHT DECAY
- 10 STEP DIMMING
- CCT TUENABLE
- HIGH CRI
- 50,000 HOUR LAMP LIFE

EDGE DEEP DOWNLIGHT



PRODUCT DIMENSSIONS



BMEDL07 : 07W
CUTOUT : Ø 75MM



BMEDL12 : 12W
CUTOUT : Ø 95MM



BMEDL18 : 18W
CUTOUT : Ø 115MM



230V
AC



3000K 6500K



TECHNICAL SPECIFICATIONS

EDGE DEEP DOWNLIGHT

INPUT VOLTAGE	230V AC
MATERIAL	ALUMINIUM
LUMINOUS EFFICIENCY	130 LUMENS / WATT
FRONT RING COLOR	BLACK / WHITE
REFLECTOR OPTION	SAME AS BODY COLOR
BEAM ANGLE	120°
COLOR RENDERING INDEX	MORE THAN 90 CRI
CCT	6500K, 5000K, 4000K, 3000K TUNEABLE



**230V
AC**



CONTROL OPTIONS

SINGLE COLOR

ON OFF 230V AC

2.4G CONTROL



DIMMABLE , TUNEABLE CAN BE PAIRED WITH LED STRIPS
CAN WE CONTROLLED WITH REMOTE AND WALL PANEL

SMART CONTROL

DIMMABLE , TENABLE
CAN BE CONTROLLED WITH REMOTE , MOBILE APPLICATION
OVER BLUETOOTH AND WIFI
ADDITIONAL VOICE CONTROL WITH GOOGLE HOME AND ALEXA



DIMMABLE
10-100%
SAVES ENERGY

TUNING OPTIONS FROM
3000K-6500K

LIGHT CAN BE CONTROLLED
WITH MOBILE APPLICATION
USING BLUETOOTH IN SHORT
RANGE AND WIFI FROM
ANYWHERE IN WORLD .

USE 2.4G REMOTE TO
CONTROL CCT AND
BRIGHTNESS OF YOUR LED
LIGHTS



230V
AC





230V
AC



Dimmable

