REAPER ROUSTABOUT LLC	EST.	Date:
JOB SAFETY ANALYSIS	$(R \times R)$	Time:
(JSA)	2017	JSA completed by:
		JSA approved by:
Job/Site Name:		JSA #: Permit to work #: Hot Work Permit #:
Description of Work:	Site Coordinates:	Other Information:
	 PERSONAL PROTECTIVE EQUIPMEN	
Hard Hat	Personal Gas Detector	Chemical Goggles
Safety Glasses	Fire Extinguisher	Welding Goggles
Safety Footwear	Fall Protection System	Welding Mask
Protective Gloves	Work Vest	Slicker Suit
Fire Retardant Clothing	Respiratory Protection	Chemical Apron
Hearing Protection	Face Shield	Safety Harness w/ Lanayard
	E MUST BE LEFT IN VEHI	
1	Potential Hazards	Controls
1-		
2-		
2-		
3-		
3-		
4-		
5-		

Ward Memorial Hospital

406 S Gary Ave, Monahans, TX 79756

(432) 943-2511

Reeves County Hospital District

2323 Texas St, Pecos, TX 79772

(432) 447-3551

Please illustrate site layout on separate sheet and attatch to JSA, illustration contains

Minimum of 2 Muster Areas	YES	NO
Wind Direction (must be evaluated periodically throughout job)	YES	NO
All major production equipment on site	YES	NO
Parked vehicles on site	YES	NO
Nearest Exit (multiple exits if applicable)	YES	NO
Directional Compass	YES	NO

I understand & will adhere to the steps, hazards & controls as described in this JSA. I understand that performing steps out of sequence may pose hazards that have not been evaluated, nor authorized. I will contact my supervisor prior to continuing work, if the scope of work changes or new hazards are introduced.

I understand I have the authority and responsibility to stop work I believe to be unsafe.

Workers Name (please print)	Signature	Date