

COLOR TRENDS 2022



01 Fluorescent Paints

02 Interior Wall Paints

03 Wood and Metal Paints

04 Wood Care

05 Metal Care



Good Design for Good Moments..

Welcome

Designer

Series



Welcome to New World

Neon / fluorescent pigments

Neon pigments display fluorescent colors in natural light as well as in disco -like conditions using ultraviolet light . The fluorescent colors are also called neon or daylight colors. These paints are available in the T-GROUP online shop in various colors , water- based and solvent -based formulation To emphasize again the difference : Fluorescent pigments do not glow in the dark and fulfill their function only with natural or UV light.



INTERIOR

WALL

PAINTS



When Painting Interior

At first glance, it seems that you cannot spoil too much when painting yourself and easily save some money demanded by a professional . However , when buying the material be sure what you can manage yourself and what not . In particular , the selection of shades and choice of suitable paint requires painting experience . Consultation with an expert is worthed in this regard , because the choice of paint is an alpha and the omega of successful painting.

We recommend washable paints with the so-called Wet Abrasion Resistance . If the walls are very often marked with fingerprints or splashes , you can easily remove the dirt using a sponge and water with a detergent and you will not get any damage . If you have children or pets, you will appreciate the benefits of washable walls every day. The washable paints will last longer and you do not have to scratch or penetrate the walls when you paint next time. You save both time and money.

Some paints are sold at very affordable prices , have great parameters and are suitable for less experienced painters , however,when purchasing paint products, the cheapest solution does not always pay off because it might not bring the expected effect and will need to be repaired or repeated . The choice of shade is up to you, but always try the quality of the paint. This is the only one that guarantees that the result will be %100 and you will not have to paint again next year.

What is good to know when choosing the paint?

- Not every color is suitable for each substrate and use.
- Paint varies also in abrasion resistance and washability.
- Some materials create shiny surfaces and others matte.
- Each paint has a different coverage.
- Mixing the same shade yourself for subsequent repair is not easy . Use PPG Color Center just to be safe.
- Calculation and consumption plan are important issues. It saves costs.
- Consider the condition of the surface you are going to paint and what kind of room.

White or coloured?

Cold colors feel cool: They create the impression of purity, freshness, calmness and are usually used in bedrooms and offices. Their bright shades optically expand the space; however, darker shades should be used only in large and sunny rooms.

Pastel shades , color combinations , stripes and other shapes or special techniques are enjoying a growing popularity , but many prefer the purity and simplicity of the white painting.

Some people say white is not a real colour . However , white gives interior a friendly and clean atmosphere. It works well on wall with different structured surface, resulting in light and spacious interior. Moreover, it matches perfectly with furniture and accessories of natural materials such as wood. Walls occupy large areas , so you should have their colour chosen with care and respect to all other family members , their tastes, lifestyle and personal needs. Warm colors work optically: The light shades optically lighten and expand space. Dark shades narrow the room, reduce but also clearly define its purpose

T-Super Seal

123

T-SUPER SEALER 123

Acrylic 123 Wall Sealer is a vinyl acrylate Water-based sealer. It is specially formulated to protect the finishing coats against the effect of alkalinity and moisture from the walls.


Product Features:

Promotes better adhesion
Good alkaline and efflorescence resistance



Direction

Good for chalky and powdery surfaces
Remove all loose, defective paint or powdery residues, loose chalk, dust and foreign matter. Repair cracks, uneven surfaces with suitable fillers. Smooth-en the filler areas with sand paper. Surfaces to be painted must be cleaned thoroughly and dry, it must be free from dirt, grease and other foreign matters. Allow all surfaces to dry completely prior to painting. Avoid painting when the moisture content and alkalinity of the walls are still high. (Recommended painting specification requires the moisture content of the walls to be below %16 measured by promoter and alkalinity of the walls to be below pH9.) Spot prime with Acrylic 123 Wall Sealer.



The PRIMATEX primer has a strong hygroscopic property – absorbing the moisture from the air surroundings and thus is being able to compensate the hygroscopic capacity of dusting mineral and other carrier surfaces.



Interior & Exterior wall impregnation

primer

Ideal for all types of coang , highly or unevenly absorbing surfaces .
Parcularly suitable for non-primed walls and ceilings , gypsum boards,
mineral plasters (quality min.vH10), firmly adhering or slightly weathered
old coangs, plasterboards, concrete surfaces, etc.



Usage	Interior&Exterior
Drying Time	2H
Color	Transparent
Finish	Matt
Dilution	Water 1:3 (exterior) 1:5 (interior)
Composition	Water Based
Packaging	5L– 1L
Tools	Brush–Trowel–Spray

T-SUPER COAT

300



Acrylic putty sealant is an elastic plastic top quality single component acrylic and adequate basis for interior and exterior applications. It can be painted. Acryl Plus is formulated for sealing construction joints with medium movement. It can be applied between windows and joints work together and carpentry work, in different interior work, repairing walls and paintable ceilings, walls prefabricated boards, etc. It should not be used for expansion joints. For these applications we recommend silicone sealed. All surfaces should be clean, free of dust and grease. It is recommended that adhesion assay to determine the validity of the product for the required application. Cut the nozzle to the extent required thickness cord. Working between + 5 ° and + 40 ° C.

T-Plastic 900

Super Platine Luxury Matt 7000 is a %100 pure acrylic based emulsion paint.

Developed using the latest technologies to obtain a high-quality product with exceptional performance.

Its unique formula delivers long lasting durable colors.

- Luxurious finish
- Excellent weather resistance
- High washability
- Outstanding opacity
- High quality, long-lasting colors
- Exceptional performance



T-PLASTIC

766



A pure acrylic emulsion wall coating formulated with high quality weather durable pigments and reinforced with anti-microbial agents.

Excellent dirt pick-up resistance.

Highly washable with good resistance to alkali.

Fungus and algae resistant.

The service life span and the service performance of this product are directly related to the degree of surface preparation.

New concrete should be left for at least 21 days to cure before coating.

The moisture content of the concrete surface should be checked and ensured to be below %6 when measured with a reliable moisture meter, such as the Sovereign Moisture Meter.

The surface to be coated must be clean and free from all loose extraneous materials such as loose paint, dust etc.

If fungus or algae is present, first treat with T-Fungicidal Wash and leave for 24 hours. Then, thoroughly rinse and wash or scrape away all the fungus.

If grease is present, clean using a mild detergent or solvent and rinse thoroughly to ensure complete removal of the grease, detergent and solvent. Apply a suitable sealer coat such as Berger Plastaseal or T-Water-Based Sealer prior to application of this product. For over coating over old coatings, a high pressure water cleaning should be performed to remove all loose or flaking coatings and ensure the remaining coatings are tightly adherent.

01 VELVET GOLD

Flecked with gold and rich with drama, soft and sensual textures of velvety suede exude a subtle golden glow for a unique and distinctive finish.



02 VELVET PEARL

The plush special effect paint replicates the soft and sensual textures of velvety suede to give walls a unique and distinctive finish with a soft pearlescent glow.



03 VELVET METALLIC

Cool and futuristic, this plush special effect paint is charged with a metallic gleam while replicating the soft and sensual textures of distinctive velvety suede.




A SOPHISTICATED
LINE OF PROFESSIONAL
SPECIAL EFFECT PAINTS THAT
MASTERFULLY MIMICS THE
EXTRAORDINARY BEAUTY
OF REAL-LIFE TEXTURES
WITH NEW SPECIAL
EFFECTS FOR A WHOLE
NEW SPECTRUM OF
UNLIMITED CREATIVITY.

01 VELVET GOLD

02 VELVET PEARL

03 VELVET METALLIC



Base colour **Tribal Art** YO 1226D
Finished with **Clementine Crush** VG 204

Base colour **Tempest Sea** AC 2107A
Finished with **Cobalt Cabana** VP 243

AC 2107A
VP 243

Base colour **Sunray**
Finished with **Almond Joy**

YO 1114A
VM 273

All colours shown in this colour card are as close to actual Nippon Paint colours as modern printing techniques permit.
Colour appearance/finishing will vary according to amount of coats, style of strokes applied and individual painting methods.

04 RUST BOX

Inspired by the natural patterns and palettes of distressed metals and corroding rust, traditional industrial chic gets a modern twist with this unique collection of special effect paint.



05 OPTICAL

Futuristic interior design arrives in style with mirror shine and sparkling chrome special effects, expressed with a brilliant palette of ultra-metallic colours.



06 TRAVERTINO

This white base special effect paint lets you create a brick wall from scratch. Formulated to be easily carved, shaped or patterned; mix and match with any of your favourite colours for unsurpassed creative combinations.



04 RUST BOX




Rust base
Glazed over with

Fire Powder
Sunny Days

RB 188
CG 183

05 OPTICAL



Man Of Steel

OP 300

06 TRAVERTINO



All colours shown in this colour card are as close to actual Nippon Paint colours as modern printing techniques permit.
Colour appearance/finishing will vary according to amount of coats, style of strokes applied and individual painting methods.

Excellent application
properes for an
excellent finish.

WOOD AND METAL PAINTS

All PRIMATEX trims stand out especially due to their
pracce- -oriented applicaon as well as their product
properes. Whether gloss level, levelling properes,
covering capacity or drying behaviour – they offer highly
decorave and durable results in all applicaon areas
from priming to finish for a long me. In this category

protective woodstain

For demanding coatings on all common wooden substrates. It is ideal for dimensionally stable wooden components such as carports, pergolas, wooden furniture, windows, doors.



Did you know?

Every wood has a different gloss and some do not have it altogether thanks to the individual wood fibers that reflect the light rays. Every one differently. It is impossible artificially simulate this gloss, the wood is completely unique in this.



Durable and high built protective film. Highly UV and weather resistant. Flexible and crack resistant.

resistant. Very good levelling and flow. Easy to use.

Quality alkyd based woodstain for protective and decorative coatings on all kinds of wood in interior or exterior. Provides durable attractive silky gloss finish, which increases the solidity of wood. Flexible and at the same time resistant to cracking and peeling. Enhances the natural wood grain and highlights its beauty.



Usage: INTERIOR
EXTERIOR

Drying Time: °23C
24H

Coverage: 15m²/L

Satin	Packaging	Tinting bases	Base Transparent and Base Pine which are also ready mix colours	Composition
Finish	2,5 L 0,75 L			Solvent based

penetrating woodstain

For demanding coatings on all common wooden substrates is ideal for dimensionally stable and components such as timber, carports, unstable wooden pergolas, fences, wooden constructions.



Did you know?

Our woodcare products contain UV blockers which are invisible to the human eye but reflect the wood-damaging UV radiation completely. The visible light penetrates the coating and makes the wood grain visible.

Usage

Interior
Exterior



Deeply penetrative.
Highly UV and
weather resistant.

Water repellent.
Stops wood from greying.
Easily recoatable.

Coverage 18m²/L



Quality low built alkyd based woodstain for protection and decoration on all kinds of wood in interior or exterior.

Deeply penetrates and soaks into wood structure ensuring long durability and excellent weather resistance.

Protects, maintains and refines wooden surface in a natural way.

The attractive velvety finish enhances the natural wood grain and highlights its beauty.

Tinting bases	Base Transparent and Base Pine which are also ready mix colours	Composition	Drying Time	Finish
		Solvent based	20 h °23C	Satin

Wood and metal paints

Enamel wood& metal

For final coatings on metal and wooden substrates after right pre-treatment with primers.

Did you know?

You can achieve an interesting effect by combining glossy and matt surfaces. Select darker colour shade in a gloss and combine it with a decent matt in a light shade.

Drying Time

°23C 2h

Coverage 10-9m²/L



Hardwearing and weather resistant. Water repellent properties. Abrasion and scratch resistant.

Excellent coverage. Very good levelling and flow.

Quality alkyd based enamel that delays corrosion of metal and decay of wood in interior and exterior. Provides durable and tough finish. Excellent application properties, levelling and high colour stability in high gloss or matt finish ensures highly aesthetic appearance. The formula does not contain aromatic hydrocarbons and has improved drying time for faster, safer and more beautiful results.

Usage

Interior

Exterior

Finish

Matt

Gloss

Tinting bases

Base L
Base D
Base Z

Composition

Solvent based

Packaging

only bases
0,75 L

T-EXTEREME SHIELD

%100 Pure Acrylic Emulsion with Anti-Bacterial properties

Super Platine Hygiene Silk 8000 is a %100 pure acrylic premium quality water-based paint. Its unique formula prevents the growth of bacteria and fungi for long periods and delivers long lasting durable colors. Developed using the latest technologies to obtain a high-quality product with exceptional performance.

- Luxurious silk finish
- Deep and long-lasting colors
- Excellent weather
- High washability
- Anti-Fungus and Anti-Bacterial
- Superior opacity



Weather Resistant

High Colour Retention


Excellent Protection
Against Algy and Fungs

T-FIX IT

Full Time is a water-based putty, produced from high quality foam and pure acrylic emulsion, that ensures excellent filling properties for cracks and holes.

- Non-shrinkable
- Excellent adhesion
- Filling cracks capacity up to 5 mm
- High elasticity to ensure crack resistance





The beauty you need to see