## SECTION1: PRODUCT & COMPANY INDENTIFICATION

### DATE: 01/11/2015 / Supersedes Revision: n/a

### Manufacturer:

Native Green LLC 2110 East Walton Blvd Auburn Hills, MI 48326 Phone: (888) 456-6444 Website: <u>www.nativegreen.com</u>

EMERGENCY CONTACT: Chemtrec, Reference CCN203605 Phone: (800) 424-9300 (collect calls accepted) / International: (703) 527-3887 Product Name: HD Oven, Grill and Fryer Cleaner Product No.: 611-04 ID Code: 4560 Product Category: Alkaline Detergent

SECTION 2: HAZARD(S) IDENTIFCATION Acute Toxicity: Oral, Category 4 Skin Corrosion/Irritation. Category 1A

Skin Corrosion/Irritation, Category 1A Aspiration Toxicity, Category 1 Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Flammable Liquids, Category 4



## **GHS Signal Word: DANGER**

#### **GHS Hazard Phrases:**

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H227 Combustible liquid.

### **GHS Precaution Phrases:**

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P362+364 - Take off contaminated clothing and wash it before reuse.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

### **GHS Response Phrases:**

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 - Rinse mouth.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P363 - Wash contaminated clothing before reuse.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 - Immediately call a POISON CENTER/doctor.

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting.

P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P332+313 - If skin irritation occurs, get medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

### GHS Storage and Disposal Phrases:

P501 - Unused product is not a RCRA Hazardous waste. However, contaminated product and wastes may be RCRA hazardous. Users are advised to determine the appropriate disposal method based on local, state and federal regulations and comply with those regulations.

P405 - Store locked up. P403+235 - Store in cool/well-ventilated place.

### Hazard Rating System:

HMIS Health: 2 Flammability: 0 Physical: 2 PPE: B

Potential Health Effects (Acute and Chronic): Prolonged or repeated eye contact may cause conjunctivitis. Prolonged or repeated skin contact may cause dermatitis. Chronic: None. Effects may be delayed. May cause liver and kidney damage. Sophisticated modeling has clearly proven that 2-butoxyethanol does not build up in the body under any kinds of normal use. Inhalation: Harmful if inhaled. Irritation may lead to chemical pneumonitis and pulmonary edema. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. Causes chemical burns to the respiratory tract. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. Aspiration may lead to pulmonary edema. May cause systemic effects. May cause respiratory tract irritation. May cause narcotic effects in high concentration. May cause lung damage. May cause anemia. May cause central nervous system effects such as nausea and headache.

Skin Contact: May cause deep, penetrating ulcers of the skin. Causes severe burns with delayed tissue destruction. Causes redness and pain. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color. Causes skin irritation. Harmful if absorbed through the skin. Substance is rapidly absorbed through the skin. Causes symptoms similar to those of inhalation. Skin sensitization testing with human volunteers produced negative results. A skin notation is not recommended by ACGIH, based on estimates from physiologically based pharmacokinetic models which indicate that, even in worst-case dermal-exposure scenarios, 2-butoxyethanol is not absorbed in amounts sufficient to cause red blood cell hemolysis in humans.

Eye Contact: Causes severe eye burns. May cause irreversible eye injury. Contact may cause ulceration of the conjunctiva and cornea. Eye damage may be delayed. Causes redness and pain. When substance becomes wet or comes in contact with moisture of the mucous membranes, it will cause irritation. May cause chemical conjunctivitis and corneal damage. Ingestion: Harmful if swallowed. May cause severe and permanent damage to the digestive tract.

Causes gastrointestinal tract burns. May cause circulatory system failure. Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. May cause systemic effects. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
1310-58-3	Potassium hydroxide {Caustic potash}	3.0 -10.0 %
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	1.0 -3.0 %

## **Emergency and First Aid Procedures:**

## **SECTION 4: FIRST-AID MEASURES**

In Case of Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.

In Case of Skin Contact: Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Discard contaminated clothing in a manner which limits further exposure. Destroy contaminated shoes.

In Case of Eye Contact: Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes).

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately. Call a poison control center.

Signs and Symptoms Of Exposure: Burning sensation, Can cause severe eve irritation. Symptoms include stinging, tearing, redness, and swelling of eyes. Can injure eye tissue. Pulmonary edema.

Note to Physician: None known.

### **SECTION 5: FIRE-FIGHTING MEASURES**

Flash Point: NP Method Used: Estimate Explosive Limits: LEL: UEL: Autoignition Pt: NP

**Suitable Extinguishing Media:** Use extinguishing media appropriate to surrounding fire conditions. Use water spray, dry chemical, carbon dioxide, or chemical foam.

**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Water reactive. Material will react with water and may release a flammable and/or toxic gas. Wear appropriate protective clothing to prevent contact with skin and eyes. Wear a self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. May ignite or explode on contact with steam or moist air. Will burn if involved in a fire. Combustible liquid and vapor. **Flammable Properties and Hazards:** 

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. Do not expose spill to water. Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Remove all sources of ignition. Use a spark-proof tool. Do not let this chemical enter the environment.

## SECTION 7: HANDLING AND STORAGE

**Precautions To Be Taken in Handling:** Wash thoroughly after handling. Do not breathe dust, mist, or vapor. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale.

**Precautions To Be Taken in Storing:** Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store in a cool, dry place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits	
1310-58-3	Potassium hydroxide {Caustic potash}		CEIL: 2 mg/m3		
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	PEL: 50 ppm	TLV: 20 ppm		

**Respiratory Equipment (Specify Type):** Respirator protection is not normally required. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Eye Protection: Goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls (Ventilation etc.):** There are no special ventilation requirements. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [ X ] Liquid [] Solid Appearance and Odor: Clear, dark tan liquid Mild solvent odor. Freezing Point: < 0.00 C Boiling Point: > 100.00 C - 0.00 C Autoignition Pt: NP Flash Pt: NP Method Used: Estimate Explosive Limits: LEL: UEL: Specific Gravity (Water = 1): ~ 1.1 Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): Evaporation Rate: > 1 (H2O=1) Solubility in Water: 100% Viscosity: thin pH: > 12 Percent Volatile: < 95.0 % by weight. VOC / Volume: < 2.0000 G/L

## SECTION 10: STABILITY AND REACTIVITY

Stability: Unstable [] Stable [ X ] Conditions To Avoid - Instability: Incompatible materials. Incompatibility – Materials To Avoid: Avoid contact with acids, reducing agents, oxidizers, nitrogen oxides, amines, ammonia or other nitrogen containing compounds. Acids, Strong acids. Strong bases, Aluminum. Hazardous Decomposition Or Byproducts: Oxides of potassium, hydrogen gas. Carbon monoxide. Possibility of Hazardous Reactions: Will occur [] Will not occur [ X ] Conditions To Avoid -Hazardous Reactions: SECTION 11: TOXICOLOGICAL INFORMATION Toxicological Information: Epidemiology: No data available. Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: No information found. Teratogenicity: No information available. Carcinogenicity/Other Information: CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 111-76-2; ACGIH; A3 - Confirmed animal carcinogen with unknown

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1310-58-3	Potassium hydroxide {Caustic potash}	n.a.	n.a.	n.a.	n.a.
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	n.a.	3	A3	n.a.

relevance to humans, California: Not listed, NTP: Not listed, IARC: Not listed.

## SECTION 12: ECOLOGICAL INFORMATION

**General Ecological Information:** Environmental: TERRESTRIAL FATE: Based on a recommended classification scheme, an estimated Koc value of 67,, determined from an experimental log Kow and a recommended regression-derived equation, indicates that ethylene glycol mono-n-butyl ether is expected to have high mobility in soil. An estimated BCF value of 2.5 was calculated for ethylene glycol mono-n-butyl ether, using an experimental log Kow of 0.83 and a recommended regression-derived equation. According to a recommended classification scheme, this BCF value suggests that bioconcentration in aquatic organisms is low. Physical: No information found. Other: An estimated BCF value of 2.5,, from an experimental log Kow, suggests that ethylene glycol mono-n-butyl ether bioconcentration in aquatic organisms will be low, according to a recommended classification scheme and the state of the scheme and the state of the scheme and the sch

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed.

SECTION 14: TRANSPORTATION INFORMATION (DOT/UN CLASSIFICATION)

AND TRANSPORT (US DOT):	LAND TRANSPORT (US DOT):
<b>DT Proper Shipping Name:</b> Corrosive liquid, basic, inorganic, n.o.s. (contains potassium hydroxide)	DOT Proper Shipping Name: Corre
DT Hazard Class: 8 CORROSIVE	DOT Hazard Class: 8 CORROSI
N/NA Number: UN3266	UN/NA Number: UN3266
acking Group: II CORROSIVE	Packing Group:

SECTION 15: REGULATORY INFORMATION					
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists					
CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
1310-58-3	Potassium hydroxide {Caustic potash}	No	Yes 1000 LB	No	
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	No	No	Yes-Cat. N230	
CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists			
1310-58-3	Potassium hydroxide {Caustic potash}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			

## SAFETY DATA SHEET Foaming Oven Cleaner

### **SECTION 16: OTHER INFORMATION**

Revision Date:01/11/2015

**Preparer Name:** Regulatory Affairs Additional Information About This Product:

**Company Policy or Disclaimer:** The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.