## SAFETY DATA SHEET

## **Bio+ Energized Solid Destainer**

**SECTION1: PRODUCT & COMPANY INDENTIFICATION** 

**DATE:** 02/26/2021 / Supersedes Revision: 08/19/2016

Product Name: Bio+ Energized Solid Laundry Destainer

ID Code: 4977 Part No: 704-0205 Manufacturer: NATIVE GREEN 180 A Engelwood Dr. Orion, MI 48359 Phone: 248/365-4200

Website: www.nativegreen.com

EMERGENCY CONTACT: Chemtrec, Reference CCN203605

Phone: (800) 424-9300 (collect calls accepted) / International: (703) 527-3887

#### **SECTION 2: HAZARD(S) IDENTIFCATION**

Serious Eye Damage/Eye Irritation, Category 2

Skin Corrosion/Irritation, Category 2
Acute Toxicity: Oral, Category 4

## GHS Signal Word: WARNING

### **GHS Hazard Phrases:**

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

#### **GHS Precaution Phrases:**

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

#### **GHS** Response Phrases:

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.

P330 - Rinse mouth.

P332+313 - If skin irritation occurs, get medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P362 - Take off contaminated clothing and wash before re-use.

### **GHS Storage and Disposal Phrases:**

P501 - Dispose of contents/container to trash after rinsing container.

#### Potential Health Effects (Acute and Chronic):

Inhalation: No hazard expected in normal industrial use.

Skin Contact: Causes skin irritation. Allergic reactions are possible.

Eye Contact: Causes severe eye irritation.

Ingestion: Harmful if swallowed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
CAS#	Hazardous Components (Chemical Name)	Concentration	
68131-39-5	Ethoxylated linear alcohol	25.0 -40.0 %	
15630-89-4	Disodium carbonate, compound with hydrogen peroxide (2:3)	25.0 -40.0 %	
	{Sodium percarbonate; Sodium carbonate peroxyhydrate}		
25155-30-0	Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate}	10.0 -20.0 %	

# SAFETY DATA SHEET Bio+ Energized Solid Destainer

#### **SECTION 4: FIRST-AID MEASURES**

#### **Emergency and First Aid Procedures:**

**In Case of Inhalation:** Remove from exposure and move to fresh air immediately. No specific treatment is necessary since this material is not likely to be hazardous by inhalation.

**In Case of Skin Contact:** Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation or rash occurs, seek medical advice/attention.

**In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**In Case of Ingestion:** If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.

Note to Physician: None known.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

Flash Point: 0.00 C

Explosive Limits: LEL: No Data UEL: No Data

Autoignition Pt: 0.00 C

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH

(approved or equivalent), and full protective gear.

Flammable Properties and Hazards: No data available.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Protective Precautions, Protective Equipment and Emergency Procedures:** For personal protection see section 8. Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.

**Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Clean up spills immediately, observing precautions in the Protective Equipment section. Provide ventilation.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions To Be Taken in Handling: Wash thoroughly after handling.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place.

	SECTION 8: EXPOSURE CONTR	<b>OLS/PERSONA</b>	L PROTECTION	
CAS#	Partial Chemical Name	<b>OSHA TWA</b>	<b>ACGIH TWA</b>	Other Limits
68131-39-5	Ethoxylated linear alcohol	No data.	No data.	No data.
15630-89-4	Disodium carbonate, compound with hydrogen peroxide (2:3) {Sodium percarbonate; Sodium carbonate peroxyhydrate}	No data.	No data.	No data.
25155-30-0	Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate}	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Respirator protection is not normally required.

**Eye Protection:** Wear chemical splash goggles. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR1910.133 or European Standard EN166.

Protective Gloves: Use protective gloves.

Other Protective Clothing: Protective garments not normally required.

**Engineering Controls (Ventilation etc.):** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Environmental Exposure Controls:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## SAFETY DATA SHEET

## **Bio+ Energized Solid Destainer**

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Physical States: [] Gas [ ] Liquid [ X ] Solid Specific Gravity (Water = 1):  $\sim 1.0$ 

Appearance and Odor: White solid block

No odor.

Melting Point: ~ 110.00 F - 0.00 C Boiling Point: No data.

Autoignition Pt: No data.

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Evaporation Rate: No data. Solubility in Water: Complete

Viscosity:

pH: ~ 11.0 - @ 1%

Percent Volatile: No data.

#### **SECTION 10: STABILITY AND REACTIVITY**

Stability: Unstable [ ] Stable [ X ]

Conditions To Avoid - Instability: Incompatible materials, Excess heat, dust generation.

**Incompatibility – Materials To Avoid:** Acids, Bases, Strong oxidizing agents.

Hazardous Decomposition Or Byproducts: Carbon monoxide, irritating and toxic fumes and gases, Nitrogen oxides.

Possibility of Hazardous Reactions: Will occur [ ] Will not occur [ X ] Conditions To Avoid -Hazardous Reactions: No data available.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicological Information: No data available.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	<b>ACGIH</b>	OSHA
68131-39-5	Ethoxylated linear alcohol	n.a.	n.a.	n.a.	n.a.
15630-89-4	Disodium carbonate, compound with hydrogen peroxide				
	(2:3) {Sodium percarbonate; Sodium carbonate peroxyhydrate}	n.a.	n.a.	n.a.	n.a.
25155-30-0	Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate}	n.a.	n.a.	n.a.	n.a.

#### SECTION 12: ECOLOGICAL INFORMATION

General Ecological Information: No data available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA

P-Series: None listed. RCRA U-Series: None listed.

#### SECTION 14: TRANSPORTATION INFORMATION (DOT/UN CLASSIFICATION)

LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not Regulated.

**DOT Hazard Class:** UN/NA Number: Packing Group:

#### **SECTION 15: REGULATORY INFORMATION** EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists **Hazardous Components (Chemical Name)** CAS# S. 302 (EHS) S. 304 RQ 69121 20 5 Ethoxylated linear alcohol

00131-39-3	Ethoxylated linear alcohol	INO	INO	INO
15630-89-4	Disodium carbonate, compound with hydrogen peroxide (2:3) {Sodium percarbonate; Sodium carbonate peroxyhydrate}	No	No	No

25155-30-0 Sodium dodecylbenzene sulfonate {linear Yes 1000 LB No No

alkylbenzene sulfonate}

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists

68131-39-5	Ethoxylated linear alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
	•	Inventory: CA PROP 65: No

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -15630-89-4 Disodium carbonate, compound with hydrogen

peroxide (2:3) {Sodium percarbonate; Sodium Inventory; CA PROP.65: No

carbonate peroxyhydrate) 25155-30-0 Sodium dodecylbenzene sulfonate {linear CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -

alkylbenzene sulfonate} Inventory; CA PROP.65: No S. 313 (TRI)

## SAFETY DATA SHEET Bio+Energized Solid Destainer

#### **SECTION 16: OTHER INFORMATION**

Revision Date: 02/26/2021 Preparer Name: Regulatory Affairs

**Hazard Rating System:** 

HMIS
Health: 1
Flammability: 0
Physical: 1
PPE: A

#### **Additional Information About This Product:**

Company Policy or Disclaimer: The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.