THE EPITOME OF EXCELLENCE.

QUADS




THE FEATURES

advanced features, superior filtration capabilities, and efficient performance.

Boasting advanced features, is at the forefront of innovation in water filtration technology. It integrates intelligent automation, allowing for precise control and optimization of filtration settings. The superior filtration capabilities of our system extend beyond conventional filters, capturing and eliminating microscopic particles, bacteria, and impurities, ensuring the purest water quality.

What sets us apart is not just our advanced features but also the efficiency of our performance. The filter operates seamlessly, achieving thorough water purification without compromising on energy efficiency. Its design maximizes flow rates, minimizing the time required for complete water turnover.

In essence, our pool filter is a of technological synergy sophistication and practical efficiency, providing an unparalleled combination of advanced features, superior filtration, and efficient performance for swimmina а experience marked by clarity, purity, and ease of maintenance.



PURE FIBERGLASS-REINFORCED PLASTIC THROUGHOUT THE BODY

A 100% fiberglass body indicates that the entire structure is composed solely of fiberglass without any mixture of other materials, offers durability, strength, resistance to corrosion and a lightweight quality.





P SERIES SAND FILTER



HIGHLIGHT FEATURES:

MAX OPERATING PRESSURE 36PSI/2.5BAR

MAX TEMPERATURE OF 43° C (109° F)

UNIVERSAL STANDARD OF UNION CONNECTION PROVIDED

SUGGESTED SIZE OF MEDIA: 1-2MM

Technical Characteristics

Model	Filter Area(m²)	Valve Connection		Max Flow Rate	Gravel(kg)	A mm	B mm
P400	0.13	1.5 inch	50mm	8 m ³ /h	35	760	400
P450	0.16	1.5 inch	50mm	10 m ³ /h	45	815	450
P525	0.22	1.5 inch	50mm	12 m ³ /h	85	880	525
P625	0.30	1.5 inch	50mm	16 m ³ /h	150	1005	625
P700	0.40	1.5 inch	50mm	20 m ³ /h	210	1100	700
P700B	0.40	2.0 inch	63mm	21 m ³ /h	215	1150	700
P750	0.45	2.0 inch	63mm	23 m ³ /h	300	1180	750
P800	0.50	2.0 inch	63mm	25 m ³ /h	355	1310	800
P900	0.64	2.0 inch	63mm	31 m ³ /h	470	1380	900
P1000	0.79	2.0 inch	63mm	36 m ³ /h	620	1495	1000
P1100	0.96	2.0 inch	63mm	42 m ³ /h	800	1580	1100
P1200	1.13	2.0 inch	63mm	45 m ³ /h	900	1600	1200
P1400	1.54	2.0 inch	63mm	56 m ³ /h	1350	1810	1400



Affordable Price

Indulge in the remarkable combination of outstanding quality and an unexpectedly affordable price point. Our commitment to excellence ensures that you not only receive a product of superior craftsmanship but also enjoy the added advantage of budget-friendly affordability. Unveil the perfect blend of value and quality, making your investment both prudent and satisfying.





What makes us the leader? The number of years that we committed to ensuring top-notch quality.

Our products prioritize safety at every level, adhering to rigorous standards and regulations. From the selection of materials to the manufacturing process, we employ measures that ensure the utmost safety for users.

Our commitment extends to creating products free from harmful substances, durable in manufacturing, and designed with features that mitigate potential risks. Trust in our dedication to providing safe products that prioritize the well-being of users, offering peace of mind and confidence in every use.