



Product Line - Select

Product Name	Material Composition	Avg Particle Size	Avg Bulk Density (pcf)*
Spex•Lite® 6724	EPS	1.7 mm	1.0
Spex•Lite® 6807	EPS	1.1 mm	2.0
Spex•Lite® 6503	EPS	3.2 mm	0.8
Spex•Lite® R/EPS	EPS – RECYCLED	Dust to 4.5 mm avg 2.6 mm	1.4
Spex•Lite® 5524BH	EPP	3.5 mm	1.0
Spex•Lite® 5064H	EPP	3 mm	5.5
Spex•Lite® 5125	EPP	2.5 mm	10
Spex•Lite® 5235	HDPE	2.7 mm	36
Spex•Lite® G5	Mineral	150 - 175 µm	18.5
Spex•Lite® RFA 44-027	Recycled Glass	d50: 27 µm	2.1 g/cc
Spex•Lite® RFA 45-013	Recycled Glass	d50: 13 µm	2.5 g/cc
Spex•Lite® ELA 1512	Recycled Glass	1 - 2 mm	14.0
Spex•Lite® MB 4155	PVDC	45 - 65 µm	2.8
Spex•Lite® MB 1085	PVDC	70 - 100 µm	1.1
Spex•Lite® MB 1755	PVDC	145 - 165 µm	1.6
Spex•Lite® Heavy Sand	Mineral	70/100 mesh	128
Spex•Lite® HP 2555	Alumina	5.5 µm	29.0

*Densities taken according to ASTM D1895 M.

Values are represented as typical averages, not as exact specifications.

Other sizes and densities are available for most product lines upon request, given sufficient volumes.

440-462-1500

Info@SpexLite.com

v20240211

29299 Clemens Rd #1-L
Westlake, OH 44145 USA