

Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 191/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB Super New Star Club

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 20:43:52...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by ar experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocols should be protained



Phone No. 03225-255040/255145

e-mailid: sdoghatalgen@gmail.com

Memo No:191 /PP2022/MIKE

DATE:26-09-2022

To President / Secretary Super New Star Club

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 20:43:52...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- . Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 192/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB 14th pally durga puja committee

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 20:45:08...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only.Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly) dhered to.

14) Covid protocol



GOVERNMENT OF WEST BENGAL OFFICE OF THE SUB DIVISIONAL OFFICER CHATAL SUB DIVISION PARCHEM ACCOUNTS WEST BENGAL

GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 192 /PP2022/MIKE

DATE:26-09-2022

To

President / Secretary 14th pally durga puja committee

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 20:45:08...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 193/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
ISABPUR HAZRABERH SARBAJANIN DURGOUTSAB COMITEE

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/23/2022 20:52:49...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocols BHOSIGN be maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No:193 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

ISABPUR HAZRABERH SARBAJANIN DURGOUTSAB COMITEE

CC : Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 20:52:49...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- . Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 194/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB KUAPUR POOL (MOHABONI) SARBAJANIN DURGA PUJA COMMITTEE

CC: Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/23/2022 21:00:15...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by ar experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.





GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No :194 /PP2022/MIKE DATE :26-09-2022

To

President / Secretary

KUAPUR POOL (MOHABONI) SARBAJANIN DURGA PUJA COMMITTEE

CC: Officer in Charge

CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:00:15...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 195/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB MANIKKUNDU SARBOJONIN DURGAUTSAB COMMITTEE


CC: Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/23/2022 21:05:14...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid prot contillator be maintained.





Phone No. 03225-255040/255145 Memo No:195 /PP2022/MIKE

e-mailid:sdoghatalgen@gmail.com

DATE: 26-09-2022

To

President / Secretary

MANIKKUNDU SARBOJONIN DURGAUTSAB COMMITTEE

CC: Officer in Charge

CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:05:14...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Note-III Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Mixed categories of areas may be declared as one of the four above mentioned categories by the Note-IV competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, 3. Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound. 4.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 196/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB BHUTA - GHANASHYAMBATI SARBAJANIN DURGOTSAB COMMITTEE

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/23/2022 21:09:54...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protective should be maintained.



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 196 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

BHUTA - GHANASHYAMBATI SARBAJANIN DURGOTSAB COMMIITTEE

CC : Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:09:54...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- . Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- . The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 197/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB Mansuka Sarbojanin Durgapuja Committee

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 21:10:32...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocols should be maintained.



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No:197 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary Mansuka Sarbojanin Durgapuja Committee

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:10:32...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the formula.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local althingstration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 198/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB Pursuri Amra Sobai

CC: Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/23/2022 21:28:46...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be struct In papered to.

14) Covid protocols story



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 198 /PP2022/MIKE

DATE:26-09-2022

To President / Secretary Pursuri Amra Sobai

CC: Officer in Charge

CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:28:46...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- . Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	. 55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 199/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
RAMNAGAR MITALEE SANGHA DURGAPUJA COMMITTEE

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/23/2022 21:31:14...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only.Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocols School by maintained.



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 199 /PP2022/MIKE

DATE:26-09-2022

To

President / Secretary

RAMNAGAR MITALEE SANGHA DURGAPUJA COMMITTEE

CC : Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:31:14...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- . Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 200/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB Madanchak Sarbojonin Durgoutsab Committee

CC: Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/23/2022 21:35:29...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No :200 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

Madanchak Sarbojonin Durgoutsab Committee

CC: Officer in Charge

CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:35:29...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- . Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the few such as the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the 3. Sound limiter machine should be 65.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 201/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB GOPALNAGAR SARBAJANIN DURGOTHSAB COMITEE

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/23/2022 21:42:47...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by ar experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocols should be maintained.





Phone No. 03225-255040/255145

e-mailid: sdoghatalgen@gmail.com

DATE: 26-09-2022

Memo No: 201 /PP2022/MIKE

To President / Secretary GOPALNAGAR SARBAJANIN DURGOTHSAB COMITEE

CC: Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:42:47...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

	Category of Area	Limit in dB(A)	
Area Code		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m., and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Note-III Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Mixed categories of areas may be declared as one of the four above mentioned categories by the Note-IV competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, 3. Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound. 4.
- You will cooperate with local administration & police authority with regards to this. 5.





Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 202/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB SINGHADANGA SRISTI SEVA SANGHA

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 21:45:07...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 202 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

SINGHADANGA SRISTI SEVA SANGHA

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:45:07...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

	Category of Area	Limit in dB(A)	
Area Code		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 203/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB NABAGRAM KISHOR SANGHA

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 21:56:13...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocols should be maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 203 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary NABAGRAM KISHOR SANGHA

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:56:13...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





OFFICE OF THE SUB DIVISIONAL OFFICER GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 204/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB KASHIARA DAKSHIN PARA DURGA PUJA COMITEE

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/23/2022 21:57:26...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimate local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 204 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

KASHIARA DAKSHIN PARA DURGA PUJA COMITEE

CC : Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 21:57:26...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Category of Area	Limit in dB(A)	
	Day Time	Night Time
Industrial area	75	70
Commercial area	65	55
Residential area	55	45
Silence Zone	50	40
	Industrial area Commercial area Residential area	Industrial area 75 Commercial area 65 Residential area 55

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer, Ghatal, Paschim Medinipur

Ghatal Sub Divisional Office, Paresh Nagar, Ghatal, PaschimMedinipur West Bengal 721212



Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 205/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB DALAPATIPUR PURBA PALLY DURGATSAB COMMITEE

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 22:29:59...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.





Phone No. 03225-255040/255145

e-mailid: sdoghatalgen@gmail.com

Memo No: 205 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

DALAPATIPUR PURBA PALLY DURGATSAB COMMITEE

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 22:29:59...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer, Ghatal, Paschim Medinipur

Ghatal Sub Divisional Office, Paresh Nagar, Ghatal, PaschimMedinipur West Bengal 721212



Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 206/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB PRATAPPUR PANCHMARO PRANGAN SARBOJONIN DURGOTSAB COMMITTEE

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 0:13:09...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.





Phone No. 03225-255040/255145

e-mailid: sdoghatalgen@gmail.com

Memo No: 206 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

PRATAPPUR PANCHMARO PRANGAN SARBOJONIN DURGOTSAB COMMITTEE

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 0:13:09...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 207/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
Basudebpur Chandeswar Duttapool Durgapuja cummittee


CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/24/2022 6:37:09...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocol shaund maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 207 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

Basudebpur Chandeswar Duttapool Durgapuja cummittee

CC : Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 6:37:09...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- . Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 208/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB Kaigeria Sarbajanin Durgotsav

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/24/2022 9:07:06...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be etrictly adhered to.

14) Covid protoco schools maintained.

V Sub Divisions



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 208 /PP2022/MIKE

DATE: 26-09-2022

President / Secretary Kaigeria Sarbajanin Durgotsav

CC: Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 9:07:06...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Note-III Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 209/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB DIHIPALSA GRAMIN SARBOJONIN DURGATSAB COMMITTEE

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/24/2022 11:51:33...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimate local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid processing d be maintained.



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 209 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

DIHIPALSA GRAMIN SARBOJONIN DURGATSAB COMMITTEE

CC : Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 11:51:33...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
Α	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 210/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB AGAMAN

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 11:57:30...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

Control should be strictly adhered to. 14) Covid protocols should be maintained.



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No:210/PP2022/MIKE

DATE: 26-09-2022

To President / Secretary AGAMAN

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 11:57:30...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local diministration & police authority with regards to this.



Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 211/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
Birsingha Vidyasaagar Tarun Sangha

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 12:37:27...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid proposed be maintained.



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No :211 /PP2022/MIKE

DATE: 26-09-2022

To President / Secretary Birsingha Vidyasaagar Tarun Sangha

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 12:37:27...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

	Category of Area	Limit in dB(A)	
Area Code		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 212/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB GOBINDAPUR DAKSHINPARA SARBAJANIN DURGAPUJA COMMITTEE

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 12:48:24...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid proposals shows be maintained.





Phone No. 03225-255040/255145

e-mailid: sdoghatalgen@gmail.com

Memo No: 212 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

GOBINDAPUR DAKSHINPARA SARBAJANIN DURGAPUJA COMMITTEE

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 12:48:24...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- . The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55 /	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local authority with regards to this.



Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 213/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB Pathra Sarbojanin Durgotsab Committe

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 14:55:40...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- Control should be strict

 14) Covid protects should orders & Government orders regarding Pollution adhered to.

intained.

14) Covid prote



GOVERNMENT OF WEST BENGAL OFFICE OF THE SUB DIVISIONAL OFFICER

GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 213 /PP2022/MIKE

DATE: 26-09-2022

President / Secretary

Pathra Sarbojanin Durgotsab Committe

CC: Officer in Charge **GHATAL Police Station**

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 14:55:40...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

You will cooperate arristration & police authority with regards to this.



Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 214/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, PRESIDENT OF THE CLUB Ramkrishnapur Sriramkrishna Milan Sangha

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/24/2022 15:43:34...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.

13) Relevant hon'ble convergers & Government orders regarding Pollution Control should be series of the convergers of th

14) Covid protocols should be maintained.

1



GOVERNMENT OF WEST BENGAL OFFICE OF THE SUB DIVISIONAL OFFICER

GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid: sdoghatalgen@gmail.com

Memo No: 214 /PP2022/MIKE

DATE: 26-09-2022

President / Secretary

Ramkrishnapur Sriramkrishna Milan Sangha

CC: Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 15:43:34...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Note-III Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Mixed categories of areas may be declared as one of the four above mentioned categories by the Note-IV competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, 3. Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound. 4.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 215/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB DEOPUR SHIBSAKTI CLUB


CC: Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/24/2022 15:44:35...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocologo Do Do WAG ce maintained.





GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 215 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary
DEOPUR SHIBSAKTI CLUB

CC: Officer in Charge

CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 15:44:35...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 216/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, PRESIDENT OF THE CLUB DHASACHANDPUR PURBAPARA VIVEKANANDA SPORTING CLUB

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 15:50:12...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protogois should be maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 216 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

DHASACHANDPUR PURBAPARA VIVEKANANDA SPORTING CLUB

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 15:50:12...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 217/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
Gombhirnagar Sarbajanin Saradiya Utsav

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 17:26:58...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocols, should be maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 217 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary
Gombhirnagar Sarbajanin Saradiya Utsav

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 17:26:58...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 218/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB IRHPALA ADARSAY ABHUDAYA SAMMILANI

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 17:27:25...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protection of the maintained.



Phone No. 03225-255040/255145

e-mailid: sdoghatalgen@gmail.com

Memo No: 218 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

IRHPALA ADARSAY ABHUDAYA SAMMILANI

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 17:27:25...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- . Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- . The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 219/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, SECRETARY OF THE CLUB IRHPALA SURYA SIKHA CLUB

CC: Officer in Charge, GHATAL Police Station

Considering your application on...9/24/2022 17:44:21...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protocols saldus se maintained.





Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No: 219 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary
IRHPALA SURYA SIKHA CLUB

CC : Officer in Charge GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 17:44:21...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
В	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.





Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO: 220/PP2022/MIKE

DATE: 26-09-2022

PUJA PERMISSION 2022

To, PRESIDENT OF THE CLUB UDAYCHAK HATTOLABIBHUDAY YUVA SANMILANI SARBOJANIN DURGA PUJA COMMITTEE

CC: Officer in Charge, DASPUR Police Station

Considering your application on...9/24/2022 17:57:46...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributionshould not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteershould be engaged to maintain crowd.
- 6) The Idol immersionshould be doneat on mentioned date.
- 7) The Puja Committee shouldintimatethe local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.

14) Covid protections and be maintained.



Phone No. 03225-255040/255145

e-mailid:sdoghatalgen@gmail.com

Memo No:220 /PP2022/MIKE

DATE: 26-09-2022

To

President / Secretary

UDAYCHAK HATTOLABIBHUDAY YUVA SANMILANI SARBOJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/24/2022 17:57:46...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
- A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone'is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- 3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- 4. You will abide by all the relevant court orders & government notifications in connection to sound.
- 5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer, Ghatal, Paschim Medinipur

of Office Paresh Nagar, Ghatal, PaschimMedinipur West Bengal 721212