



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 313/PP2022/MIKE

DATE : 26-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
AJURIA SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge, DASPUR Police Station

**Considering your application on...9/26/2022 15:28:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.**

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer  
Ghatal, Paschim Medinipur**

Sub-Divisional Officer,  
Ghatal



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :313 /PP2022/MIKE

DATE :26-09-2022

To  
President / Secretary  
AJURIA SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge  
DASPUR Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 15:28:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.

  
Sub-Divisional Officer,  
Ghatal, Paschim Medinipur

Sub-Divisional Officer,  
Ghatal



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 314/PP2022/MIKE

DATE : 26-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
SITAPUR NABIN MANUA SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge, DASPUR Police Station

**Considering your application on...9/26/2022 15:30:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.**

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer**  
**Ghatal, Paschim Medinipur**  
**Sub-Divisional Officer,**  
**Ghatal**



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :314 /PP2022/MIKE

DATE :26-09-2022

To  
President / Secretary  
SITAPUR NABIN MANUA SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge  
DASPUR Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 15:30:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur

Sub-Divisional Officer,  
Ghatal



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 315/PP2022/MIKE

DATE : 26-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
KALAIKUNDU CHATURMUKH DURGOTSHAV COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/26/2022 15:32:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer  
Ghatal, Paschim Medinipur**

**Sub-Divisional Officer,  
Ghatal**



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :315 /PP2022/MIKE

DATE :26-09-2022

To  
President / Secretary  
KALAIKUNDU CHATURMUKH DURGOTSHAV COMMITTEE

CC : Officer in Charge  
DASPUR Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 15:32:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur

Sub-Divisional Officer,  
Ghatal



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 316/PP2022/MIKE

DATE : 26-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
KTC GOUP GHATAL

CC : Officer in Charge, GHATAL Police Station

**Considering your application on...9/26/2022 15:32:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.**

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer  
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :316 /PP2022/MIKE

DATE :26-09-2022

To  
President / Secretary  
KTC GOUP GHATAL

CC : Officer in Charge  
GHATAL Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 15:32:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,  
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 317/PP2022/MIKE

DATE : 26-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
BANKIBAZAR SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge, DASPUR Police Station

**Considering your application on...9/26/2022 15:36:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.**

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :317 /PP2022/MIKE

DATE :26-09-2022

To  
President / Secretary  
BANKIBAZAR SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge  
DASPUR Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 15:36:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,  
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 318/PP2022/MIKE

DATE : 26-09-2022

## **PUJA PERMISSION 2022**


To,  
SECRETARY OF THE CLUB  
SHREE DURGA BHARATI SANGHA

CC : Officer in Charge, DASPUR Police Station

**Considering your application on...9/26/2022 15:38:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.**

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :318 /PP2022/MIKE

DATE :26-09-2022

To  
President / Secretary  
SHREE DURGA BHARATI SANGHA

CC : Officer in Charge  
DASPUR Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 15:38:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,  
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 319/PP2022/MIKE

DATE : 26-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
Pirijpur Sarbojanin Durgotsav Committee

CC : Officer in Charge, DASPUR Police Station

**Considering your application on...9/26/2022 15:29:27...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.**

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :319 /PP2022/MIKE

DATE :26-09-2022

To  
President / Secretary  
Pirijpur Sarbojanin Durgotsav Committee  
CC : Officer in Charge  
DASPUR Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 15:29:27....this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,  
Ghatal, Paschim Medinipur**