



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 275/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
UTTARBARH SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 12:35:27...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :275 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
UTTARBARH SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 12:35:27...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 276/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
RABIDASPUR SARBOJONIN DURGAOUJA COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 13:44:27...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant non-ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailed : sdoghatalgen@gmail.com

Memo No :276 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
RABIDASPUR SARBOJONIN DURGAOUJA COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 13:44:27...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.


Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.




Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 277/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
JALSARA SARBAJANIN SRI SRI DURGA PUJA COMMITTEE

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/25/2022 14:40:39...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :277 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
JALSARA SARBAJANIN SRI SRI DURGA PUJA COMMITTEE

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 14:40:39...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 278/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
CHAKSULTAN SARBOJANIN DURGOTSAB


CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 14:45:45...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :278 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
CHAKSULTAN SARBOJANIN DURGOTSAB

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 14:45:45...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 279/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
HAREKRISHNAPUR KISHORE BAHINI CLUB

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 15:19:29...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailed : sdoghatalgen@gmail.com

Memo No :279 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
HAREKRISHNAPUR KISHORE BAHINI CLUB

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 15:19:29...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40


Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 280/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
DHANYAGACHHI SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/25/2022 16:43:30...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :280 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
DHANYAGACHHI SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 16:43:30...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 281/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
DASPUR NABIN SANGHA O GRAMBASIBRINDA

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 16:49:17...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :281 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
DASPUR NABIN SANGHA O GRAMBASIBRINDA

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 16:49:17...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 282/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
KUMARPARA MALAKAR DANGA SARBAJANIN DURGOTSAB COMMITTEE


CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/25/2022 16:50:49...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :282 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
KUMARPARA MALAKAR DANGA SARBAJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 16:50:49...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 283/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
JHUMJHUMI PALLISHREE SANGHA

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 17:32:28...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant Hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN-721117

Phone No. 03225-255040/255145

e-mailed: subdivison@rediffmail.com

Memo No : 283 /PP2022/MIKE

DATE: 26-07-2022

To
President / Secretary
JHUMJHUMI PALLISHREE SANGHA

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 17:32:28...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5TH Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 3736-13, P.S. dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/72/T-IV-6/001/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 284/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
BAMARIA SARBOJANIN DURGA UTSAV COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/25/2022 17:40:05...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :284 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
BAMARIA SARBOJANIN DURGA UTSAV COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 17:40:05...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 285/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
DIRGHAGRAM POST OFFICE CHAK SARBAJANIN DURGOTSAB COMMITTEE


CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/25/2022 18:31:01...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :285 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
DIRGHAGRAM POST OFFICE CHAK SARBAJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 18:31:01...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 286/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
LAKSHMANCHAK PURBAPARA SARBOJANIN DURGA PUJA

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 18:37:20...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :286 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
LAKSHMANCHAK PURBAPARA SARBOJANIN DURGA PUJA

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 18:37:20...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 287/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
BHUTA HATTOLA SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 19:12:58...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :287 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
BHUTA HATTOLA SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 19:12:58...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 288/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
NIMTALA SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 19:52:58...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



↓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailed :sdoghatalgen@gmail.com

Memo No :288 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
NIMTALA SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 19:52:58...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40


Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III '**Silence Zone**' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 289/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
CHENCHUA SARBAJANIN SREE SREE DURGA PUJA COMMITTEE & LAXMI PUJA
COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 20:01:12...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :289 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
CHENCHUA SARBAJANIN SREE SREE DURGAPUJA COMMITTEE & LAXMI PUJA COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 20:01:12...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 290/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
METHANI MORE SARBOJONIN DURGAPUJA

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/25/2022 20:06:40...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailed : sdoghatalgen@gmail.com

Memo No :290 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
METHANI MORE SARBOJONIN DURGAPUJA

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 20:06:40...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 291/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
GOPSAI LALSAGAR SARBOJONIN DURGOTSAB COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/25/2022 20:16:28...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :291 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
GOPSAI LALSAGAR SARBOJONIN DURGOTSAB COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 20:16:28...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.


Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.




Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 292/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
BELADANDA SARBAJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/25/2022 20:20:23...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :292 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
BELADANDA SARBAJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 20:20:23...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 293/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
DUDKOMRA YUBAK SAMITI

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 20:24:03...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :293 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
DUDKOMRA YUBAK SAMITI

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 20:24:03...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 294/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
MAGURIA SARBAJANIN KALI AND DURGA PUJA COMITEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 20:28:41...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER

GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :294 /PP2022/MIKE

DATE :26-09-2022

To

President / Secretary

MAGURIA SARBAJANIN KALI AND DURGA PUJA COMITEE

CC : Officer in Charge

DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 20:28:41....this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 295/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
GACHSITALA MANDIR DURGATSAB COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/25/2022 20:38:23...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailed : sdoghatalgen@gmail.com

Memo No :295 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
GACHSITALA MANDIR DURGATSAB COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 20:38:23...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 296/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
RADHAKRISHNAPUR SARBAJONIN DURGOTSAV COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 21:22:57...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03225-255040/255145

e-mailed: sdoghatal@rediffmail.com

Memo No :296 /PP2022/MIKE

DATE: 26.09.2022

To
President / Secretary
RADHAKRISHNAPUR SARBAJONIN DURGOTSAV COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 21:22:57....this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 297/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
BANSDAHA SARBAJANIN DURGOTSAV COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/25/2022 21:28:13...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :297 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
BANSDAHA SARBAJANIN DURGOTSAV COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 21:28:13...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 298/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
RAMJIBANPUR BABURAMPUR BAZAR SARBOJANIN DURGAUTSAV PUJA COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/25/2022 21:35:03...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :298 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
RAMJIBANPUR BABURAMPUR BAZAR SARBOJANIN DURGAUTSAV PUJA COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 21:35:03...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 299/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
SURATPUR SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 21:58:59...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :299 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
SURATPUR SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 21:58:59...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 300/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
KRISHNANAGAR DURGATSAB COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 22:11:44...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



↓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :300 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
KRISHNANAGAR DURGATSAB COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 22:11:44...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 301/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
SAGARPUR PALLI UNNYAN SAMITI

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 22:13:35...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailed : sdoghatalgen@gmail.com

Memo No :301 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
SAGARPUR PALLI UNNYAN SAMITI

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 22:13:35...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 302/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
SPANDAN S/D PUJA COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 22:28:48...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :302 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
SPANDAN S/D PUJA COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 22:28:48...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 303/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
DASPUR SARBOJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/25/2022 22:51:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :303 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
DASPUR SARBOJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/25/2022 22:51:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUBDIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721112

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 304/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
BHABANIPUR BANAMALIPUR SARBOJONIN DURGAUTSAB

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/26/2022 9:09:32...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :304 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
BHABANIPUR BANAMALIPUR SARBOJONIN DURGAUTSAB

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 9:09:32...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40


Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 305/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
Sitasole Sarbajanin Durgotsab Committee

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/26/2022 9:14:29...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :305 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
Sitasole Sarbajanin Durgotsab Committee

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 9:14:29...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 306/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
PRESIDENT OF THE CLUB
CHAIPAT HATTALA SARBAJANIN DURGAUTSAB

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/26/2022 10:10:55...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :306 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
CHAIPAT HATTALA SARBAJANIN DURGAUTSAB

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 10:10:55...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40


Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 307/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
PRESIDENT OF THE CLUB
RAMKRISHNA JANAKALYAN SEVASHRAM

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/26/2022 10:16:33...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :307 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
RAMKRISHNA JANAKALYAN SEVASHRAM

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 10:16:33...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40


Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 309/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
KAJURI SARBOJANIN DURGOTSAV

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/26/2022 10:21:43...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



↓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :309 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
KAIJURI SARBOJANIN DURGOTSAV

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 10:21:43...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 310/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022


To,
SECRETARY OF THE CLUB
BHUNIARAH TETULTALA BAZAR SARBOJONIN DURGOTSAB

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/26/2022 10:26:14...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailed ghatal.sdo@wb.gov.in

Memo No :310/PP2022/MIKE

DATE: 26/09/2022

To
President / Secretary
BHUNIARAH TETULTALA BAZAR SARBOJONIN DURGOTSAB

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 10:26:14... this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. FN/709 T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 311/PP2022/MIKE

DATE : 26-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
PALLISHREE MILAN SANGHA

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/26/2022 10:26:53...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :311 /PP2022/MIKE

DATE :26-09-2022

To
President / Secretary
PALLISHREE MILAN SANGHA

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/26/2022 10:26:53...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**