



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 41/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
AMRA SABAI PUJA COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/21/2022 14:49:58...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :41 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
AMRA SABAI PUJA COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 14:49:58...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 42/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
CHAK - DOGACHHIA SARBAJANIN DURGOTSAV COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 16:27:02...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

DATE : 22-09-2022

Memo No : 42 /PP2022/MIKE

To
President / Secretary
CHAK - DOGACHHIA SARBAJANIN DURGOTSAV COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 16:27:02...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
4. You will abide by all the relevant court orders & government notifications in connection to sound.
5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 43/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
JOTEGHANASHYAM SARBAJANIN DURGATSAB COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 16:42:52...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

DATE :22-09-2022

Memo No :43 /PP2022/MIKE

To
President / Secretary
JOTEGHANASHYAM SARBAJANIN DURGATSAB COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 16:42:52...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 44/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
BAIKUNTHAPUR MATREE ABAHANI SARBAJONIN PUJO COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 16:57:41...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :44 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
BAIKUNTHAPUR MATREE ABAHANI SARBAJONIN PUJO COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 16:57:41...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 45/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
KELEGODA SARBOJANIN DURGOTSHAB

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 17:00:53...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :45 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
KELEGODA SARBOJANIN DURGOTSHAB

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 17:00:53...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 46/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
BEURGRAM LITTLE STAR CLUB

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/21/2022 17:43:07...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

DATE :22-09-2022

Memo No :46 /PP2022/MIKE

To
President / Secretary
BEURGRAM LITTLE STAR CLUB

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 17:43:07...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

- Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.
Note-II Night time is reckoned in between 10 p.m. and 6 a.m.
Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.
Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.
- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
 - You will abide by all the relevant court orders & government notifications in connection to sound.
 - You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 47/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
DHANKHAL AMRA SABAI DURGA PUJA COMITEE


CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 17:53:22...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :47 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
DHANKHAL AMRA SABAI DURGA PUJA COMITEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 17:53:22...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
4. You will abide by all the relevant court orders & government notifications in connection to sound.
5. You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 48/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
THAKURBARI BAZAR SARBAJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/21/2022 18:17:20...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :48 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
THAKURBARI BAZAR SARBAJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 18:17:20...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 49/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
KIAGERIA NANAKPUKUR SARBAJANIN DURGOTSAB

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/21/2022 18:18:24...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :49 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
KIAGERIA NANAKPUKUR SARBAJANIN DURGOTSAB

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 18:18:24...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 50/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
KIAGERIA MILAN SANGHA

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/21/2022 18:26:06...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212
e-mailid :sdoghatalgen@gmail.com

Phone No. 03225-255040/255145

DATE :22-09-2022

Memo No :50 /PP2022/MIKE

To
President / Secretary
KIAGERIA MILAN SANGHA

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 18:26:06...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 51/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
CHATURBHUBAN DURGOTSAB COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 18:48:02...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

DATE : 22-09-2022

Memo No : 51 /PP2022/MIKE

To
President / Secretary
CHATURBHUBAN DURGOTSAB COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 18:48:02...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 52/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
KHANJAPUR SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 20:02:31...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :52 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
KHANJAPUR SARBAJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 20:02:31...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 53/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
RADHABALLAVPUR SARBAJANIN DURGOTSAV

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/21/2022 20:06:41...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :53 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
RADHABALLAVPUR SARBAJANIN DURGOTSAV

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 20:06:41....this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
4. You will abide by all the relevant court orders & government notifications in connection to sound.
5. You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 54/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
MATRI SANGHA


CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 20:11:44...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :54 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
MATRI SANGHA

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 20:11:44...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 55/PP2022/MIKE

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
NISCHINTAPUR SHIBHA-KALI SABHA SAMITY


CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 20:32:50...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

DATE : 22-09-2022

Memo No : 55 /PP2022/MIKE

To
President / Secretary
NISCHINTAPUR SHIBHA-KALI SABHA SAMITY

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 20:32:50...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 56/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
Shyamsunderpur New Star Club

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/21/2022 21:29:05...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :56 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
Shyamsunderpur New Star Club

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 21:29:05...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 57/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
PRESIDENT OF THE CLUB
ARIT BENAI SARBAJANIN DURGAPUJA COMMITTEE


CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/21/2022 21:29:27...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

DATE :22-09-2022

Memo No :57 /PP2022/MIKE

To
President / Secretary
ARIT BENAI SARBAJANIN DURGAPUJA COMMITTEE

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 21:29:27...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 58/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
MANGRUL SARBOJANIN DURGAUTSOB COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/21/2022 21:34:17...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212
e-mailid : sdoghatalgen@gmail.com

Phone No. 03225-255040/255145

DATE : 22-09-2022

Memo No : 58 /PP2022/MIKE

To
President / Secretary
MANGRUL SARBOJANIN DURGAUTSOB COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 21:34:17...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 22-09-2022

MEMO NO : 59/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
JADUPUR NEW BANI BAYAM SANGHA

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/21/2022 22:07:30...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓
Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :59 /PP2022/MIKE

DATE :22-09-2022

To
President / Secretary
JADUPUR NEW BANI BAYAM SANGHA

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 22:07:30...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



✓
Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB-DIVISIONAL OFFICER
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 60/PP2022/MIKE

DATE : 22-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
BALA SARBOJONIN DURGOTSAV COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/21/2022 22:10:55...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

DATE : 22-09-2022

Memo No : 60 /PP2022/MIKE

To
President / Secretary
BALA SARBOJONIN DURGOTSAV COMMITTEE

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/21/2022 22:10:55...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur