



GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 032225-255040/255145 e-mail: sdo@ghatalonline@gmail.com

MEMO NO : 116/22022/MIKE

DATE : 23-09-2022

## PUJA PERMISSION 2022

To,  
SECRETARY OF THE CLUB  
BALIDANGA BINOY BADAL DINESH SPORTING CLUB

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/22/2022 20:34:55...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 5.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocol should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No : 116 /PP2022/MIKE

DATE : 23-09-2022

To  
President / Secretary  
BALIDANGA BINOY BADAL DINESH SPORTING CLUB

CC : Officer in Charge  
GHATAL Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 20:34:55...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
4. You will abide by all the relevant court orders & government notifications in connection to sound.
5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL, SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 117/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
PRESIDENT OF THE CLUB  
KANSABATI DURGO UTTSAB COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/22/2022 20:44:18...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :117 /PP2022/MIKE

DATE :23-09-2022

To  
President / Secretary  
KANSABATI DURGO UTTSAB COMMITTEE

CC : Officer in Charge  
DASPUR Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 20:44:18...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No 0334 255141/255143 e mail :sdoghatalonline@gmail.com

MEMO NO : 118/PM3033/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
KHURPAI KENDRIYA DURGOA UTSAV COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...8/22/2022 20:48:13...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7:00 AM to 11:00 AM and 6:00 PM to 10:00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contribution should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant huddle court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 731113

Phone No. 03225-255040/255145

e-mail: [sdghatalbeng@gmail.com](mailto:sdghatalbeng@gmail.com)

Memo No : 118 /PP2022/MIKE

DATE: 23.09.2022

To  
President / Secretary  
KHRIPAI KENDRIYA DURGOA UTSAV COMMITTEE

CC : Officer in Charge  
CHANDRAKONA Police Station

**Mike Permission 2022**

In reference to his/her application dated.... 9/22/2022 20:49:13...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>th</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VP/11/98 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- 1. Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- 2. The Permissible noise limit as per Government of West Bengal vide No. EN/708/T-IV-6/001/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
4. You will abide by all the relevant court orders & government notifications in connection to sound.
5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 791919

Phone No.03225-255040/255145 e-mail:sdoghatalonline@gmail.com

MEMO NO : 119/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
KULDAHA NISCHINTAPUR SARBOJANIN DURGOTSAB

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/22/2022 20:54:05...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL, SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No : 119 /PT/2022/MIKE

DATE : 23-09-2022

To  
President / Secretary  
KULDAHA NISCHINTAPUR SARBOJANIN DURGOTSAB

CC : Officer in Charge  
CHANDRAKONA Police Station

### Mike Permission 2022

In reference to his/her application dated..., 9/22/2022 20:54:05..., this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL, SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 731112

Phone No.03225-255040/255145 e-mail :sooghatal@wb.gov.in

MEMO NO : 120/PP2022/MIKE

DATE : 01.09.2022

## PUJA PERMISSION 2022

To,  
PRESIDENT OF THE CLUB  
Kalmijore Tarun Sangha

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/22/2022 20:56:44...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for idol immersion along with procession.
- 8) Electric connections throughout the Pandai have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandai for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandai premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :120 /PP2022/MIKE

DATE :23-09-2022

To  
President / Secretary  
Kalmijore Tarun Sangha

CC : Officer in Charge  
DASPUR Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 20:56:44...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 121/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
Kamargeria nabarun sangha

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/22/2022 21:02:40...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailed : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :121 /PP2022/MIKE

DATE :23-09-2022

To  
President / Secretary  
Kamargeria nabarun sangha

CC : Officer in Charge  
GHATAL Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:02:40...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3:3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 122/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
Maharajpur Sarbojanin Durgatsab Committee

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/22/2022 21:03:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :122 /PP2022/MIKE

DATE :23-09-2022

To  
President / Secretary  
Maharajpur Sarbojanin Durgatsab Committee

CC : Officer in Charge  
GHATAL Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:03:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 123/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
SHARODA PALLY DURGA UTSAB PUJA COMMITTEE

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/22/2022 21:05:25...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :123 /PP2022/MIKE

DATE :23-09-2022

To  
President / Secretary  
SHARODA PALLY DURGA UTSAB PUJA COMMITTEE

CC : Officer in Charge  
GHATAL Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:05:25...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL,  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL, SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03325 255040/255145 e-mail: ghatalonline@gmail.com

MEMO NO : 124/PP/2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
KOMRA SARBAJANIN DURGAUTSAB

CC : Officer in Charge, GHATAL, Police Station

Considering your application on...8/22/2022 21:44...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only, Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No :124 /PP2022/MIKE

DATE :23-09-2022

To  
President / Secretary  
KOMRA SARBAJANIN DURGAUTSAB

CC : Officer in Charge  
GHATAL Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:14:14...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/MP-5/95 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur

Ghatal Sub-Divisional Office, Paresh Nagar, Ghatal, Paschim Medinipur West Bengal 721212





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 125/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
RADHAKANTAPUR MAHILA SARBOJONIN DURGAUTSAV COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/22/2022 21:16:28...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No : 125 /PP2022/MIKE

DATE : 23-09-2022

To  
President / Secretary  
RADHAKANTAPUR MAHILA SARBOJONIN DURGAUTSAV COMMITTEE

CC : Officer in Charge  
DASPUR Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:16:28...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 126/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
TRIVENT

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/22/2022 21:18:18...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdghatalgen@gmail.com](mailto:sdghatalgen@gmail.com)

Memo No : 126 /PP2022/MIKE

DATE : 23-09-2022

To  
President / Secretary  
TRIVENI

CC : Officer in Charge  
GHATAL Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:18:18...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>th</sup> Sept 2022 To 5<sup>th</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373313/PPB 6/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/769/T-IV-6/601/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur

Ghatal Sub Divisional Office, Paresnagar, Ghatal, Paschim Medinipur West Bengal 721212





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUBDIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721122

Phone No. 03225-255040/255145 e-mail: sdghatalminia@gmail.com

MEMO NO : 127/PP2022/MIKE

DATE : 23-09-2022

## PUJA PERMISSION 2022

To,  
SECRETARY OF THE CLUB  
Gobindapur Katan Sarbojanin Durgotsav committee

CC : Officer in Charge, GHATAL, Police Station

Considering your application on...9/22/2022 21:20:50...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN-721222

Phone No. 03225-255040/255145

e-mail: [subghatal@gmail.com](mailto:subghatal@gmail.com)

Memo No: J27/PP2022/MIKE

DATE: 23/04/2022

To  
President / Secretary  
Gobindapur Katan Sarbojanin Durgotsab committee

CC : Officer in Charge  
GHATAL Police Station

### Mike Permission 2022

In reference to his/her application dated... 9/22/2022 21:20:50... this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>th</sup> Sept 2022 To 5<sup>th</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/MPB-D/95 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-W-5000/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB (A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL, SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03225-255040/255145 e-mail : sdoghatalonline@gmail.com

MEMO NO : 128/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
KAMARPUR DEULBERIA GADADHARPUR SARBBIJANIN DURGOTSAV COMMITTEE  
(MOHILA)

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/22/2022 21:22:38...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145.

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No : 128 /PP2022/MIKE

DATE : 23-09-2022

To  
President / Secretary  
KAMARPUR DEULBERIA GADADHARPUR SARBIJANIN DURGOTSAV COMMITTEE (MOHILA)

CC : Officer in Charge  
CHANDRAKONA Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:22:38...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 129/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
NARAYANCHAK SARBOJANIN DURGOUTSAB COMMITTEE

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/22/2022 21:22:49...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No : 129 /PP2022/MIKE

DATE : 23-09-2022

To  
President / Secretary  
NARAYANCHAK SARBOJANIN DURGOUTSAB COMMITTEE

CC : Officer in Charge  
DASPUR Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:22:49...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur

Ghatal Sub Divisional Office, Paresh Nagar, Ghatal, Paschim Medinipur West Bengal 721212





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721312

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 130/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
PADYAMPUR JANAKALYAN SANGHA

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/22/2022 21:28:42...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :130 /PP2022/MIKE

DATE :23-09-2022

To  
President / Secretary  
PADYAMPUR JANAKALYAN SANGHA

CC : Officer in Charge  
DASPUR Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:28:42...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 132/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
GHATAL KUTHIBAZAR BHARATIYA BABSAYEE SAMITI

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/22/2022 21:35:16...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :132 /PP2022/MIKE

DATE :23-09-2022

To  
President / Secretary  
GHATAL KUTHIBAZAR BHARATIYA BABSAYEE SAMITI

CC : Officer in Charge  
GHATAL Police Station

## Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:35:16...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-D/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 133/PP2022/MIKE

DATE : 23-09-2022

## PUJA PERMISSION 2022

To,  
SECRETARY OF THE CLUB  
GOBINDAPUR SARBOJANIN DURGA PUJA COMMITTEE

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/22/2022 21:39:36...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL, SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 720202

Phone No. 03225-255040/255145

e-mailid: sdo.ghatalgen@gmail.com

Memo No :133 /PP2022/MIKE

DATE: 23-09-2022

To  
President / Secretary  
GOBINDAPUR SARBOJANIN DURGAPUJA COMMITTEE

CC : Officer in Charge  
CHANDRAKONA Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:39:36....this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>TH</sup> Sept 2022 To 5<sup>TH</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/PP-3/95 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EW/709/T-IV-6/011/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

- Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.  
**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.  
**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.  
**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.
3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
  4. You will abide by all the relevant court orders & government notifications in connection to sound.
  5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 134/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
15TH PALLY DURGA UTSAB COMMITTEE

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/22/2022 21:41:00...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER

GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL, PIN 721212

Phone No. 03225-255040/255145

e-mail id: [sdoffghatal@yahoo.com](mailto:sdoffghatal@yahoo.com)

Memo No : 134 /PP2022/MIKE

DATE 23-09-2022

To  
President / Secretary  
15TH PALLY DURGA UTSAB COMMITTEE

CC : Officer in Charge  
GHATAL Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:41:00...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/95 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

3. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

4. You will abide by all the relevant court orders & government notifications in connection to sound.

5. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur

Ghatal Sub Divisional Office, Paresh Nagar, Ghatal, Paschim Medinipur West Bengal 721212





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 135/PP2022/MIKE

DATE : 23-09-2022

## **PUJA PERMISSION 2022**

To,  
SECRETARY OF THE CLUB  
SUKCHANDRAPUR AGAMONI STAR

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/22/2022 21:53:32...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### **Conditions:**

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersion should be done on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER  
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid: [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

Memo No : 135 /PP2022/MIKE

DATE : 23-09-2022

To  
President / Secretary  
SUKCHANDRAPUR AGAMONI STAR

CC : Officer in Charge  
GHATAL Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:53:32...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30<sup>TH</sup> Sept 2022 To 5<sup>TH</sup> Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/199-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down. -

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. II) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

**Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.

**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.

**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur

Ghatal Sub Divisional Office, Paresn Nagar, Ghatal, Paschim Medinipur West Bengal 721212





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB-DIVISIONAL OFFICER

GHATAL SUB-DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212  
Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 136/PP2022/MIKE

DATE : 23-09-2022

## PUJA PERMISSION 2022

To,  
SECRETARY OF THE CLUB  
NABIN SANGHA

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/22/2022 21:53:39...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

### Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.



✓  
Sub-Divisional Officer  
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL  
OFFICE OF THE SUB DIVISIONAL OFFICER

GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : [sdoghatalgen@gmail.com](mailto:sdoghatalgen@gmail.com)

DATE : 23-09-2022

Memo No : 136 /PP2022/MIKE

To  
President / Secretary  
NABIN SANGHA

CC : Officer in Charge  
CHANDRAKONA Police Station

### Mike Permission 2022

In reference to his/her application dated.... 9/22/2022 21:53:39...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30<sup>TH</sup> Sept 2022 To 5<sup>th</sup> Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.

The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

- Note-I** Day time is reckoned in between 6 a.m. and 10 p.m.  
**Note-II** Night time is reckoned in between 10 p.m. and 6 a.m.  
**Note-III** 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.  
**Note-IV** Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,  
Ghatal, Paschim Medinipur