



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 146/PP2022/MIKE

DATE : 23-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
BELTALA SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 10:13:42...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 1) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 2) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 3) Contributions should not be collected from any vehicles.
- 4) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 5) Sufficient volunteers should be engaged to maintain crowd.
- 6) The Idol immersions should be done at on mentioned date.
- 7) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 8) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 9) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 10) The income & expenditure of the puja have to be submitted.
- 11) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 12) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 13) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 14) Covid protocols should be maintained.

**Sub-Divisional Officer
Ghatal, Paschim Medinipur**





GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :146 /PP2022/MIKE

DATE :23-09-2022

To
President / Secretary
BELTALA SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 10:13:42...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.


Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.




Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 147/PP2022/MIKE

DATE : 23-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
Ratneswarbati Sarbajanin Durgautsab

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 10:33:26...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 15) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 16) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 17) Contributions should not be collected from any vehicles.
- 18) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 19) Sufficient volunteers should be engaged to maintain crowd.
- 20) The Idol immersion should be done on mentioned date.
- 21) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 22) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 23) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 24) The income & expenditure of the puja have to be submitted.
- 25) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 26) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 27) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 28) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :147 /PP2022/MIKE

DATE :23-09-2022

To
President / Secretary
Ratneswarbati Sarbajanin Durgautsab

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 10:33:26...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

- Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
- The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

- Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
- You will abide by all the relevant court orders & government notifications in connection to sound.
- You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**

Ghatal Sub Divisional Office, Pareash Nagar, Ghatal, Paschim Medinipur West Bengal 721212



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 148/PP2022/MIKE

DATE : 23-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
LACHIPUR SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 10:55:29...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 29) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 30) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 31) Contributions should not be collected from any vehicles.
- 32) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 33) Sufficient volunteers should be engaged to maintain crowd.
- 34) The Idol immersion should be done at on mentioned date.
- 35) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 36) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 37) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 38) The income & expenditure of the puja have to be submitted.
- 39) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 40) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 41) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 42) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No : 148 /PP2022/MIKE

DATE : 23-09-2022

To
President / Secretary
LACHIPUR SARBOJANIN DURGOTSAB COMMITTEE

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 10:55:29...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

1. Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
2. The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.


Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

13. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

14. You will abide by all the relevant court orders & government notifications in connection to sound.

15. You will cooperate with local administration & police authority with regards to this.




Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 149/PP2022/MIKE

DATE : 23-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
RAJNAGAR PASCHIM YUVA SANGHA

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/23/2022 11:04:08...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 43) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 44) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 45) Contributions should not be collected from any vehicles.
- 46) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 47) Sufficient volunteers should be engaged to maintain crowd.
- 48) The Idol immersion should be done on mentioned date.
- 49) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 50) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 51) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 52) The income & expenditure of the puja have to be submitted.
- 53) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 54) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 55) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 56) Covid protocols should be maintained.



**Sub-Divisional Officer
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :149 /PP2022/MIKE

DATE :23-09-2022

To
President / Secretary
RAJNAGAR PASCHIM YUVA SANGHA

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 11:04:08...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

6. Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
7. The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

18. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

19. You will abide by all the relevant court orders & government notifications in connection to sound.

20. You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 150/PP2022/MIKE

DATE : 23-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
PALASCHABRI SARBOJANIN DURGOTSAB

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/23/2022 11:53:42...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 57) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 58) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 59) Contributions should not be collected from any vehicles.
- 60) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 61) Sufficient volunteers should be engaged to maintain crowd.
- 62) The Idol immersion should be done at on mentioned date.
- 63) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 64) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 65) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 66) The income & expenditure of the puja have to be submitted.
- 67) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 68) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 69) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 70) Covid protocols should be maintained.

Sub-Divisional Officer
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :150 /PP2022/MIKE

DATE :23-09-2022

To
President / Secretary
PALASCHABRI SARBOJANIN DURGOTSAB

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 11:53:42...this is to inform him/her that the permission is allowed to use sound amplifying system on/from 30TH Sept 2022 To 5th Oct 2022 on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

1. Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
2. The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

23. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
24. You will abide by all the relevant court orders & government notifications in connection to sound.
25. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 151/PP2022/MIKE

DATE : 23-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
JARA AMRA SABAI SARBO JANIN DURGA UTSAV

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/23/2022 12:10:10...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 71) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 72) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 73) Contributions should not be collected from any vehicles.
- 74) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 75) Sufficient volunteers should be engaged to maintain crowd.
- 76) The Idol immersions should be done at on mentioned date.
- 77) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 78) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 79) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 80) The income & expenditure of the puja have to be submitted.
- 81) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 82) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 83) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 84) Covid protocols should be maintained.

Sub-Divisional Officer
Ghatal, Paschim Medinipur





GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :151 /PP2022/MIKE

DATE :23-09-2022

To
President / Secretary
JARA AMRA SABAI SARBO JANIN DURGA UTSAV

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 12:10:10...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

6. Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
7. The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

28. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

29. You will abide by all the relevant court orders & government notifications in connection to sound.

30. You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**

Ghatal Sub Divisional Office, Paresn Nagar, Ghatal, Paschim Medinipur West Bengal 721212



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

DATE : 23-09-2022

MEMO NO : 152/PP2022/MIKE

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
CHAK MADARIA KULTIKARI SRI SRI SARBAJANIN DURGOTSAB

CC : Officer in Charge, DASPUR Police Station

Considering your application on...9/23/2022 12:15:50...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 85) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 86) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 87) Contributions should not be collected from any vehicles.
- 88) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 89) Sufficient volunteers should be engaged to maintain crowd.
- 90) The Idol immersion should be done at on mentioned date.
- 91) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 92) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 93) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 94) The income & expenditure of the puja have to be submitted.
- 95) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 96) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 97) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 98) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :152 /PP2022/MIKE

DATE :23-09-2022

To
President / Secretary
CHAK MADARIA KULTIKARI SRI SRI SARBAJANIN DURGOTSAB

CC : Officer in Charge
DASPUR Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 12:15:50...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

1. Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
2. The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

33. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
34. You will abide by all the relevant court orders & government notifications in connection to sound.
35. You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 154/PP2022/MIKE

DATE : 23-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
JARA BOYES CLUB SARBAJANIN DURGA UTSAB

CC : Officer in Charge, CHANDRAKONA Police Station

Considering your application on...9/23/2022 13:01:10...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 113) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 114) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 115) Contributions should not be collected from any vehicles.
- 116) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 117) Sufficient volunteers should be engaged to maintain crowd.
- 118) The Idol immersions should be done at on mentioned date.
- 119) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 120) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 121) Arrangement of substitute electricity should be there in Puja Pandal for load shedding.
- 122) The income & expenditure of the puja have to be submitted.
- 123) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 124) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 125) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 126) Covid protocols should be maintained.




Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid : sdoghatalgen@gmail.com

Memo No :154 /PP2022/MIKE

DATE :23-09-2022

To
President / Secretary
JARA BOYES CLUB SARBAJANIN DURGA UTSAB

CC : Officer in Charge
CHANDRAKONA Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 13:01:10...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

1. Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
2. The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III 'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

43. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.

44. You will abide by all the relevant court orders & government notifications in connection to sound.

45. You will cooperate with local administration & police authority with regards to this.



Sub-Divisional Officer,
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL. PIN 721212

Phone No.03225-255040/255145 e-mail :sdoghatalonline@gmail.com

MEMO NO : 155/PP2022/MIKE

DATE : 23-09-2022

PUJA PERMISSION 2022

To,
SECRETARY OF THE CLUB
PANCHAPALLY SARBOJONIN DURGOTHSAB COMMITTEE

CC : Officer in Charge, GHATAL Police Station

Considering your application on...9/23/2022 13:02:26...the permission is hereby granted for Durga Puja Celebration organized by your organization with respect to the following conditions.

Conditions:

- 127) The Mike or Amplifier may be used at Puja Pandal considering Government rules from 7.00 AM to 11.00 AM and 6.00 PM to 10.00 PM.
- 128) Contribution should be collected from willing persons only. Application of force will not be appreciated.
- 129) Contributions should not be collected from any vehicles.
- 130) Fire extinguisher must be arranged at Puja Pandal as per Fire Safety Norms.
- 131) Sufficient volunteers should be engaged to maintain crowd.
- 132) The Idol immersion should be done at on mentioned date.
- 133) The Puja Committee should intimate the local Police Station for Idol immersion along with procession.
- 134) Electric connections throughout the Pandal have to be made by an experienced electrician.
- 135) Arrangement of substitute electricity should be there in Puja Pandal for load shedding
- 136) The income & expenditure of the puja have to be submitted.
- 137) Use of explosive crackers will not be allowed in the Puja Pandal premises.
- 138) Ban of Single-use Plastic as notified by Ministry of Environment, Forest and Climate Change, Government of India should be strictly enforced.
- 139) Relevant hon'ble court orders & Government orders regarding Pollution Control should be strictly adhered to.
- 140) Covid protocols should be maintained.



Sub-Divisional Officer
Ghatal, Paschim Medinipur



GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUB DIVISIONAL OFFICER
GHATAL SUB DIVISION, PASCHIM MEDINIPUR, WEST BENGAL PIN 721212

Phone No. 03225-255040/255145

e-mailid :sdoghatalgen@gmail.com

Memo No :155 /PP2022/MIKE

DATE :23-09-2022

To
President / Secretary

PANCHAPALLY SARBOJONIN DURGOTHSAB COMMITTEE

CC : Officer in Charge
GHATAL Police Station

Mike Permission 2022

In reference to his/her application dated.... 9/23/2022 13:02:26...this is to inform him/her that the permission is allowed to use sound amplifying system on/from **30TH Sept 2022 To 5th Oct 2022** on the following conditions as per order of the Hon'ble High Court, Kolkata dated 20.11.91 No. 4303(V) of 1995 and G.O. No. 373913/VPB-0/96 dt. 3.3.2004 of West Bengal Pollution Control Board. Necessary legal actions will be taken by the appropriate authority in case of any breach of terms and conditions as laid down.

6. Most of the sound amplifying system must be stereo boxes and only for announcement not more than two loud speakers will be allowed to be placed.
7. The Permissible noise limit as per Government of West Bengal vide No. EN/709/T-IV-6/001/2007 (Pt. 11) dt. 8.03.2010 is given below.

Area Code	Category of Area	Limit in dB(A)	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Note-I

Day time is reckoned in between 6 a.m. and 10 p.m.

Note-II

Night time is reckoned in between 10 p.m. and 6 a.m.

Note-III

'Silence Zone' is an area comprising not less than 100 meters around Hospital, Educational Institutions, Courts, Religious Places or any other area which is declared as such by the competent authority.

Note-IV

Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

48. Sound limiter machine should be affixed with amplifier/ stereo boxes/ as per order of Hon'ble High Court, Kolkata.
49. You will abide by all the relevant court orders & government notifications in connection to sound.
50. You will cooperate with local administration & police authority with regards to this.



**Sub-Divisional Officer,
Ghatal, Paschim Medinipur**

Ghatal Sub-Divisional Office, Paresh Nagar, Ghatal, Paschim Medinipur West Bengal 721212