



Revision date : 2018/08/30

Version: 3.0

Page: 1/10

(30480510/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Microlith® White 0022 WA

Recommended use of the chemical and restriction on use

Recommended use*: colouring component

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Colors & Effects USA LLC 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family:

preparation

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910,1200

Classification of the product

Combustible Dust

Combustible Dust (1)

Combustible Dust

Label elements

Signal Word: Warning

Hazard Statement:

Revision date: 2018/08/30

Version: 3.0

Page: 2/10 (30480510/SDS_GEN_US/EN)

May form combustible dust concentration in air.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number

Weight %

Chemical name Titanium dioxide

13463-67-7 >= 60.0 - < 85.0%

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Seek medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

嗷

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Revision date: 2018/08/30

Version: 3.0

Page: 3/10 (30480510/SDS_GEN_US/EN)

Suitable extinguishing media:

dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

Impact Sensitivity:

Assessment:

Product is not explosive when subjected to mechanical impact.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Avoid dust formation. Use personal protective clothing.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Contain with dust binding material and dispose of Avoid raising dust.

7. Handling and Storage

Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:

Avoid dust formation. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool

Revision date: 2018/08/30

Version: 3.0

Page: 4/10 (30480510/SDS_GEN US/EN)

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Titanium dioxide

OSHA PEL

PEL 15 mg/m3 Total dust; TWA value 10

mg/m3 Total dust;

ACGIH TLV

TWA value 10 mg/m3;

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields. Wear face shield if splashing hazard exists.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. Eye wash fountains and safety showers must be easily accessible.

9. Physical and Chemical Properties

Form:

Odour:

powder odourless

Odour threshold:

not determined

Colour:

white

pH value:

approx. 6 (as suspension)

Melting point:

> 100 °C

softening point:

> 100 °C

The data refers to the carrier

material.

Boiling point:

not applicable

Flash point:

Flammability:

Study does not need to be conducted. not highly flammable

For solids not relevant for

Lower explosion limit:

classification and labelling.

Upper explosion limit:

For solids not relevant for

classification and labelling.

Autoignition:

430 °C

(BAM)

Vapour pressure:

not applicable

Density:

2.72 g/cm3 (20°C)

Relative density:

No data available.

Bulk density:

1,100 kg/m3

Vapour density: Partitioning coefficient n-

The product is a non-volatile solid.

octanol/water (log Pow):

Study does not need to be conducted.

Revision date: 2018/08/30

Version: 3.0

Page: 5/10 (30480510/SDS_GEN_US/EN)

Self-ignition

not self-igniting

temperature:
Thermal decomposition:

> 200 °C

Viscosity, dynamic:

No decomposition if correctly stored and handled. Study does not need to be conducted.

No

Particle size: Solubility in water:

No data available.

Solubility (quantitative):

insoluble soluble

Solubility (qualitative):

solvent(s): organic solvents,

Evaporation rate:

The product is a non-volatile solid.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Dust explosion hazard.

The product is chemically stable.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 200 °C

No decomposition if correctly stored and handled.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Primary routes of entry

Skin

Eyes

Inhalation.

Ingestion.

Revision date: 2018/08/30

Version: 3.0

Page: 6/10 (30480510/SDS_GEN_US/EN)

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. No deaths at the highest dose tested after short-term inhalation. The product has not been tested. The statement has been derived from the properties of the individual components.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

Inhalation

Type of value: LC50 not determined

Dermal

Type of value: LD50 not determined

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin. Prolonged exposure to the product can result in irritation of the skin and mucous membranes. The product has not been tested. The statement has been derived from the properties of the individual components.

Skin

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

The product has not been tested. The statement has been derived from the properties of the individual components.

Eye

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from the properties of the individual components.

Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration Hazard

not applicable

Chronic Toxicity/Effects

Revision date : 2018/08/30

Version: 3.0

Page: 7/10 (30480510/SDS_GEN_US/EN)

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. Repeated dermal uptake of the substance did not cause substance-related effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: Contains a compound classified as IARC Group 2B (possibly carcinogenic to humans). The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Titanium dioxide

Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.

Reproductive toxicity

Assessment of reproduction toxicity: The data available for an assessment of the effect of the substance on reproduction are not sufficient for a proper evaluation. The product has not been tested. The statement has been derived from the properties of the individual components.

Teratogenicity

Assessment of teratogenicity: The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation. The product has not been tested. The statement has been derived from the properties of the individual components.

Other Information

On the basis of inhalation studies carried out on rats at very high concentrations, IARC has determined that titanium dioxide is possibly carcinogenic to humans (i.e. Group 2B). Scientific concerns have been raised that the finding in rats is unique to that species and of limited relevance to humans. Furthermore, a number of epidemiology studies on Titanium Dioxide industry workers, both in Europe and the United States of America, have been reported and the Titanium Dioxide manufacturers have concluded that titanium dioxide will not cause lung cancer or chronic respiratory disease in humans at concentrations experienced in the workplace.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:

Revision date: 2018/08/30

Version: 3.0

Page: 8/10 (30480510/SDS_GEN_US/EN)

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish LC50 (96 h), Fish not determined

Aquatic invertebrates LC50 (48 h), daphnia not determined

Aquatic plants EC50 (72 h), algae not determined

Chronic toxicity to fish No data available.

Chronic toxicity to aquatic invertebrates
No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms bacteria/EC50 (0.5 h): not determined

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants. The product has not been tested. The statement has been derived from the properties of the individual components.

Elimination information

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Bioaccumulation potential

Because of the product's consistency and low water solubility, bioavailability is improbable.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

Revision date : 2018/08/30

Version: 3.0

Page: 9/10 (30480510/SDS_GEN_US/EN)

Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical

TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK PA MA	<u>CAS Number</u> 13463-67-7 13463-67-7	Chemical name Titanium dioxide Titanium dioxide
NJ	13463-67-7	Titanium dioxide Titanium dioxide

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including TITANIUM DIOXIDE (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE), which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

[Other Prop 65 components may be present in the product.]

NFPA Hazard codes:

Health: 1

Fire: 1

Reactivity: 0

Special:

HMIS III rating

Health: 2¤

Flammability: 1

Physical hazard: 0

Revision date: 2018/08/30

Version: 3.0

Page: 10/10 (30480510/SDS_GEN_US/EN)

16. Other Information

SDS Prepared by: BASF NA Product Regulations SDS Prepared on: 2018/08/30

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Microlith® White 0022 WA END OF DATA SHEET



CE Total Distribution, Akron 2850 GILCHRIST RD 44305, AKRON, US

Certificate of Analysis

Customer 241805, JENSEN SOUDERS ASSOCIATES INC 44046571

Delivery No. 44046571
Customer PO No. 7212545
Product Reference 90381268

Product Reference 90381268
Product Description HP0022W

Product Description HP0022WAMI:MICROLITH®WT 0022 WA:FXC4 0018072415 FROM JAN 01, 2018

Customer Note :

Specifications

Test	Method	Result	Units	Min	Max
Volatiles	X005	0.5	%	<u>. </u>	5.0
ASPECT	Volatile content X014 Appearance	-1	-	-	-
Lightness	L307 Aqueous acrylic lacquer masstone 25% visual	0	Rating	-2	2
Chroma Hue Transparend Relative cold	су	0 0 0 96	Rating Rating Rating %	-2 -2 -3 95	2 2 3 105

Aqueous acrylic black reduction 1:10 as is

The above results were obtained using test methods believed to be correct in every detail. Sun Chemical does not guarantee the duplication of these results by others due to circumstances beyond our control. Sun Chemical does not assume any legal responsibility for these products and these products are purchased at the buyer's risk. This certificate of analysis was created electronically and therefore carries no signature. For further advice, please contact your SunChemical representative.

Specifications

				•	7 K
Test	Method	Result	Units	Min	Max
DE*	L312	0.1	-	-	
	Aqueous acrylic black reduction 1:10				
Lightness	a DL*	0.0	-	_	
Chroma E	DC*	-0.1	_ =	-	_
Hue DH*		0.0	-	-	_
Da*		0.0	_	-	_
Db*		0.0	-		
Best Befo		08/08/2031	le:		
Date where	л batch was produced	09/29/2021	-		

The above results were obtained using test methods believed to be correct in every detail. Sun Chemical does not guarantee the duplication of these results by others due to circumstances beyond our control. Sun Chemical does not assume any legal responsibility for these products and these products are purchased at the buyer's risk. This certificate of analysis was created electronically and therefore carries no signature. For further advice, please contact your SunChemical representative.