

Version 1.2 Revision Date: 04/06/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Glycol Ether EB Acetate

Recommended use of the chemical and restrictions on use

Recommended use : Solvent.

Manufacturer or supplier's details

Company : Nexeo Solutions, LLC.

Address 3 Waterway Square Place Suite 1000

The Woodlands, TX. 77380 United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648) Health International: 1-855-NEXEO4U (1-855-639-3648) Transport North America: CHEMTREC (1-800-424-9300)

Additional Information: : Responsible Party: Product Safety Group

E-Mail: msds@nexeosolutions.com SDS Requests: 1-855-429-2661 SDS Requests Fax: 1-281-500-2370 Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

GHS Label element

Hazard pictograms :

!>

Signal word : Warning

Hazard statements : H227 Combustible liquid.

H302 + H312 Harmful if swallowed or in contact with skin

Precautionary statements : **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON



Version 1.2 Revision Date: 04/06/2017

CENTER or doctor/ physician if you feel unwell. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel

unwell.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical Name	Weight %
112-07-2	Ethylene glycol monobutyl ether acetate	90 - 100

Any Concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

SDS Number: 100000003773 2 / 11 Glycol Ether EB Acetate



Version 1.2 Revision Date: 04/06/2017

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Foam

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

: Carbon oxides

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if nec-

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

: Avoid formation of aerosol. Advice on safe handling

Do not breathe vapours/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms.

SDS Number: 10000003773 3/11 **Glycol Ether EB Acetate**



Version 1.2 Revision Date: 04/06/2017

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : No smoking.

Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
112-07-2	Ethylene glycol monobutyl ether acetate	TWA	20 ppm	ACGIH
			5 ppm 33 mg/m3	NIOSH REL

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SDS Number: 100000003773 4 / 11 Glycol Ether EB Acetate



Revision Date: 04/06/2017 Version 1.2

Appearance : liquid

Colour : Clear, Colorless

Odour mild, like fruit

Odour Threshold : No data available

pΗ : No data available

Freezing Point (Freezing

Point)

: -64.6 °C (-84.3 °F)

Boiling Point (Boiling

point/boiling range)

: 186 - 192 °C (367 - 378 °F)

Flash point : 71 - 78 °C (160 - 172 °F)

Evaporation rate : 0.03 - 0.04

(Butyl Acetate = 1)

: No data available Flammability (solid, gas)

Upper explosion limit : 8.54 %(V)

Lower explosion limit : 0.5 %(V)

: 0.2250 - 0.37 mmHg @ 20 °C (68 °F) Vapour pressure

Relative vapour density : < 6 @ 20 - 25 °C (68 - 77 °F)

(Air = 1.0)

: 0.94 @ 20 °C (68 °F) Relative density

Reference substance: (water = 1)

: 0.94 g/cm3 @ 20 °C (68 °F) Density

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: log Pow: 1.51

Auto-ignition temperature : 280 - 340 °C

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : 1.81 mPa.s @ 20 °C (68 °F)

Viscosity, kinematic : 1.91 mm2/s @ 20 °C (68 °F)



Safety Data Sheet

Glycol Ether EB Acetate

Version 1.2 Revision Date: 04/06/2017

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Vapours may form explosive mixture with air.

Stable, however, forms peroxides of unknown stability.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Bases

Oxidizing agents

Acids

Hazardous decomposition

products

: Carbon oxides Aldehydes

Ketones Organic acids

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 1,818 mg/kg

Acute dermal toxicity : Acute toxicity estimate: 1,515 mg/kg

Components:

112-07-2:

Acute oral toxicity : LD50 (Rat, male and female): 1,800 mg/kg

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute dermal toxicity : LD50 (Rabbit): 1,500 mg/kg

Assessment: The component/mixture is moderately toxic after

single contact with skin.

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

SDS Number: 100000003773 6 / 11 Glycol Ether EB Acetate



Version 1.2 Revision Date: 04/06/2017

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH Confirmed animal carcinogen with unknown relevance to hu-

mans

112-07-2 Ethylene glycol monobutyl ether

acetate

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

112-07-2:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 22 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: (Daphnia (water flea)): 37 mg/l

Exposure time: 48 h Test Type: static test

Acute aquatic toxicity- As-

sessment

: Harmful to aquatic life.

Persistence and degradability

Components:

112-07-2:

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

SDS Number: 100000003773 7 / 11 Glycol Ether EB Acetate



Version 1.2 Revision Date: 04/06/2017

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

NA1993, Combustible liquid, n.o.s., (2-BUTOXYETHYL ACETATE), CBL, III

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

Special Notes: : The flash point for this material is greater than 100 F (38 C).

Therefore, in accordance with 49 ČFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : B3: Combustible Liquid

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	
		(lbs)	(lbs)
2-ethoxyethanol	110-80-5	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SDS Number: 100000003773 8 / 11 Glycol Ether EB Acetate



Safety Data Sheet

Glycol Ether EB Acetate

Version 1.2 Revision Date: 04/06/2017

SARA 311/312 Hazards : Fire Hazard

Immediate (Acute) Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting re-

quirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

112-07-2 Ethylene glycol mono-

butyl ether acetate

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

112-07-2 Ethylene glycol monobutyl ether

acetate

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final

VOC's (40 CFR 60.489):

112-07-2 Ethylene glycol monobutyl ether

acetate

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

112-07-2 Ethylene glycol monobutyl ether acetate 90 - 100 % 110-80-5 2-ethoxyethanol 0 - 0.1 %

New Jersey Right To Know

112-07-2 Ethylene glycol monobutyl ether acetate 90 - 100 %

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause birth defects or other reproductive

harm.

110-80-5 2-ethoxyethanol

111-15-9 Ethanol, 2-ethoxy-, 1-acetate

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

SDS Number: 100000003773 9 / 11 Glycol Ether EB Acetate



Safety Data Sheet

Glycol Ether EB Acetate

Version 1.2 Revision Date: 04/06/2017

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory


KECI: On the inventory, or in compliance with the inventory

PHIL : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

SECTION16. OTHER INFORMATION

NFPA:



Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Revision Date : 04/06/2017

Legacy SDS: : R0003711

Material number:

16065959, 16062076, 16041611, 16040174, 734540, 588330, 69514, 86684, 70088, 53651, 103126, 168034, 20385, 508587, 85902, 103080, 102276, 506086, 502595, 20388, 20387, 53987

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%
	ernment Industrial Hygienists		
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect Level



Version 1.2 Revision Date: 04/06/2017

	Substances		
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency
	List		
NDSL	Canada, Non-Domestic Sub-	NIOSH	National Institute for Occupational Safety
	stances List		& Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of Commercial
	Chemical Substances		Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Invento-	UVCB	Unknown or Variable Composition, Com-
	ry		plex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	LC50 Lethal Concentration 50%		