

ma PRINT PRODUCTS



ORDER TODAY. PRINT TOMORROW.

TAPES | ANILOX ROLLS | INKS | WEB CLEANING ROLLS | DOCTOR BLADES | TRANSPORT & STORAGE SOLUTIONS
PLATE MOUNTERS | PLATE CLEANERS | ROLL LIFTERS | ANILOX CLEANING SYSTEMS | TINT SLEEVES | & MORE!

WHY MAPP?

Ordering Is Easy

Call to speak to a specialist or browse inventory and order online at your convenience

One-Stop Shopping

30,000+ supplies in inventory means we have everything you need to enhance your pressroom

Local Access

Two fully-stocked, EU-based warehouses mean quick turnaround times

Competitive Pricing

Our global partnerships mean cost savings for our customers

Supplying industry
leading brands including:

FLEXOCONCEPTS



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

SMARTTRACK

INTELLIGENT STORAGE FOR FLEXO PLATES & FLEXIBLE DIES

IMPROVE EFFICIENCY. >

REDUCE DOWNTIME. >

PROTECT YOUR INVESTMENT.



Is Your Storage Costing You Time & Money?

- ✓ Plate And Die Damage
- ✓ Slow make-ready
- ✓ Lost Production Time
- ✓ Disorganised Workflows
- ✓ Wasted Floor Space

Introducing **SMARTTRACK** Storage Systems

SmartRack is a modular, space-efficient storage solution designed specifically for modern flexographic printing operations. Developed with real production environments in mind, SmartRack keeps flexo plates and die cutters protected, organised, and ready when you need them.



Upgrade to **SMARTTRACK** Today

ma **MARK ANDY**

ma PRINT PRODUCTS  ROTOFLEX markandy.com




SMARTRACK Mobile & Static Racks

Robust, space-saving rack systems designed for high-capacity flexo plate and die storage. Available in static or mobile configurations to suit your production layout.



SMARTRACK Hook-On Files

Anti-static, protective hook-on files ideal for flexo plates, cutting dies, and proofs. Designed for easy identification, fast access, and long plate life.



WHY CHOOSE SMARTRACK

- ✓ Faster Make-Ready
- ✓ Longer Plate Life
- ✓ Space Efficient

WHO IT'S DESIGNED FOR

- ✓ Flexo Label Printers
- ✓ Packaging Converters
- ✓ Pre-Press Departments

SMARTRACK scales easily from single pressrooms to large production facilities.

WHY MARK ANDY PRINT PRODUCTS

Trusted Expertise • Proven Solutions

With decades of experience supporting the flexographic printing industry, Mark Andy Print Products delivers practical solutions that improve productivity and protect your investment.

SMARTRACK - Storage Made Simple



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

WHAT'S NEW...



PERFORMANCE INK TRAY LINERS

Efficient. Clean. Sustainable.



Engineered for efficiency and sustainability, our ink tray liners are made from recycled PET and designed to streamline your print operations.

In addition to **Mark Andy**, our liners are compatible with a wide range of manufacturers, including

**GIDUE | BOBST | LOMBARDI | NILPETER | OMET | SMAG
MPS | GALLUS | EDALE | ABG**

Get in touch for a tailored quote.

ma **MARK ANDY**

ma PRINT PRODUCTS  ROTOFLEX markandy.com



PERFORMANCE INK TRAY LINERS Efficient. Clean. Sustainable.

By streamlining ink handling and reducing manual intervention, these liners help create a smoother, more predictable workflow. Operators spend less time troubleshooting and more time printing — boosting overall productivity and job turnaround.

Key Benefits:

- **Time Saving**
Designed for quick installation and removal, these liners significantly reduce setup and cleanup time—keeping your press running and your team focused on production.
- **Fast Colour Change**
Minimize downtime between jobs. The liners allow for rapid ink changes without the need for deep cleaning, helping you meet tight deadlines with ease.
- **Reduced Ink Volume**
The tray design optimizes ink usage, requiring less volume to achieve full coverage—cutting costs and reducing waste.
- **Lower Solvent & Cleaner Usage**
With less ink residue left behind, you'll use fewer cleaning agents, saving money and supporting a safer, more eco-friendly workspace.
- **No Risk of Colour Contamination**
Single-use liners eliminate residual ink from previous runs, ensuring color integrity and consistent print quality every time.
- **Optional Spout Available for Purchase**
Enhance your ink handling process with an optional spout designed for clean, controlled pouring — helping reduce mess and improve material efficiency.



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN




ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

> NEW! <

PERFORMANCE FLEX DIE

POWERED BY **wink**
You cut, we care.



SAY HELLO TO BETTER.



Faster
Production



Sharper
Results



Unmatched
Precision



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

OFFICIAL **tesa** TAPE DISTRIBUTOR

tesa is one of the world's leading manufacturers of technical adhesive tapes and self-adhesive system solutions for industrial and professional customers.





The largest distributor
of tesa plate mounting
tapes anywhere in the world

- > All tapes
- > Any width
- > In-house slitting
- > Same-day dispatch
- > Competitive pricing



ORDER TODAY > PRINT TOMORROW



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

HIGH PERFORMANCE UV LAMPS



**GENUINE & AFTERMARKET
UV LAMPS AVAILABLE**

REQUEST A QUOTE TODAY!

ma **MARK ANDY**

ma PRINT PRODUCTS  ROTOFLEX markandy.com



HIGH PERFORMANCE UV LAMPS

Elevate your flexo printing operations with our state-of-the-art UV bulbs, designed to deliver superior curing and unmatched efficiency.

Key Features



Instant Curing

Achieve rapid curing of inks and coatings, significantly reducing production times and increasing throughput.



Enhanced Print Quality

Ensure vibrant, sharp, and durable prints with our high-intensity UV bulbs.



Eco-Friendly

Reduce energy consumption and eliminate harmful chemicals with our environmentally friendly UV technology.

Why Choose Our UV Bulbs?



Quality

Designed for durability and efficiency, our high-quality lamps ensure optimal performance for all your UV systems.



Durable and long-lasting

Invest in reliability with our durable UV bulbs, engineered to withstand the rigors of the printing industry. Designed for longevity, our bulbs provide consistent performance, ensuring your prints are flawlessly cured time after time.



Certified and tested for Quality assurance

Trust in excellence with our certified UV bulbs! Each bulb undergoes rigorous testing to meet industry standards, ensuring unmatched performance and reliability. With our commitment to quality assurance, you can confidently achieve vibrant, professional-grade prints every time.



Genuine OEM and Aftermarket Replacements Available

Keep your operations running smoothly with our extensive selection of genuine OEM and high-quality aftermarket UV bulbs. Whether you prefer original equipment manufacturer products or cost-effective alternatives, we have the right solution for your needs. Trust in our reliable replacements to maintain optimal performance.



Competitive prices

Discover our wide range of UV lamps designed to fit all UV systems—optimised for performance and reliability. Whether you're in need of replacements or upgrades, we offer high-quality options at competitive prices to meet your budget.



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

WEB CLEANER FEATURES

- **70 perforated**, easily removable sheets
- **22.4 metres** of adhesive per roll
- **17% more material** than the leading brand
- **Highest adhesive** coatweight of all brands
- **Available to suit all makes** of contact web cleaner
- **Any width** available



REPLACEMENT WEB CLEANING ADHESIVE ROLLS 70 SHEETS PER ROLL

| PART No. | DESCRIPTION/WIDTH. | PART No. | DESCRIPTION/WIDTH. |
|-----------------|-----------------------------------|-----------------|-----------------------------------|
| P03794-28-1-254 | Web Cleaning Adhesive Roll 0254mm | P03794-28-1-450 | Web Cleaning Adhesive Roll 0450mm |
| P03794-28-1-345 | Web Cleaning Adhesive Roll 0345mm | P03794-28-1-460 | Web Cleaning Adhesive Roll 0460mm |
| P03794-28-1-350 | Web Cleaning Adhesive Roll 0350mm | P03794-28-1-470 | Web Cleaning Adhesive Roll 0470mm |
| P03794-28-1-430 | Web Cleaning Adhesive Roll 0430mm | P03794-28-1-520 | Web Cleaning Adhesive Roll 0520mm |
| P03794-28-1-440 | Web Cleaning Adhesive Roll 0440mm | | |

PERFORMANCE WEB CLEANER

High-quality, performance adhesive rolls for web cleaning systems.

- Available in widths from 120mm to 1500mm
- Moisture resistant paper
- Supplied on rigid 76mm High Impact Polystyrene cores
- Rolls carry individual batch codes for traceability
- Individually wrapped in protective film
- Available for Express Delivery
- 17% More material than leading brands

The quality and performance of the adhesive rolls in any elastomer based web cleaning system is vital to achieve the best levels of contamination removal.

Mark Andy Print Products adhesive rolls are manufactured from a carefully selected paper base which is tested for thickness, consistency and profile to ensure a constant high wind quality. The paper is highly moisture resistant to ensure the material remains stable during transit, storage and use. The specially formulated adhesive is designed to work effectively with all elastomer roller based contact cleaning systems.

Mark Andy Print Products adhesive rolls have 70 perforated, easily removable sheets with a high adhesive mass which ensures maximum cleaning performance with 2-3 times the effectiveness of competitive products.



REQUEST A QUOTE TODAY!



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

PERFORMANCE TINT SLEEVES

Mark Andy Print Products offers tint sleeves in an array of rubber compounds and sizes, including premium tint sleeves for critical applications with water-based and solvent inks and UV coatings.



| Part Numbers | Description: |
|---------------------|--|
| P03794-270 | MA Performance Rubber Tint Sleeve 18" long EP 70 Duro 57-003C White (88t UV based option) |
| P03794-270-1 | MA Performance Rubber Tint Sleeve 20" long EPDM 65 Duro Black M503-20 (3 x 3.5 x 20) |
| P03794-270-2 | MA Performance Rubber Tint Sleeve 20" long EPDM 65 Duro White R520 (3 x 3.5 x 20) |
| P03794-270-3 | MA Performance Easy Coat Rubber Tint Sleeve 20" long EPDM 55 Duro Grey M541-20 (3 x 3.5 x 20) |
| P03794-270-4 | MA Performance Rubber Tint Sleeve 20" long EPDM 85 Duro BLACK (EP85) M503-20-85 (3 x 3.5 x 20) |
| P03794-270-5 | MA Performance Neoprene Tint Sleeve 18" long 65 Duro Black M503-18-NE55 (3 x 3.5 x 18) |
| P03794-280 | MA Performance Rubber Tint Sleeve 22" long EPDM 55 Duro Black M544-22-55 (3.5 x 3.98 x 22) |
| P03794-280 -1 | MA Performance EPDM Black Rubber Tint Sleeve 22' long 65 Duro R539 (3.5 x 4 x 22) |

PERFORMANCE TINT SLEEVES

Tint Sleeves, also known as flood coaters, are tint cylinders covered by precision-ground polymeric tubing. Tint sleeves are typically used to lay down continuous uniform solid colour or overcoat. They are also used to apply primers and adhesives

Flexographic Tint Sleeves

Flexographic tint sleeves are the preferred choice among flexo printers for overall tinting, flood coating, and varnishing applications.

We typically supply EPDM and rubber compounds with a standard shore hardness of 60-65, designed for use with UV-based inks, varnishes, and conventional water-based inks. Additionally, we can provide alternative compounds or shore hardness levels to meet specific requirements.

Features:

- **Versatile Tint Sleeves:** A wide variety of options to fulfill every flood coating need, from printing solids to applying varnishes.
- **Broad Selection for Coatings:** Ideal for applying adhesives and other specialized coatings.
- **Exceptional Quality and Results:** Consistently rated for superior performance and reliability.



Benefits:

- **Enhanced Print Quality:** Achieves excellent solid colour printing with reduced defects in colour reproduction.
- **Smooth Application:** Ensures consistent laydown of laminates and overcoats for superior results.
- **Bounce-Free Printing:** Eliminates bounce issues commonly associated with plates.
- **Optimised Efficiency:** Allows for faster, longer press runs, improving overall productivity.
- **Exceptional Coverage:** Delivers high-quality results across various applications.
- **Versatility:** Delivers high-quality results across various applications.
- **Durable Performance:** Delivers high-quality results across various applications.



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

Smarter Doctor Blades

TRUPOINT
ORANGE[®]

Next Generation Doctor Blade

- Cure UV Ink Spitting
- Eliminate Anilox Scoring
- Improve Pressroom Safety
- Meter Consistently
- Increase Blade Life

MICROTIP[®]
Technology



PERFORMANCE DOCTOR BLADES

Discover the Versatility of Mark Andy Print Products!

At Mark Andy Print Products, we offer a comprehensive range of **doctor blades** designed to fit any machine manufacturer. Whether you're looking for precision, durability, or versatility, our doctor blades are engineered to meet your specific printing needs. Enhance your print quality and efficiency with our top-of-the-line products.

Choose Mark Andy for all your doctor blade requirements!

Performance Edge

- Superior Performance
- Extended blade life
- Highest quality Swedish steel
- Ideal for UV Flexo Ink
- Most suitable blades for the MA Performance series machine range using standard doctor holders
- Precut ready to use

Rounded Edge

- Strong, rigid, precision polished edge for instant run
- Constant contact area during wear
- Extended blade life
- Double sided radius edge
- Superior seal against roller
- Highest quality Swedish steel
- Ideal for UV Flexo Ink
- Most suitable blades for the MA Performance series machine range using smart doctor blade holders
- Precut ready to use

Lamella Edge

- Most frequently used for water based inks
- Constant contact area during wear
- Lower friction and wear against roller
- Superior Performance
- Extended blade life
- Highest quality Swedish steel
- Precut ready to use



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

PERFORMANCE DOCTOR BLADE SEALS

INTRODUCTION

The Performance range of doctor blade seals ensures consistently long-lasting performance, job after job. Crafted from superior materials, these seals are custom-made to fit all makes and designs of doctor blade chambers, including:

- W&H
- F&K
- COMEXI
- UTECO
- FLEXOTECNICA
- BOBST
- MARTIN
- GALLUS
- AKEBOOSE
- ABSOLUTE
- NILPETER
- TRESU

AND MORE..



Traditional doctor blade seals, often produced through die-cutting, can result in out-of-shape seals with irregular sealing faces. This leads to suboptimal sealing, requiring excessive anilox pressure—ultimately causing premature wear of the seals, blades, and anilox.

In contrast, Performance doctor blade seals are manufactured using a high-precision water jet cutting process. This method produces highly accurate and clean sealing faces, delivering superior sealing performance while significantly reducing the required anilox pressure.

PERFORMANCE DOCTOR BLADE SEALS



BENEFITS

- **Extended Seal Life:** Enhances durability and efficiency.
- **Reduced Print Pressure:** Minimises wear on anilox rollers and doctor blades, prolonging their lifespan.
- **Minimised Ink Leakage:** Significantly lowers remedial clean-up time and reduces waste.
- **Fewer Blade and Seal Changes:** Streamlines print runs, reducing downtime and maintenance needs.
- **Improved Ink and Coating Efficiency:** Achieved through minimal ink-loss, ensuring optimal application.
- **Secure, Leak-Free Fit:** Ensures a reliable seal between the chamber and anilox, eliminating leakage concerns.
- **Optimized Pressure Settings:** Prevents the use of excessively high pressure, improving performance.
- **Extended Anilox Roll Life:** Prolongs lifespan by reducing wear and tear.

Custom-Fit Performance Seals

Performance Seals: Our made-to-measure seals are precision-engineered using high-specification materials, leveraging our in-house expertise and cutting-edge technologies. Designed to outperform and outlast competing products, Performance Seals deliver exceptional durability and unrivalled value for money.

Performance **WHITE**

An excellent material choice for short-run flexo applications, offering outstanding cost efficiency paired with reliable shape retention. These seals boast effective sealing capabilities and are non-absorbent, making them resistant to most solvent-based inks and coatings. Practical and dependable, **Performance white** seals are the ideal solution for consistent performance.

Performance **BEIGE**

Ideal for medium-run flexo applications where additional resistance is essential. These seals are impressively economical, offering excellent memory and advanced shape retention. Non-absorbent and resistant to most solvent-based inks and coatings, **Performance beige** seals deliver versatility and dependable performance.

Performance **BLUE**

Crafted from higher-density materials with advanced elasticity, these seals are perfectly suited for longer runs. They offer excellent abrasion resistance, optimum memory retention, and exceptional performance. Non-absorbent and resistant to most solvent-based inks and coatings, **Performance blue** seals are a first-class solution and a true performance essential.

ORDERING PERFORMANCE SEALS

Simply send us a sketch, photograph, or dimensional drawing of your current seal, along with the specifications of your press or doctor blade chamber. Using our expertise and advanced knowledge, we will create a perfectly fitting, high-performance seal tailored to your needs.



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

PREMIUM ANILOX ROLLERS

BENEFITS

- UK manufactured
- Advanced Anilox technology
- Highest Precision & Quality assured
- Technical support
- Performance & Longevity
- Competitive pricing
- Suitable for ALL machine manufacturers.
- We offer uncompromised high-precision engravings for superior ink release.

This delivers greater productivity with guaranteed results for maximised uptime.



Anilox Cleaning Gel

Anilox roll cleaning gel. Effectively and quickly cleans anilox rollers. Restores anilox performance.

Pack Qty 1 x 568ml



Anilox Brush

Stainless Steel Anilox brush suitable for cleaning and care of ceramic anilox rollers. Cleaning brushes allow deep cleaning of a ceramic anilox




Anilox Solution

Powerful caustic based ultrasonic cleaning solution that effectively removes the most difficult inks from ceramic and chrome surfaces.



REQUEST A QUOTE TODAY!

PERFORMANCE PLATE SLEEVES



ADVANTAGES

- **Highly abrasion resistant**, resistant to high temperature, moisture and noise levels
- **High elasticity**, vibration damping, tensile strength, self-extinguishing and electrically insulating properties
- **Durable** inner core
- **Simple design** for easy installation on the air mandrel
- **High-quality workmanship** thanks to the use of high-quality materials
- **Lightweight** printed cylinder design

PERFORMANCE ANILOX SLEEVES



MA Print products provides the latest in high performance anilox sleeves. Our sleeves offer high-pressure air cushion design for shock absorption and allows easy and smoother mounting.

The side faces are protected with a choice of different materials to reduce inner layer damage and provide corrosion protection.

ADVANTAGES

- **Light weight** construction
- **Easy handling** and smoother changeovers reducing downtime
- **Unique cushion layer design** that offers superior concentricity
- **Resilient construction** that offers longer durability
- **All Anilox sleeves** are supplied with stainless steel end rings for added corrosion protection
- **Anilox sleeve** stock program for express delivery worldwide
- **Anilox sleeves** are available in all common printing widths and custom lengths.

REQUEST A QUOTE TODAY!



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

PERFORMANCE ANILOX CLEANERS



SONICPRO 350 | 500 | 950
ULTRASONIC POWER FOR PEAK ANILOX PERFORMANCE

The **SONICPRO** is Mark Andy's next-generation ultrasonic anilox cleaning system, engineered for **precision, performance, and pressroom efficiency** — all at a price point that makes advanced cleaning technology more accessible than ever.

Designed to restore anilox rolls to peak condition, the **SONICPRO** series uses advanced ultrasonic technology to remove dried inks, coatings, and varnishes from deep within the anilox cells—without abrasion or damage.

Available in three sizes, 350mm, 500mm and 950mm — these models are ideal for narrow to medium-web flexographic operations, offering a compact footprint, seamless integration, and now, affordable pricing to suit a wide range of budgets.

Key Features



Two Year Warranty
Plus 5 year warranty on ultrasonic transducers.



Fully Adjustable
Will clean all of your aniloxes up to the widest width.



Medical Grade
The very best of our ultrasonic cleaning technologies.



Fully Customizable
Add or remove features to suit your requirements and budget.



100% Guarantee
Anilox safety and performance guarantees given in writing.



Made in the UK
Built to exacting standards with premium materials and craftsmanship.



SONICPRO SERIES

ULTRASONIC POWER FOR PEAK ANILOX PERFORMANCE



PRODUCT SPECIFICATION

| SONICPRO | 350 | 500 | 950 |
|-------------------------|--------------------------|--------------------------|--------------------------|
| Max roll (Face width) | 350mm | 550mm | 900mm |
| Max. rolls to clean | 3 | 3 | 2 |
| Tank capacity | 19 litres | 22 litres | 35 litres |
| Power requirements | 240/110 volts - 50/60Hz. | 240/110 volts - 50/60Hz. | 240/110 volts - 50/60Hz. |
| Tank Dimensions (LxWxH) | 500mm x 250mm x 150mm | 600mm x 250mm x 150mm | 950mm x 250mm x 150mm |
| Maximun Weight Capacity | 30 Kilos | 30 Kilos | 30 Kilos |
| Dual Frequency | OPTIONAL | OPTIONAL | OPTIONAL |
| Support Frame | OPTIONAL | OPTIONAL | OPTIONAL |
| Auto Roll Reversal | OPTIONAL | OPTIONAL | OPTIONAL |
| Sleeve Adapters | OPTIONAL | OPTIONAL | OPTIONAL |

PART DETAILS

- P03794-874 – SONICPRO 350
- P03794-874-1 – SONICPRO 500
- P03794-874-2 – SONICPRO 950
- P03794-874-3 – SONICPRO CLEANING SOLUTION 1LTR BOTTLES (14PER BOX)



maL PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



maL PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

3 IN 1 MANUAL ROLL LIFTER

Our easy to operate roll lifters are available in manual and electric with customisable attachments. Choose your accessories. Ask us for a quote today!

Manual Roll Lifter

Part No.: P03794-826

Roll Lifter 1.7m Max lift height comes with 650mm length forks and weight ballast.

- Highly manoeuvrable, ideal for limited spaces
- 400kg lift weight when using forks.
- 200kg lift weight when using single bearing boom.



Manual Roll Accessories

Part No.: P03794-827

Custom made bearing boom loading and moving material

- Lift capacity 200kg.



Part No.: P03794-828

Die Lifting adapter with coated lifting cables

- Lift capacity 150kg.



Part No.: P03794-829

3" Coreholder adapter Rotate the material 90 degrees from flat off the pallet to load onto the machine.

- Lift capacity 150kg.



3 IN 1 ELECTRIC ROLL LIFTER

Electric Roll Lifter

Part No.: P03794-036 -1

Mark Andy Performance Electric Roll Lifter 3000mm lift with folks only

- Highly manoeuvrable, ideal for limited spaces
- 1000kg lift weight when using forks.
- 200kg lift weight when using single bearing boom.



Electric Roll Accessories

Part No.: P03794-036-2 / -5 (Heavy Duty)

Bearing boom adapter for electric roll lifter

- Lift capacity 200kg.
- Heavy Duty option capacity 400kg.



Part No.: P03794-036-4

3" Coreholder adapter with 90 degree turn

- Lift capacity 150kg.



Part No.: P03794-036-3

Die Lift adapter for electric roll lifter

- Lift capacity 200kg.



Part No.: P03794-034

Set of lifting cables for die adapter (2 metal high tension plastic coated lifting cables)

- Lift capacity 150kg.



Part No.: P03794-516

Hoist lifting hook quick and easy to install Adjustable width 10" - 17"

- Lift capacity 150kg.



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

PERFORMANCE PLATE MOUNTERS



VPM200

KEY FEATURES OF THE VPM SERIES

- **Dual** HD cameras
- **HD** flat screen monitor
- **Adjustable** mounting table
- **Precision** camera and plate cylinder mounting

VPM300

VPM400 & 28

- **LED lighting** mounted on camera
- **Conveniently located** tape holder
- **Laser line** for quick alignment
- **Plate Skew** adjustment

PRODUCT SPECIFICATION

| | VPM200 | VPM300 | VPM400 | VPM428 |
|-----------------------------|--|--|----------------------------|----------------------------|
| Plate Cylinder Width | 7in (178mm) - 28in (710mm) | 7in (178mm) - 28in (710mm) | 6in (152mm) - 26in (660mm) | 6in (152mm) - 33in (838mm) |
| Max Repeat | 192 tooth / 24in Repeat | 192 tooth / 24in Repeat | 256 tooth / 32in Repeat | 256 tooth / 32in Repeat |
| Air | Required 6 Bar | Required 6 Bar | 3.5-8.5 Bar at 14 lpm | 3.5-8.5 Bar at 14 lpm |
| Electrical | Power Supply 100-240v 50/60Hz | Power Supply 100-240v 50/60Hz | Country Specific | Country Specific |
| Footprint | 700 x 1200 x 1640 mm | 700 x 1200 x 1852 mm | 1244 x 660 x 1816 mm | 1372 x 660 x 1854 mm |
| Camera | HD 14 Megapixel 60FPS 5 x digital zoom | HD 14 Megapixel 60FPS 5 x digital zoom | HD Camera's | HD Camera's |
| Pointer | Cross Hair cursor | Cross Hair cursor | Cross Hair cursor | Cross Hair cursor |
| Lights | LED Lights | LED Lights | LED Lights | LED Lights |
| Focus | Manual Focus | Manual Focus | Manual Focus | Manual Focus |
| Resolution | Full HD | Full HD | Full HD | Full HD |

PERFORMANCE PLATE MOUNTERS

Key Features



Unmatched precision

Achieve superior print quality with our high-resolution HD digital cameras, ensuring precise plate alignment every time.



Increased Efficiency

Automate your plate mounting process to reduce setup times and minimise errors, boosting your productivity and profitability.



Versatile Applications

Perfect for labels, envelopes, flexible packaging, and corrugated applications, our plate mounters accommodate a wide range of substrates

VPM300 BENEFITS:

- Enhanced verification capability
- Reduced waste
- Faster changeovers
- Increased productivity
- Complements Lean Manufacturing initiatives



TECHNICAL SPECIFICATIONS

| | |
|-----------------------------|---|
| Plate cylinder width | 7in (178mm) - 28in (710mm) |
| Max Repeat | 192 tooth / 24" Repeat |
| Air | Required 6 Bar |
| Electrical | Power Supply 100-240v 50/60Hz |
| Footprint | 1640mm High without monitor Depth 685mm Width 1190mm |



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

FEATURES:

- Longer life for printing plates
- Wash, dry and store in 5 minutes
- Special formulated Eco friendly wash
- Quick, safe and easy to operate
- Increases productivity
- Sustainable solution
- Esko HD certified

Watch the plate cleaner here:




PLATE CLEANER



Washing, Drying and Storing in 5 Minutes.
Mark Andy is proud to offer one of the fastest plate cleaners on the market—a game-changer in plate washing technology designed to increase productivity and efficiency.

Key Features:

- Speed and Efficiency:** cleans and dries plates in less than 5 minutes with an adjustable speed setting to suit your needs.
- User-Friendly Design:** Plug-and-play system that connects to a standard 110V outlet for effortless setup and operation.
- Low Maintenance:** No monthly or bi-monthly cleaning required. A convenient bag filter traps most pigment particulates and is easily rinsed and reused.
- Sustainable Solution:** Eliminate chemical haul-away costs. The cleaning solution evaporates and is topped off only as necessary.
- Reliable Operation:** The platen rack and pinion system will ensure small plates remain securely on the conveyor during the wash cycle.
- Innovative:** Our unique reusable sticky plate holds the plates firmly in place during the cleaning and drying process. After washing, the plates are ready to store or reuse immediately!

Economic & Environmental Benefits:

- Reduce Downtime:** An efficient cleaning process means less downtime and higher productivity.
- Cost-Effective:** Minimal maintenance and no chemical disposal costs translate to lower operational expenses.
- Quick ROI:** Experience a return on investment in a matter of months with enhanced efficiency and reduced costs.



TECHNICAL SPECIFICATION

| | |
|-----------------------|----------------|
| Electrical | 110V / 240V |
| Air | Required 4 Bar |
| Acceptable Plate Size | 700mm - 1000mm |



maL PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



maL PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

PERFORMANCE TOOLING SUPPLIES



**MAGNETIC
CYLINDERS**

**PRINT
CYLINDERS**



GEARS




END RINGS



**BEARING
HOUSING**



**FLEXIBLE
DIES**



**REQUEST YOUR
COMPETITIVE
QUOTE TODAY !**

STORAGE SOLUTIONS

> NEW



Storage & Set up cart

Part No.: P03794-051

Available in different tooling widths
Holds tooling, Ink pans, Dr Blades,
and Anilox Rolls.



Sleeve Storage cart

Part No.: P03794-051-4

Bespoke sleeve storage cart,
available in different tooling widths
holds tooling, Ink pans, Dr Blades,
and Sleeves



Anilox Cylinder Rack

Part No.: P03794-053

(Adjustable widths
holds upto 32 Anilox Rolls)



Print Cylinder Rack

Part No.: P03794-052

(Adjustable widths)



**Wall Mounted
Cylinder Rack**

Part No.: P03794-054

(Suitable for any width)



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

CLEANEDGE

ADVANCED CLEANING FOR ADVANCED PRINTING.

WASH SOLUTIONS



Comprehensive Cleaning Power for the Modern Pressroom

CLEANEDGE delivers high-performance cleaning solutions engineered for the flexographic and label printing industry. Manufactured in the UK, these fast-acting, residue-free agents remove ink, adhesives, and contaminants from plates, anilox rolls, and press components—ensuring consistent print quality, reduced downtime, and extended equipment life.

Compatible with water-based, UV, and solvent inks, **CLEANEDGE** Wash Solutions are part of Print Product's complete cleaning lineup, which includes:

- **Automatic Anilox Roll Cleaners**
Restore ink transfer and extend roll life
- **Automatic Plate Cleaners**
Minimize downtime and protect plate integrity.
- **General Press Cleaners**
Versatile and effective cleaner designed for flexographic printing.



CLEANEDGE reflects Print Product's dedication to boosting productivity, supporting sustainability, and ensuring top-tier print quality—helping pressrooms run cleaner, faster, and more efficiently.



PLATE
CLEANING



ANILOX ROLL
CLEANING



WEB
CLEANING



ECO-FRIENDLY
WASH



UV INK
CLEANING



MULTI-INK
COMPATIBILITY



MANUFACTURED
IN THE UK

CLEANEDGE

ADVANCED CLEANING FOR ADVANCED PRINTING.



CLEANEDGE PLATE REVIVE - Part No P03794-873-1

Unlock superior print performance with our advanced liquid cleaning solution—specially engineered to swiftly eliminate stubborn residues from flexographic polymer plates. Experience sharper detail, richer colour, and consistent quality with every run. Clean plates mean cleaner prints. Available pack sizes 1/5/10/25/205/1000 litres.

CLEANEDGE DUAL FORCE - Part No P03794-873-3

Extra-strength cleaner for water-based and UV inks. Use manually or as a flush to remove fresh or dried coatings from anilox rolls, varnish stations, blankets, and flexo plates. One solution for total cleaning power. Available pack sizes 1/5/10/25/205/1000 litres.

CLEANEDGE ANILOX RENEW - Part No P03794-873-5

Boost your ultrasonic cleaning power with our heavy-duty additive—engineered to cut through water-based, solvent, and UV inks fast. Its advanced alkaline formula with targeted detergents ensures deep, efficient cleaning. Ideal for final roller maintenance, it helps restore anilox cell volume and optimize ink and varnish laydown for peak print performance. Available pack sizes 1/5/10/25/205/1000 litres.

CLEANEDGE UV FLEXO WASH - Part No P03794-873-12

A fast-evaporating, petroleum-free cleaning solution engineered for efficient removal of UV flexo inks and varnishes. Ideal for cleaning flexo units, anilox rolls, and photopolymer plates, it's also suitable for sheetfed offset presses. Safe for use on EPDM rubber, it ensures thorough cleaning without compromising material integrity. Available pack sizes 5/10/25/205 litres.

CLEANEDGE UV RESTORE - Part No P03794-873-13

FOGRA-approved UV wash, free from aromatic hydrocarbons. Safe for EPDM rollers, prevents swelling, and offers deep, rejuvenating cleaning with a slow-evaporating formula. Available pack sizes 5/10/25/205 litres.

CLEANEDGE IPA MAX - Part No P03794-873-10

Trusted by print professionals, our high-purity Isopropyl Alcohol (IPA) delivers fast, effective cleaning for presses, rollers, and plates. Its quick-drying, streak-free formula removes ink, grease, and contaminants with ease—ensuring optimal print quality and reduced downtime. Available pack sizes 1/5/10/25/205/1000 litres.



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

> SUPPLYSMART



Simplify. > Streamline. > Smart Supply.

ma **MARK ANDY**

ma PRINT PRODUCTS  ROTOFLEX markandy.com



TAKE CONTROL OF YOUR CONSUMABLES WITH *SUPPLYSMART* AUTOMATED INVENTORY MANAGEMENT SYSTEM THAT WORKS FOR YOU.

➤ **SMART CABINET, SMARTER WORKFLOW**

Track & Manage Supplies Easily

Our commercial cabinet comes with a built-in kiosk and scanner, making it simple to manage all your pressroom supplies. Bulky items? No problem—scan barcodes directly from inside the cabinet, even for items stored on external shelving.



➤ **STOCKED FOR YOUR SUCCESS**

- Keep essentials from mounting tape to RD scorer blades on hand
- Set custom min/max thresholds
- Receive alerts when inventory drops below minimum
- Automatic or on-demand replenishment
- Manage multiple locations online in real time

➤ **EFFORTLESS REPLENISHMENT**

- Reorder instantly with a single click
- Auto-replenish when stock falls below thresholds
- Eliminate manual counts
- Save time and streamline workflow

➤ **FULL VISIBILITY & CONTROL**

- Monitor real-time inventory levels and usage history
- Track monthly or 12-month spending
- Monitor rebate tier progress
- Adjust min/max levels as needed
- Access Safety Data Sheets
- Simplify supply management



➤ **Smart Supply. Smarter Pressroom.**

Stay stocked, stay organized, and take full control of your operations.
Learn More at: Shop.MarkAndy.com



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

arpeco[®] TRACKER

INSPECTION SLITTER REWINDER

Reduces downtime, cuts label material waste, and speeds up production, helping you meet deadlines faster and save on costs without sacrificing quality.



PRECISION

- **HMI Touch Screen Adjustment:**
Operators adjust the roll end value on the HMI screen, minimizing roll end wastage to 1.2m.
- **Automatic Web Guidance System:** Ultrasonic sensors correct and track imperfect master rolls with precision.
- **Quick Slitting System Setup:**
Blades can be quickly set with adjustable lateral control for precise positioning.

PERFORMANCE

- **Automatic Roll Compensation Unwind Braking:** Once tension is set, no further adjustments are needed, saving time.
- **Efficient Inspection and Splice Table:** The large inspection area and adjustable splice table streamline master roll changeovers.

PRODUCTIVITY

- **Reversible Rewind Direction:**
Easily switch between label in/label out with a flick of a switch.



arpeco® TRACKER

PRODUCT SPECIFICATION

| | | | |
|---|--|---|--|
| Web Width | 450mm | Touch Screen Interface | <ul style="list-style-type: none"> 7" HMI operator interface Full machine diagnostic on interlocks Machine mode status |
| Unwind | <ul style="list-style-type: none"> Diameter 28.5" 3" air expanding unwind mandrel Electromagnetic particle brake Ultrasonic roll compensation Digital roll end facility adjustable via the HMI touch screen | Rewind System | <ul style="list-style-type: none"> Electronically controlled torque rewind system 1000 linear metres capacity - diameter 406mm (16") 76mm air expanding rewind mandrel Fully interchangeable rewind shaft (quick release) Label in - Label out facility on finished roll Web advance with 5 dividers |
| Inspection Table | <ul style="list-style-type: none"> Inspection view area 1140mm (L) x 470mm (W) Adjustable master roll splice table Dual air operated master roll web clamps (fully interlocked) | Counter Facility | <ul style="list-style-type: none"> Label counter Linear metre counter Linear feet 10"/12" counter Programmable slow down and stop facility |
| Web Guide | <ul style="list-style-type: none"> Electronically controlled web guidance system Ultrasonic sensor for clear and opaque materials | Machine Speed | Variable speed up to 984 ft / min dependant on application and substrate |
| Adjustable Splice Table | <ul style="list-style-type: none"> Inspection view area 590mm (L) x 470mm (W) Splice table adjustment from center position + / - 70mm Dual air operated web clamps (Fully interlocked) | Machine Warranty & Certification | <ul style="list-style-type: none"> 12-months warranty, Certificate of conformity |
| Draw Roller | <ul style="list-style-type: none"> Nip roller impression air operated Silicone covered Main motor AC | Machine Requirements | <ul style="list-style-type: none"> Single phase American & European spec 80 psi - 5.5 bar air |
| Rotary Shear Cut Slitting System | <ul style="list-style-type: none"> Unique quick set-up cartridge system Lateral cartridge adjustment +/- 8mm from datum point Datum point for ease of set-up Minimum slit width 13mm 3 complete sets of blades supplied Fully interlocked guards | Optional Rewind Core Holders | <p>76mm / 3" supplied with the machine</p> <ul style="list-style-type: none"> 12.7mm / ½" 19mm / ¾" 25mm / 1" 38mm / 1.5" 40mm 44mm / 1.750" 50mm 101mm / 4" 125mm / 5" 152mm / 6" |



ma PRINT PRODUCTS
 Tel +44 (0) 1625 817593
 Web printproducts.markandy.com
 Email euorders@markandy.com
 Queens Avenue Hurdsfield Ind. Est,
 Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
 Tel (800) 225-4835
 Web shop.markandy.com
 Email orders@markandy.com
 4301 Rider Trail N Suite 500,
 Earth City, MO 63045



Can't find what you are looking for? **Let us help:**

Call or email
+44 (0)1625 500964
euorders@markandy.com

Useful contact numbers for
Supplies, Support & Service:

Mark Andy Print Products

Main Telephone Number: +44 (0) 1625 500964
Option 1: Accounts
Option 2: Parts / Flexo / Digital
Option 3: Flexo / Digital Service Dept
Option 4: Offset Consumables
Option 5: Offset Service & Parts
Option 6: Dial by name

International Service

Telephone Number: +44 (0) 1625 500964 Option 3
Email Address: email.to.case@markandy.com

Digital Consumables

Telephone Number: +44 (0) 1625 500964 Option 2
Email Address: euorders@markandy.com

Flexo & Digital Parts

Telephone Number: +44 (0) 1625 500964 Option 2
Email Address: euorders@markandy.com
Web: www.printproducts.markandy.com

Flexo Consumables

Telephone Number: +44 (0) 1625 500964 Option 2
Email Address: euorders@markandy.com
Web: www.printproducts.markandy.com

Offset Consumables

Telephone Number: +44 (0) 1625 500964 Option 4
Direct Number: +44 (0) 1625 817 588
Email Address: orderseamer@markandy.com

Offset Service & Parts

Telephone Number: +44 (0) 1625 500964 Option 5
Email Address: orderseamer@markandy.com



ma PRINT PRODUCTS
Tel +44 (0) 1625 817593
Web printproducts.markandy.com
Email euorders@markandy.com
Queens Avenue Hurdsfield Ind. Est,
Macclesfield, Cheshire SK10 2BN



ma PRINT PRODUCTS
Tel (800) 225-4835
Web shop.markandy.com
Email orders@markandy.com
4301 Rider Trail N Suite 500,
Earth City, MO 63045

ma **MARK ANDY**

ma PRINT PRODUCTS  ROTOFLEX markandy.com

