



The new generation of skid steer loaders.







Powered with technology.

Elise 900. The world's first electric skid steer loader represents the highest technology and years of experience of FIRSTGREEN Industries.

Battery endurance

up to 0 h

8+ hours with extended battery

Hinge pin height

12 "

Over 1ft higher reach than the competing average

Battery capacity

240_{Ah}

With hot-swap battery capability

100% electric, extremely low noise, 0 emission

On stock in 3 days

Low operational costs
Retrofitable modular construction
Microspeed for precise control
Self-leveling gyro platform

Chassis clearance

10_{in}

1.8 inch higher than competing average

Remote control

165 "

50 ft with smart app

Loading capacity

2000_{lb}

Suitable for most construction tasks

Technical specs.



GENERAL SPECIFICATIONS	
Rated load capacity	2 000 lb
Tipping load	4 000 lb
Minimum travel speed	0.09 mph
Maximum speed	7.5 mph
Maximum travel speed	7.5 mph

MOTOR	
Electric engine type	3x Best Motor
Rated power	3x14 HP
Maximum power	3x37 HP
Maximum torque	3x118 lb ft

TUNE-UP YOUR MACHINE

Options

- Air conditioning
- Windowless cabin re-build set
- · Hard-mounted display
- · Rubber or steel track set for increased traction
- · Cable set pre-install for electric attachments
- Danfoss remote control
- · Lifting points
- Set of wheel with universal tires, heavy terrain tires, smooth surface tires or solid tires
- Set of marking and accessories for road operation


Standard features


- Lead-acid battery with capacity 240 Ah
- External battery charger
- · Electric heater
- Battery cover opening for quick battery change
- GPS module
- Apple/Android smartphone with control app
- · Rear-view camera
- Left and right rear view mirrors
- Mandatory lightning
- · Front work light

- · Rear work lights
- Orange beacon light
- Travel alarm
- Emergency exit window
- Front roller sunshade
- Roof tinted alass
- · Windscreen wiper with washer
- · Safety reinforced cab
- Seat, door and seatbelt sensors
- Speed coupler SAE J2513
- Self leveling bucket system
- Multiple control option ISO, H pattern and inverted H pattern

Compare technical specifications for this product online at first.green

ELISE 900





WEIGHTS	
Rated operating weight	7 275 lb
Total weight of the loader	9 260 lb

HYDRAULICS	
Hydraulic oil pressure	2610 psi
Hydraulic oil flow	17 gal/min
Hydraulic oil reservoir	10.5 gal



With a wide range of attachments.



Standard bucket



Concrete mixer



Pallet forks



Hammer



Auger



... plus **34 other** attachments on first.green



For more FIRSTGREEN products, visit **first.green**

+1 (828) 585-2479, info@first.green