




ChloraPrep®



Preoperative  
Skin  
Preparation

Final Skin Preparation

Patient has had an initial skin prep using 4% chlorhexidine (hibiscrub) diluted with equal parts warm water (50/50) to make a 2% solution





**What size Chloraprep applicator should I use?**



**Sepp 0.67ml**

**Size guide  
8cm x 7cm**



**Chloraprep  
1ml**

**Size guide  
12cm x 12cm**



**Chloraprep 3ml**

**Size Guide  
30cm x 30cm**

---



**Chloraprep  
10.5ml**

**Size Guide 50cm  
x 50cm**



**Chloraprep**  
**26ml**

**Size Guide**  
**100cm x**  
**100cm**






Wearing sterile gloves take your chosen applicator

Hovering over intended incision site press the wings together to release the liquid

Press the applicator down on the area to prime the sponge



Use a back and forth method. Initially focussing on your intended incision site area for 30 seconds then 'colour in' the rest of the clipped patch





Use pressure and friction.  
Use one half of the sponge to flatten hair at the end



Applicators are  
single use.  
Discard of  
applicator  
appropriately  
after use

Leave site to dry  
before drapes  
are applied

Visit [www.invictavet.co.uk](http://www.invictavet.co.uk) to book your practice in for a FREE online live surgical prep of the patient CPD. You will receive free samples and snacks to enjoy whilst you watch!

