

ABOUT MEDGLUV



The Medgluv Difference

Ensuring Supply, Quality & Value Cost Savings

Medgluv portfolio of quality Exam gloves is recognized for its superior quality to leading Healthcare Systems and non-acute care facilities to home health patients and their families. At Medgluv, We help you deliver exceptional and cost-effective exam gloves through our high quality, value-oriented products.

As a Minority owned business, Medgluv make decisions based on the long-term benefits to our employees and the communities where we do business.

We leverage our meticulous attention to quality combined with an unprecedented level of Customer Service makes us the premier provider in the industry.

Medgluv decision to become ISO 9001:2015 certified is a proactive one that not only anticipates the demands of our customers, but also demonstrates our commitments to providing quality products and services.

We have been privileged to serve you, and we thank you for providing us with the continuing Opportunity.



For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).



www.medgluv.com

Full Line of Catalog



Ensuring Supply, Quality and Value Cost-Savings

THE MEDGLUV DIFFERENCE

- Medgluv Inspire Confidence
- Trusted Healthcare Partner
- Managing Conversion Process
- Quality Glove Products while Controlling Costs
- Exception Quality for Superior Barrier Protection
- ISO 9001: 2015 Certified

Medgluv portfolio of quality Exam gloves is recognized for it's superior quality to leading Healthcare Systems and non-acute care facilities to home health patients and their families. At Medgluv, We help you deliver exceptional and cost-effective exam gloves through our high quality, value-oriented products.

As a Minority owned business, Medgluv make decisions based on the long-term benefits to our employees and the communities where we do business.



www.medgluv.com

OUR BUSINESS



Certified Minority Owned



Privately Held



Florida Based

OUR TEAM



DIVERSITY

100+

YEARS
Industry Experience

Corporate - Florida
South Carolina
California

MANUFACTURING



FDA Certified
Factories



Sustainability &
Environmentally Focused



Best in Class
Service & Support

OUR PRODUCT PORTFOLIO

NitraCare
NitraSoft
NitraFlex
NitraSonic
NitraGrip
NitraPro
NitriSkin

NeuSkin
NeuCare
NeuGrip
PinkCare
DragonSkin
OysterSkin
NeoSkin

Medgluv
TuffSkin
XP Gold
NeuMask



www.medgluv.com

Powder-Free Nitrile Exam Gloves

NitraCare Nitrile Exam Gloves are our best-selling exam gloves in our full exam glove portfolio. They provide excellent barrier protection from bacteria, viruses and chemicals during procedures where risk of fluid exposure is moderate to high.

Description:

- Textured fingertips enables grip, wet or dry.
- Tear resistant beaded cuff eases donning.
- Standard color coded sizing to identify different sizes.
- Offer excellent sensitivity for touch perception and dependable protection.
- Meets and exceeds NIOSH recommendations for Fentanyl
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of select chemotherapy gloves.

Item	Description	Size	Packaging
MG505XS	NitraCare Nitrile Exam Glove	X-Small	200 eaches/box 10 boxes/case
MG505S	NitraCare Nitrile Exam Glove	Small	200 eaches/box 10 boxes/case
MG505M	NitraCare Nitrile Exam Glove	Medium	200 eaches/box 10 boxes/case
MG505L	NitraCare Nitrile Exam Glove	Large	200 eaches/box 10 boxes/case
MG505XL	NitraCare Nitrile Exam Glove	X-Large	200 eaches/box 10 boxes/case
MG505XXL	NitraCare Nitrile Exam Glove	2X-Large	180 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness

Middle Finger:
Palm:
Cuff:
Average Length

MM
.09
.08
.06
242mm

MIL
3.5
3.1
2.4
9.5"

Physical Properties

Before Aging

Tensile Strength: 38 MPa
Ultimate Elongation: 580%

After Aging

Tensile Strength: 33 MPa
Ultimate Elongation: 550%

Quality Standards

Exceed current ASTM D6319: Standard Specification for Nitrile: Examination Gloves for Medical Application.
No evidence of dermal irritation or contact sensitization as measured by Primary Skin Irritation.

Note: Specifications are subject to change without notice.



EXCELLENT BARRIER PROTECTION FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



Powder-Free Nitrile Exam Gloves

NitraSoft Nitrile Exam Gloves are our best-selling exam gloves in our full exam glove portfolio. They provide excellent barrier protection from bacteria, viruses and chemicals during procedures where risk of fluid exposure is moderate to high.

Description:

- Textured fingertips enables grip, wet or dry.
- Tear resistant beaded cuff eases donning.
- Standard color coded sizing to identify different sizes.
- Offer excellent sensitivity for touch perception and dependable protection.
- Meets and exceeds NIOSH recommendations for Fentanyl
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of select chemotherapy gloves.

Item	Description	Size	Packaging
MG5250	NitraSoft Nitrile Exam Glove	X-Small	250 eaches/box 10 boxes/case
MG5251	NitraSoft Nitrile Exam Glove	Small	250 eaches/box 10 boxes/case
MG5252	NitraSoft Nitrile Exam Glove	Medium	250 eaches/box 10 boxes/case
MG5253	NitraSoft Nitrile Exam Glove	Large	250 eaches/box 10 boxes/case
MG5254	NitraSoft Nitrile Exam Glove	X-Large	250 eaches/box 10 boxes/case
MG5255	NitraSoft Nitrile Exam Glove	2X-Large	230 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.09	3.5
Palm:	.08	3.1
Cuff:	.06	2.4
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	35 MPa
Ultimate Elongation:	580%
After Aging	
Tensile Strength:	38 MPa
Ultimate Elongation:	550%

Quality Standards

Exceed current ASTM D6319: Standard Specification for Nitrile: Examination Gloves for Medical Application.
No evidence of dermal irritation or contact sensitization as measured by Primary Skin Irritation. Not made with natural rubber latex.
Note: Specifications are subject to change without notice.

EXCELLENT BARRIER PROTECTION FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



Powder-Free Nitrile Exam Gloves

NeuBlush Nitrile Exam Gloves are our best-selling exam gloves in our full Exam glove portfolio. They provide tactile sensitivity and protects hands from potentially infectious materials. They offer a soft and comfortable feel with outstanding tactile sensitivity. Medgluv will donate 5% of NeuBlush Nitrile glove profits towards breast cancer research and awareness programs. Together, we can help find a cure.

Description:

- Textured fingertips enables grip, wet or dry.
- Tear resistant beaded cuff eases donning.
- Standard color coded sizing to identify different sizes.
- Offer excellent sensitivity for touch perception and dependable protection.
- Meets and exceeds NIOSH recommendations for Fentanyl
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of select chemotherapy gloves.

Item	Description	Size	Packaging
MG5550	NeuBlush Nitrile Exam Glove	X-Small	200 eaches/box 10 boxes/case
MG5551	NeuBlush Nitrile Exam Glove	Small	200 eaches/box 10 boxes/case
MG5552	NeuBlush Nitrile Exam Glove	Medium	200 eaches/box 10 boxes/case
MG5553	NeuBlush Nitrile Exam Glove	Large	200 eaches/box 10 boxes/case
MG5554	NeuBlush Nitrile Exam Glove	X-Large	200 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.09	3.5
Palm:	.08	3.1
Cuff:	.06	2.4
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	35 MPa
Ultimate Elongation:	580%
After Aging	
Tensile Strength:	38 MPa
Ultimate Elongation:	550%

Quality Standards

Exceed current ASTM D6319: Standard Specification for Nitrile: Examination Gloves for Medical Application.
No evidence of dermal irritation or contact sensitization as measured by Primary Skin Irritation.

Note: Specifications are subject to change without notice.



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



NitraPlus



Powder-Free Nitrile Exam Gloves

NitraPlus Nitrile Exam Gloves is a thinner and lighter exam glove that offers increased tactile sensitivity and maintains excellent durability. A stronger elastic nitrile glove ideal for dental and home care use.

Description:

- Textured fingertips enables grip, wet or dry.
- Tear resistant beaded cuff eases donning.
- Standard color coded sizing to identify different sizes.
- Offer excellent sensitivity for touch perception and dependable protection.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of select chemotherapy gloves.

Item	Description	Size	Packaging
MG5450	NitraPlus Nitrile Exam Glove	X-Small	200 eaches/box 10 boxes/case
MG5451	NitraPlus Nitrile Exam Glove	Small	200 eaches/box 10 boxes/case
MG5452	NitraPlus Nitrile Exam Glove	Medium	200 eaches/box 10 boxes/case
MG5453	NitraPlus Nitrile Exam Glove	Large	200 eaches/box 10 boxes/case
MG5454	NitraPlus Nitrile Exam Glove	X-Large	200 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.114	3.0
Palm:	.09	2.6
Cuff:	.07	2.3
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	35 MPa
Ultimate Elongation:	600%
After Aging	
Tensile Strength:	38 MPa
Ultimate Elongation:	550%

Quality Standards

Exceed current ASTM D6319: Standard Specification for Nitrile: Examination Gloves for Medical Application.
No evidence of dermal irritation or contact sensitization as measured by Primary Skin Irritation.

Note: Specifications are subject to change without notice.

SUPERIOR BARRIER PROTECTION FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



OysterSkin



Powder-Free Nitrile Exam Gloves

OysterSkin Grey Nitrile Exam Gloves provide tactile sensitivity and protects hands from potentially infectious materials. New nitrile compounding technology allows for a thinner glove with incredible elasticity. They offer a soft and comfortable feel with outstanding tactile sensitivity. Packaged in 250 gloves per box. Devotes less space to glove storage, less time handling cartons

Description:

- Finger-tip textured enable grip even when wet.
- Virtually no pressure on the hands and reduces fatigue after extended wear.
- Offer excellent sensitivity for touch perception and dependable protection.
- 60% saving in the storage space, fewer boxes to discard and less waste.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.
- Meets and exceeds NIOSH recommendations for Fentanyl.

Item	Description	Size	Packaging
MG5301	OysterSkin Grey Nitrile Exam Glove	X-Small	250 eaches/box 10 boxes/case
MG5302	OysterSkin Grey Nitrile Exam Glove	Small	250 eaches/box 10 boxes/case
MG5303	OysterSkin Grey Nitrile Exam Glove	Medium	250 eaches/box 10 boxes/case
MG5304	OysterSkin Grey Nitrile Exam Glove	Large	250 eaches/box 10 boxes/case
MG5305	OysterSkin Grey Nitrile Exam Glove	X-Large	230 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.09	3.5
Palm:	.08	3.1
Cuff:	.06	2.4
Average Length	242mm	9.5"

Physical Properties

Before Aging

Tensile Strength:	35 MPa
Ultimate Elongation:	580%

After Aging

Tensile Strength:	38 MPa
Ultimate Elongation:	550%

Quality Standards

Exceed current ASTM D6319: Standard Specification for Nitrile: Examination Gloves for Medical Application.

No evidence of dermal irritation or contact sensitization as measured by Primary Skin Irritation.

Note: Specifications are subject to change without notice.

EXCELLENT
BARRIER PROTECTION
FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



NitraGrip 300



Powder-Free Nitrile Exam Gloves

NitraGrip Nitrile Exam Gloves provide tactile sensitivity and protects hands from potentially infectious materials. New nitrile donning technology allows for a thinner glove with incredible elasticity. They offer a soft and comfortable feel with outstanding tactile sensitivity. Packaged in 300 gloves per box. Devotes less space to glove storage, less time handling cartons.

Description:

- Unique polymer inner coating reduces 50% in donning the gloves.
- Reducing Healthcare Costs, and enhances user productivity.
- Influencing Hand-Hygiene Behavior through Don Technology
- 65% savings in the storage space, fewer boxes to discard and less waste.
- Meets both ASTM D6978-05 Standards for use of chemotherapy gloves when handling hazardous drugs*

Item	Description	Size	Packaging
MG5400	NitraGrip 300 Nitrile Exam Glove	X-Small	300 eaches/box 10 boxes/case
MG5401	NitraGrip 300 Nitrile Exam Glove	Small	300 eaches/box 10 boxes/case
MG5402	NitraGrip 300 Nitrile Exam Glove	Medium	300 eaches/box 10 boxes/case
MG5403	NitraGrip 300 Nitrile Exam Glove	Large	300 eaches/box 10 boxes/case
MG5404	NitraGrip 300 Nitrile Exam Glove	X-Large	250 eaches/box 10 boxes/case

PROTECTION,
COMFORT LEVEL
AND VALUE



Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.08	3.1
Palm:	.07	2.8
Cuff:	.06	2.4
Average Length	242mm	9.5"

Physical Properties

Before Aging

Tensile Strength:	30 MPa
Ultimate Elongation:	500%

After Aging

Tensile Strength:	25 MPa
Ultimate Elongation:	450%

Quality Standards

Exceed current ASTM D6319: Standard Specification for Nitrile: Examination Gloves for Medical Application.
No evidence of dermal irritation or contact sensitization as measured by Primary Skin Irritation.

Note: Specifications are subject to change without notice.



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



NitriSkin Blue



Powder-Free Nitrile Exam Gloves

Medgluv NitriSkin Blue exam glove is a high performing, latex-free exam glove offer the highest level of chemical protection in use in every application in every environment. Exceptionally stretchy soft, low modulus nitrile synthetic compound excellent for extended periods. .

Description:

- NitriSkin Blue exam gloves are strong, highly visible gloves provide the advanced protection and optimal grip needed for demanding, high-stress situations.
- Powder-Free nitrile gloves offer dependable strength and are fully textured for an enhanced grip in demanding environments.
- Meets and exceeds NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MG500XS	NitriSkin Nitrile Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG500S	NitriSkin Nitrile Exam Glove	Small	100 eaches/box 10 boxes/case
MG500M	NitriSkin Nitrile Exam Glove	Medium	100 eaches/box 10 boxes/case
MG500L	NitriSkin Nitrile Exam Glove	Large	100 eaches/box 10 boxes/case
MG500XL	NitriSkin Nitrile Exam Glove	X-Large	100 eaches/box 10 boxes/case
MG500XXL	NitriSkin Nitrile Exam Glove	2X-Large	90 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.14	5.5
Palm:	.12	4.7
Cuff:	.09	3.5
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	25 MPa
Ultimate Elongation:	550%
After Aging	
Tensile Strength:	25 MPa
Ultimate Elongation:	500%

Quality Standards

Meet and exceeds ASTM D6319 and F1671: Standard Specification for Nitrile: Examination Gloves for Medical Application and Standard Test method for Resistance of Materials used in Protective Clothing in Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage as a Test System.

Note: Specifications are subject to change without notice.

MAXIMUM BARRIER PROTECTION FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.



This glove meets **NFPA 1999**, Standard on Protective Clothing and Ensembles for Emergency Medical Operations.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



Powder-Free Nitrile Exam Gloves



SonicBurst are perfect for EMS, First Responders and Law Enforcements. This glove offers dependable strength and diamond textured grip you can count on providing extra protection. Barrier tested against fentanyl exposure to help protect you when treating overdose patients.

Description:

- When a high-risk situation requires the highest standard in protection.
- Offer excellent sensitivity for touch perception and dependable protection
- Meet standards of the National Fire Protection Association (NFPA)
- Meets and exceeds NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MG5070	SonicBurst Nitrile Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG5071	SonicBurst Nitrile Exam Glove	Small	100 eaches/box 10 boxes/case
MG5072	SonicBurst Nitrile Exam Glove	Medium	100 eaches/box 10 boxes/case
MG5073	SonicBurst Nitrile Exam Glove	Large	100 eaches/box 10 boxes/case
MG5074	SonicBurst Nitrile Exam Glove	X-Large	100 eaches/box 10 boxes/case
MG5075	SonicBurst Nitrile Exam Glove	2X-Large	90 eaches/box 10 boxes/case
MG5076	SonicBurst Nitrile Exam Glove	3X-Large	90 eaches/box 10 boxes/case



Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.21	6.5
Palm:	.17	5.5
Cuff:	.14	4.9
Average Length	230mm	9.5"

Physical Properties

Before Aging

Tensile Strength:	38 MPa
Ultimate Elongation:	650%

After Aging

Tensile Strength:	35 MPa
Ultimate Elongation:	600%

Quality Standards

Meet and exceeds ASTM D6319 and F1671: Standard Specification for Nitrile: Examination Gloves for Medical Application and Standard Test method for Resistance of Materials used in Protective Clothing in Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage as a Test System.

Note: Specifications are subject to change without notice.



Tested with 30 CHEMO DRUGS

in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.



This glove meets NFPA 1999, Standard on Protective Clothing and Ensembles for Emergency Medical Operations.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.





Powder-Free Nitrile Exam Gloves

The NeuCare X6 glove is a high performing, latex-free exam glove for use in every application in every environment. Exceptionally stretchy soft, low modulus nitrile synthetic compound excellent for extended periods. Slightly tacky exterior finish provides excellent gripping properties.

Description:

- NeuCare X6 exam gloves are strong, highly visible gloves provide the advanced protection and optimal grip needed for demanding, high-stress situations.
- Powder-Free nitrile gloves offer dependable strength and are fully textured for an enhanced grip in demanding environments.
- Meets and exceeds NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MG5600	NeuCare X6 Nitrile Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG5601	NeuCare X6 Nitrile Exam Glove	Small	100 eaches/box 10 boxes/case
MG5602	NeuCare X6 Nitrile Exam Glove	Medium	100 eaches/box 10 boxes/case
MG5603	NeuCare X6 Nitrile Exam Glove	Large	100 eaches/box 10 boxes/case
MG5604	NeuCare X6 Nitrile Exam Glove	X-Large	100 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.16	6.3
Palm:	.12	4.7
Cuff:	.10	3.9
Average Length	242mm	9.5"

Physical Properties

Before Aging

Tensile Strength:	35 MPa
Ultimate Elongation:	600%

After Aging

Tensile Strength:	33 MPa
Ultimate Elongation:	560%

Quality Standards

Meet and exceeds ASTM D6319 and F1671: Standard Specification for Nitrile: Examination Gloves for Medical Application and Standard Test method for Resistance of Materials used in Protective Clothing in Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage as a Test System.

Note: Specifications are subject to change without notice.

MAXIMUM BARRIER PROTECTION FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



Amethyst



Powder-Free Nitrile Exam Gloves

The Amethyst dark blue glove is a high performing, latex-free exam glove for use in every application in every environment. Exceptionally stretchy soft, low modulus nitrile synthetic compound excellent for extended periods. Slightly tacky exterior finish provides excellent gripping properties.

Description:

- Amethyst nitrile exam gloves are strong, highly visible gloves provide the advanced protection and optimal grip needed for demanding, high-stress situations.
- Powder-Free nitrile gloves offer dependable strength and are fully textured for an enhanced grip in demanding environments.
- Meets and exceeds NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MG5800	Amethyst 8.0 mil Nitrile Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG5801	Amethyst 8.0 mil Nitrile Exam Glove	Small	100 eaches/box 10 boxes/case
MG5802	Amethyst 8.0 mil Nitrile Exam Glove	Medium	100 eaches/box 10 boxes/case
MG5803	Amethyst 8.0 mil Nitrile Exam Glove	Large	100 eaches/box 10 boxes/case
MG5804	Amethyst 8.0 mil Nitrile Exam Glove	X-Large	100 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.205	8.0
Palm:	.16	7.1
Cuff:	.12	6.2
Average Length	242mm	9.5"


Physical Properties

Before Aging

Tensile Strength:	35 MPa
Ultimate Elongation:	600%

After Aging

Tensile Strength:	33 MPa
Ultimate Elongation:	560%

 **Tested with 30 CHEMO DRUGS**
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.



This glove meets **NFPA 1999**, Standard on Protective Clothing and Ensembles for Emergency Medical Operations.

For additional information, please visit: www.medgluv.com or call 1-866-633-4588



www.medgluv.com

MAXIMUM BARRIER PROTECTION FOR ALL RISKS



Quality Standards

- Meet and exceeds ASTM D6319 - Standard Specification for Nitrile Examination Gloves for Medical Applications
- Meets and exceeds ASTM F1671 - 07 Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood Borne Pathogens.
- Meets and exceeds ASTM F739-20 Standard Test Method for Permeation of Liquids and Gases Through Protective Clothing Materials Under Conditions of Continuous Contact.
- Meets and exceeds ASTM D6978 Standard Practice For Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs.
- Meet and exceeds ASTM D5151-19 Standard Test for Detection of Holes in Medical Gloves

Specifications are subject to change without notice.

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



Dragon Skinz

Powder-Free Nitrile Exam Gloves

Dragon Skinz nitrile glove is a high performing, latex-free exam glove for use in every application in every environment. Exceptionally stretchy soft, low modulus nitrile synthetic compound excellent for extended periods. Slightly tacky exterior finish provides excellent gripping properties.

Description:

- Dragon Skinz black exam gloves are strong, highly visible gloves provide the advanced protection and optimal grip needed for demanding, high-stress situations.
- Powder-Free nitrile gloves offer dependable strength and are fully textured for an enhanced grip in demanding environments.
- Meets and exceeds NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MG5990	Dragon Skinz Nitrile Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG5991	Dragon Skinz Nitrile Exam Glove	Small	100 eaches/box 10 boxes/case
MG5992	Dragon Skinz Nitrile Exam Glove	Medium	100 eaches/box 10 boxes/case
MG5993	Dragon Skinz Nitrile Exam Glove	Large	100 eaches/box 10 boxes/case
MG5994	Dragon Skinz Nitrile Exam Glove	X-Large	95 eaches/box 10 boxes/case
MG5995	Dragon Skinz Nitrile Exam Glove	2X-Large	90 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.14	5.5
Palm:	.12	4.7
Cuff:	.09	3.5
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	25 MPa
Ultimate Elongation:	550%
After Aging	
Tensile Strength:	25 MPa
Ultimate Elongation:	500%

Quality Standards

THIS GLOVE IS FOR SINGLE USE ONLY. THIS GLOVE MEETS THE SINGLE-USE EMERGENCY MEDICAL EXAMINATION GLOVE REQUIREMENTS OF NFPA 1999, STANDARD ON PROTECTIVE CLOTHING AND ENSEMBLES FOR EMERGENCY MEDICAL OPERATIONS, 2018 EDITION.

Note: Specifications are subject to change without notice.



MAXIMUM BARRIER PROTECTION FOR ALL RISKS



National Fire Protection Agency.



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



Black Cobra



Powder-Free Nitrile Exam Gloves

Black Cobra nitrile glove is a thinner high performing, black exam glove for use in every application in every environment. Exceptionally stretchy soft, strong low modulus nitrile synthetic compound excellent for extended periods. Slightly tacky exterior finish provides excellent gripping properties.

**MAXIMUM BARRIER
PROTECTION
FOR ALL RISKS**

Description:

- Black Cobra black exam gloves are strong, thinner gloves provide the advanced protection and optimal grip needed for demanding, high-stress situations.
- Powder-Free nitrile gloves offer dependable strength and are fully textured for an enhanced grip in demanding environments.
- Meets and exceeds NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MG59200	Black Cobra Nitrile Exam Glove	X-Small	200 eaches/box 10 boxes/case
MG59201	Black Cobra Nitrile Exam Glove	Small	200 eaches/box 10 boxes/case
MG59202	Black Cobra Nitrile Exam Glove	Medium	200 eaches/box 10 boxes/case
MG59203	Black Cobra Nitrile Exam Glove	Large	200 eaches/box 10 boxes/case
MG59204	Black Cobra Nitrile Exam Glove	X-Large	200 eaches/box 10 boxes/case



Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.14	2.75
Palm:	.12	2.2
Cuff:	.09	1.9
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	25 MPa
Ultimate Elongation:	550%
After Aging	
Tensile Strength:	25 MPa
Ultimate Elongation:	500%

Quality Standards

THIS GLOVE IS FOR SINGLE USE ONLY. THIS GLOVE MEETS THE SINGLE-USE EMERGENCY MEDICAL EXAMINATION GLOVE REQUIREMENTS OF NFPA 1999, STANDARD ON PROTECTIVE CLOTHING AND ENSEMBLES FOR EMERGENCY MEDICAL OPERATIONS, 2018 EDITION.

Note: Specifications are subject to change without notice.



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



Powder-Free Nitrile Exam Gloves

NitraCare Nitrile Exam Gloves are our best-selling exam gloves in our full exam glove portfolio. They provide excellent barrier protection from bacteria, viruses and chemicals during procedures where risk of fluid exposure is moderate to high.

Description:

- Textured fingertips enables grip, wet or dry.
- Tear resistant beaded cuff eases donning.
- Standard color coded sizing to identify different sizes.
- Offer excellent sensitivity for touch perception and dependable protection.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of select chemotherapy gloves.

Item	Description	Size	Packaging
MNE5051	NitraCare Nitrile Exam Glove	X-Small	100 eaches/box 10 boxes/case
MNE5052	NitraCare Nitrile Exam Glove	Small	100 eaches/box 10 boxes/case
MNE5053	NitraCare Nitrile Exam Glove	Medium	100 eaches/box 10 boxes/case
MNE5054	NitraCare Nitrile Exam Glove	Large	100 eaches/box 10 boxes/case
MNE5055	NitraCare Nitrile Exam Glove	X-Large	100 eaches/box 10 boxes/case
MNE5056	NitraCare Nitrile Exam Glove	2X-Large	90 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.09	3.5
Palm:	.08	3.1
Cuff:	.06	2.4
Average Length	242mm	9.5"

Physical Properties

Before Aging

Tensile Strength:	35 MPa
Ultimate Elongation:	580%

After Aging

Tensile Strength:	38 MPa
Ultimate Elongation:	550%

Quality Standards

Exceed current ASTM D6319: Standard Specification for Nitrile: Examination Gloves for Medical Application.

No evidence of dermal irritation or contact sensitization as measured by Primary Skin Irritation.

Note: Specifications are subject to change without notice.

EXCELLENT
BARRIER PROTECTION
FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



NitriSkin White



Powder-Free Nitrile Exam Gloves

NitriSkin White Nitrile are designed mainly for the small facilities physician offices and will offer you the protection of Nitrile and feeling of latex. Featured with an advanced stretch formulation, it will provide you ultimate comfort for extended periods.

Description:

- Textured fingertips enables grip, wet or dry.
- Tear resistant beaded cuff eases donning.
- Standard color coded sizing to identify different sizes.
- Offer excellent sensitivity for touch perception and dependable protection.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of select chemotherapy gloves.

Item	Description	Size	Packaging
MG502XS	NitriSkin White Nitrile Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG502S	NitriSkin White Nitrile Exam Glove	Small	100 eaches/box 10 boxes/case
MG502M	NitriSkin White Nitrile Exam Glove	Medium	100 eaches/box 10 boxes/case
MG502L	NitriSkin White Nitrile Exam Glove	Large	100 eaches/box 10 boxes/case
MG502XL	NitriSkin White Nitrile Exam Glove	X-Large	100 eaches/box 10 boxes/case

EXCELLENT
BARRIER PROTECTION
FOR ALL RISKS



Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.09	3.5
Palm:	.08	3.1
Cuff:	.06	2.4
Average Length	242mm	9.5"

Physical Properties

Before Aging

Tensile Strength:	38 MPa
Ultimate Elongation:	580%

After Aging

Tensile Strength:	35 MPa
Ultimate Elongation:	550%

Quality Standards

Exceed current ASTM D6319: Standard Specification for Nitrile: Examination Gloves for Medical Application.
No evidence of dermal irritation or contact sensitization as measured by Primary Skin Irritation.

Note: Specifications are subject to change without notice.



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



NitraGrip XP



Extended Cuff PF Nitrile Exam Gloves

NitraGrip XP offer dependable strength you can count on and have a long 12" extended cuff that helps provide extra protection for your wrists and arms. Full textured for enhanced grip. Barrier tested against fentanyl exposure to help protect you when treating overdose patients.

Description:

- When a high-risk situation requires the highest standard in protection.
- These elongated synthetic gloves provides extra protection and typically used for tasks involving prolonged exposure to blood, body fluids, surgical instrument cleaning solutions and other chemicals.
- Meets and exceeds NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.


Item	Description	Size	Packaging
MG50051	NitraGrip XP Nitrile Exam Glove	Small	100 eaches/box 10 boxes/case
MG50052	NitraGrip XP Nitrile Exam Glove	Medium	100 eaches/box 10 boxes/case
MG50053	NitraGrip XP Nitrile Exam Glove	Large	100 eaches/box 10 boxes/case
MG50054	NitraGrip XP Nitrile Exam Glove	X-Large	100 eaches/box 10 boxes/case
MG50055	NitraGrip XP Nitrile Exam Glove	2X-Large	90 eaches/box 10 boxes/case
MG50056	NitraGrip XP Nitrile Exam Glove	3X-Large	90 eaches/box 10 boxes/case


Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.16	6.5
Palm:	.12	6.0
Cuff:	.10	3.7
Average Length	305mm	12"

Physical Properties

Before Aging		
Tensile Strength:	35 MPa	
Ultimate Elongation:	600%	
After Aging		
Tensile Strength:	32 MPa	
Ultimate Elongation:	550%	

 **Tested with 30 CHEMO DRUGS**
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

 This glove meets **NFPA 1999**, Standard on Protective Clothing and Ensembles for Emergency Medical Operations.



www.medgluv.com

MAXIMUM BARRIER PROTECTION FOR ALL RISKS



Quality Standards

- Meet and exceeds ASTM D6319 - Standard Specification for Nitrile Examination Gloves for Medical Applications
- Meets and exceeds ASTM F1671 - 07 Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood Borne Pathogens.
- Meets and exceeds ASTM F739-20 Standard Test Method for Permeation of Liquids and Gases Through Protective Clothing Materials Under Conditions of Continuous Contact.
- Meets and exceeds ASTM D6978 Standard Practice For Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs.
- Meet and exceeds ASTM D5151-19 Standard Test for Detection of Holes in Medical Gloves

Specifications are subject to change without notice.

For additional information, please visit: www.westnetmed.com
Call 1-866-MEDGLUV (1-866-633-4588).



NitriSkin XP



Extended Cuff PF Nitrile Exam Gloves

NitriSkin XP Nitrile Exam Gloves is a thicker quality nitrile glove that resists punctures and tears to provide you outstanding barrier protection that is full textured for a more confident grip. When your daily job exposes you to blood-borne pathogens, bacteria and fluids, NitriSkin XP is a glove you can trust.

Description:

- When a high-risk situation requires the highest standard in protection.
- Offer excellent sensitivity for touch perception and dependable protection
- Meet standards of the National Fire Protection Association (NFPA)
- Meets and exceeds NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MG5008S	NitriSkin XP Nitrile Exam Glove	Small	50 eaches/box 10 boxes/case
MG5008M	NitriSkin XP Nitrile Exam Glove	Medium	50 eaches/box 10 boxes/case
MG5008L	NitriSkin XP Nitrile Exam Glove	Large	50 eaches/box 10 boxes/case
MG5008XL	NitriSkin XP Nitrile Exam Glove	X-Large	50 eaches/box 10 boxes/case
MG5008XXL	NitriSkin XP Nitrile Exam Glove	2X-Large	45 eaches/box 10 boxes/case
MG5008XXXL	NitriSkin XP Nitrile Exam Glove	3X-Large	45 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.21	8.2
Palm:	.17	6.8
Cuff:	.14	5.5
Average Length	305mm	12"

Physical Properties

Before Aging		
Tensile Strength:	35 MPa	
Ultimate Elongation:	600%	
After Aging		
Tensile Strength:	32 MPa	
Ultimate Elongation:	550%	

Quality Standards

Meet and exceeds ASTM D6319 and F1671: Standard Specification for Nitrile: Examination Gloves for Medical Application and Standard Test method for Resistance of Materials used in Protective Clothing in Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage as a Test System.

Note: Specifications are subject to change without notice.

MAXIMUM BARRIER PROTECTION FOR ALL RISKS



Tested with 30 CHEMO DRUGS

in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.



This glove meets **NFPA 1999**, Standard on Protective Clothing and Ensembles for Emergency Medical Operations.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



2-Ply Blue/White pH Nitrile Exam Gloves

These 2-Ply technology outer Blue and inner White elongated latex-free nitrile gloves offers the unique ability to detect tears and rips by showing the high visibility white inner through the breach.

Description:

- Designed specially for the Emergency Medical Profession for high risk situation that requires the highest standards in double protection and safety in administering critical and patient care.
- Breach alert dual-layer provides extra durability and safety.
- Ideal for EMS, Law Enforcement and Corrections
- Meets and exceeds NIOSH recommendations for Fentanyl and gastric acid resistant.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.
- Meets and exceeds the standard emergency glove medical of NFPA 1999 Standards on protective clothing, Emergency Medical Operations, Edition 2018

Item	Description	Size	Packaging
MG50091	NitraGrip Pro, 2-Ply Nitrile Exam Glove	Small	50 eaches/box 10 boxes/case
MG50092	NitraGrip Pro, 2-Ply Nitrile Exam Glove	Medium	50 eaches/box 10 boxes/case
MG50093	NitraGrip Pro, 2-Ply Nitrile Exam Glove	Large	50 eaches/box 10 boxes/case
MG50094	NitraGrip Pro, 2-Ply Nitrile Exam Glove	X-Large	50 eaches/box 10 boxes/case
MG50095	NitraGrip Pro, 2-Ply Nitrile Exam Glove	2X-Large	45 eaches/box 10 boxes/case
MG50096	NitraGrip Pro, 2-Ply Nitrile Exam Glove	3X-Large	45eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.21	8.2
Palm:	.17	6.8
Cuff:	.14	5.5
Average Length	305mm	12"

Physical Properties

Before Aging	
Tensile Strength:	35 MPa
Ultimate Elongation:	600%
After Aging	
Tensile Strength:	32 MPa
Ultimate Elongation:	550%

Quality Standards

Meet and exceeds ASTM D6319 and F1671: Standard Specification for Nitrile: Examination Gloves for Medical Application and Standard Test method for Resistance of Materials used in Protective Clothing in Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage as a Test System.

Note: Specifications are subject to change without notice.

EXCELLENT BARRIER
PROTECTION
FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.



This glove meets **NFPA 1999**, Standard on Protective Clothing and Ensembles for Emergency Medical Operations.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



NitraPro 16"



Elongated Nitrile Exam Gloves

Excellent for sterilization, decontamination, disinfect, cleaning or handling with chemicals in a hazardous environment. This 16-inch specialty glove is designed to offer exceptional added coverage and protection where there is potential exposure to sharps and chemicals. Tested with a wide range of chemotherapy drugs including Carmustine and Thiotepea.

Description:

- Full textured fingertips enhance grip in wet and dry situations.
- Longer 16" extended length
- Tested for puncture resistance and color-coded sizing on box.
- Meets and exceeds NIOSH recommendations for Fentanyl and gastric acid resistant.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MG50161	NitraGrip Pro, 2-Ply Nitrile Exam Glove	Small	50 eaches/box 10 boxes/case
MG50162	NitraGrip Pro, 2-Ply Nitrile Exam Glove	Medium	50 eaches/box 10 boxes/case
MG50163	NitraGrip Pro, 2-Ply Nitrile Exam Glove	Large	50 eaches/box 10 boxes/case
MG50164	NitraGrip Pro, 2-Ply Nitrile Exam Glove	X-Large	50 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.20	7.9
Palm:	.17	6.3
Cuff:	.15	5.9
Average Length	405mm	16"

Physical Properties

Before Aging	
Tensile Strength:	32 MPa
Ultimate Elongation:	650%
After Aging	
Tensile Strength:	30 MPa
Ultimate Elongation:	600%

Quality Standards

Meet and exceeds ASTM D6319 and F1671: Standard Specification for Nitrile: Examination Gloves for Medical Application and Standard Test method for Resistance of Materials used in Protective Clothing in Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage as a Test System.

Note: Specifications are subject to change without notice.

MAXIMUM BARRIER PROTECTION FOR ALL RISKS



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



Nitrile Sterile Surgical Gloves

The NitraSonic Nitrile Surgical gloves is a good barrier to latex allergies and infections between patients and surgeons by its excellent puncture resistance. The special inner polymer coating also provides easy donning for damp hands. The well designed curved finger and anatomic shape help reduce the hand fatigue and textured surface secures maximum grip. It can also serve as an under glove when double gloving.

Description:

- Our new Latex-Free NitraSonic Surgical Gloves will offer you the protection of Nitrile and feeling of latex sensitivity.
- Featuring an advanced stretch formulation providing you with comfort for extended periods.
- Soft, highly elastic formulation provides the maximum in comfort fit, and protection
- Perfect for USP 797 and 800 Standards Compliance for pharmacy compounding and sterile processing.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MGS5060	NitraSonic Nitrile Sterile Surgical Glove	6.0	50 pairs/box 4 boxes/case
MGS5065	NitraSonic Nitrile Sterile Surgical Glove	6.5	50 pairs/box 4 boxes/case
MGS5070	NitraSonic Nitrile Sterile Surgical Glove	7.0	50 pairs/box 4 boxes/case
MGS5075	NitraSonic Nitrile Sterile Surgical Glove	7.5	50 pairs/box 4 boxes/case
MGS5080	NitraSonic Nitrile Sterile Surgical Glove	8.0	50 pairs/box 4 boxes/case
MGS5085	NitraSonic Nitrile Sterile Surgical Glove	8.5	50 pairs/box 4 boxes/case
MGS5090	NitraSonic Nitrile Sterile Surgical Glove	9.0	50 pairs/box 4 boxes/case



Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.16	6.3
Palm:	.12	4.7
Cuff:	.10	3.7
Average Length	305mm	12"

Physical Properties


Before Aging	
Tensile Strength:	35 MPa
Ultimate Elongation:	600%
After Aging	
Tensile Strength:	32 MPa
Ultimate Elongation:	550%

Quality Standards

Meet and exceeds ASTM D6319 and F1671: Standard Specification for Nitrile: Examination Gloves for Medical Application and Standard Test method for Resistance of Materials used in Protective Clothing in Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage as a Test System.

Note: Specifications are subject to change without notice.



 **Tested with 30 CHEMO DRUGS**
in accordance with ASTM D6978 and barrier tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.




Nitrile Sterile Surgical Gloves

- Curved fingers for ergonomic fit.
- Optional pinhole AQL 0.65 - 1.5 with the quality insurance that each glove is air inflated and visually inspected.
- Color green as an inner glove for the instant awareness of the breakage of an outer glove when double gloving.
- Gamma Irradiation for the improved certainty of sterility. No ethylene oxide (EtO) residues concern of being harmful to human body.
- Airtight packaging for easier storage, keep gloves in an ideal state before using, and no paper scraps when opening.
- The assessment of the resistance to certain chemo therapy drugs has been done according to ASTM D 6978-05 standard.



Multiple-Layer Design



Specifications & reference :

Size		5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0
Palm Width	mm	70±6	76±6	83±6	89±6	95±6	102±6	108±6	114±6
Overall Length	mm	305 ± 5							
	inch	12 ± 0.2							
Single Wall Thickness		Finger		Palm		Cuff			
	mm	0.16 ± 0.03		0.16 ± 0.03		0.16 ± 0.03			
	mil	6.3± 1.18		6.3± 1.18		6.3± 1.18			

Typical Physical Property Performance	Type	Before Aging		After Aging	
		Standard	NitraSonic *	Standard	NitraSonic *
	Force at break (N)	9	13 ✓	9	12 ✓
	Tensile strength (Mpa)	17 (min)	21 ✓	12 (min)	20 ✓
	Ultimate elongation (%)	650	780 ✓	490	740 ✓
	Stress at 500% elongation (Mpa)	7.0 (max)	4.5 ✓	---	---

Typical Accelerator Analysis:

Tetramethylthiuram disulphide (TMTD)	ND
Mercaptobenzothiazole (MBT)	ND
Zinc mercaptobenzothiazole (ZMBT)	ND
Zinc diethyldithiocarbamate (ZDBC)	ND
Butylated hydroxytoluene (BHT)	ND

*ND (Residual Chemical determined as ND is either not present or below the detectable limited of 0.01% according to UPB/P/002 test method)

Note: The figures of physical properties give in the form and chart above indicate the average result obtain through numerous test results



NitraGrip



Nitrile Sterile Exam Pairs

NitraGrip Sterile Gloves is made from synthetic nitrile formulation that provides high elasticity with superior barrier protection and puncture resistance. It is an ideal solution for a range of sterile examination (non-surgical) procedures.

Description:

- Perfect for USP 797 and 800 Standards Compliance for pharmacy compounding and sterile processing.
- Sterile procedures outside the OR
- Meets and exceed NIOSH recommendations for Fentanyl.
- Meets both ASTM D6978-05 and USP 800 Personal Protection Equipment requirement for use of chemotherapy gloves when handling hazardous drugs.

Item	Description	Size	Packaging
MGSE5121	NitraSonic Nitrile Sterile Surgical Glove	6.0	50 pairs/box 4 boxes/case
MGSE5122	NitraSonic Nitrile Sterile Surgical Glove	6.5	50 pairs/box 4 boxes/case
MGSE5123	NitraSonic Nitrile Sterile Surgical Glove	7.0	50 pairs/box 4 boxes/case
MGSSE5124	NitraSonic Nitrile Sterile Surgical Glove	7.5	50 pairs/box 4 boxes/case



Product Specifications

Gauge Thickness	MM
Middle Finger:	.16
Palm:	.12
Cuff:	.10
Average Length	305mm

Physical Properties

Before Aging	
Tensile Strength:	35 MPa
Ultimate Elongation:	600%

After Aging

Tensile Strength: 32 MPa
Ultimate Elongation: 550%



Quality Standards

Meet and exceeds ASTM D6319 and F1671: Standard Specification for Nitrile: Examination Gloves for Medical Application and Standard Test method for Resistance of Materials used in Protective Clothing in Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage as a Test System.

Note: Specifications are subject to change without notice.



Tested with 30 CHEMO DRUGS
in accordance with ASTM D6978 and barrier
tested against Fentanyl exposure.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



Chemotherapy Reference

Powder-Free Nitrile Examination Gloves
Tested for Use with 32 Chemotherapy Drugs and Fentanyl Citrate

CHEMOTHERAPY DRUGS	Breakthrough Detection Time in Minutes
Cisplatin 1.0 mg/ml (1,000 ppm)	>240 min
Cyclophosphamide (Cytosan) 20mg/ml (20,000 ppm)	>240 min
Dacarbazine (DTIC) 10.0 mg/ml (10,000 ppm)	>240 min
Doxorubicin Hydrochloride 2.0 mg/ml (2,000 ppm)	>240 min
Etoposide (Toposar) 20.0 mg/ml (20,000 ppm)	>240 min
Fluorouracil 50.0 mg/ml (50,000 ppm)	>240 min
Ifosfamide 50.0 mg/ml (50,000 ppm)	>240 min
Methotrexate 25 mg/ml (25,000 ppm)	>240 min
Mitomycin C 0.5 mg/ml (500 ppm)	>240 min
Mitoxantrone 2.0 mg/ml (2,000 ppm)	>240 min
Paclitaxel (Taxol) 6.0 mg/ml (6,000 ppm)	>240 min
Vincristine Sulfate 1.0 mg/ml (1,000 ppm)	>240 min
Amethopterin (Methotrexate) 25 mg/ml (25,000 ppm)	>240 min
Bleomycin 15 mg/ml (15,000 ppm)	>240 min
Busulfan 6 mg/ml (6,000 ppm)	>240 min
Carboplatin 10 mg/ml (10,000 ppm)	>240 min
Cytarabine 100 mg/ml (100,000 ppm)	>240 min
Daunorubicin 5 mg/ml (5,000 ppm)	>240 min
Doxetacel 10.0 mg/ml (10,000 ppm)	>240 min
Ellence 2 mg/ml (2,000 ppm)	>240 min
Fludarabine 25 mg/ml (25,000 ppm)	>240 min
Gemcitabine (Gemzar) 38 mg/ml (38,000 ppm)	>240 min
Idarubicin 1 mg/ml (1,000 ppm)	>240 min
Irinotecan 20.0 mg/ml (20,000 ppm)	>240 min
Mechlorethamine HCL 1.0 mg/ml (1,000 ppm)	>240 min
Melphalan 5 mg/ml (5,000 ppm)	>240 min
Oxaliplatin 2.0 mg/ml (2,000 ppm)	>240 min
Rituximab 10 mg/ml (10,000 ppm)	>240 min
Trisoxon 0.1 mg/ml (100 ppm)	>240 min
Vinorelbine 10 mg/ml (10,000 ppm)	>240 min
Carmustine (BCNU) 3.3 mg/ml (3,300 ppm)	54.8 min
Thio-Tepa 10.0 mg/ml (10,000 ppm)	46.9 min
plus Other Drugs	
Fentanyl Citrate Injection 100 mcg/2ml	>240 min

* Applies to all Specialty Nitrile Medical Examination Gloves.

- For additional Chemical Resistance Data, please call: 1.866.MEDGLUV (633.4588)
- Gloves used for protection against chemical exposure must be selected specifically for the type of chemicals used.
- Review material safety data sheets for the chemicals being used to determine the required level of protection.
- Additionally tested per ASTM F739 for use with chemo drugs, which can be especially damaging to a glove or cause a glove failure.



NeuSkin Vinyl



Powder-Free Vinyl Exam Gloves, Clear

NeuSkin Vinyl exam gloves provide complete hand protection for a variety of applications. This 100% synthetic glove is powder-free and features a smooth surface for more natural tactile sensitivity.

Description:

- NeuSkin powder-free synthetic vinyl glove are a cost effective glove.
- Effective patient care and general usage.
- Low risk situations.
- Smooth fingertips.
- Ambidextrous and powder-free.
- Meets and exceeds ASTM D5250.

Item	Description	Size	Packaging
MG300XS	NeuSkin Clear Vinyl Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG300S	NeuSkin Clear Vinyl Exam Glove	Small	100 eaches/box 10 boxes/case
MG300M	NeuSkin Clear Vinyl Exam Glove	Medium	100 eaches/box 10 boxes/case
MG300L	NeuSkin Clear Vinyl Exam Glove	Large	100 eaches/box 10 boxes/case
MG300XL	NeuSkin Clear Vinyl Exam Glove	X-Large	100 eaches/box 10 boxes/case

ENHANCED
FORMULATION
THAT PROVIDES
ELASTICITY AND FIT



Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.13	5.2
Palm:	.10	4.0
Cuff:	.08	3.4
Average Length	242mm	9.5"

Physical Properties

Before Aging

Tensile Strength:	20 MPa
Ultimate Elongation:	450%

After Aging

Tensile Strength:	19 MPa
Ultimate Elongation:	400%

Quality Standards

Manufactured in accordance with Quality System ISO 9001.
Exceeds current ASTM 5250 Standards for critical defects (AQL 2.5).
AQL for critical defects is 1.5.

Note: Specifications are subject to change without notice.



For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



NeuSkin Ultra



Powder-Free Vinyl Exam Gloves, Stretch

NeuSkin Ultra Stretch Vinyl exam gloves are made from a vinyl formulation that helps provide elasticity and fit. They are soft and flexible, don easily and feel natural. Stretch Vinyl exam gloves are ideal for short-term use where there is minimal stress on the glove and a low-to-no risk of exposure to blood or other potentially infectious materials.

ENHANCED
FORMULATION
THAT PROVIDES
**ELASTICITY
AND FIT**

Description:

- NeuSkin Ultra Synthetic vinyl powder-free stretch vinyl exam gloves are an advanced formulation stretch vinyl that conform to the hands for glove that gives outstanding tactile sensitivity with a unique softness and flexibility.
- The stretchy vinyl glove incorporates a unique PVC blend that looks and feels like a latex gloves.
- Tapered at the cuff to minimize cuff roll down. Easy to put on and take off.
- Meets and exceeds ASTM D5250

Item	Description	Size	Packaging
MG325L	NeuSkin Ultra Stretch Vinyl Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG325S	NeuSkin Ultra Stretch Vinyl Exam Glove	Small	100 eaches/box 10 boxes/case
MG325M	NeuSkin Ultra Stretch Vinyl Exam Glove	Medium	100 eaches/box 10 boxes/case
MG325L	NeuSkin Ultra Stretch Vinyl Exam Glove	Large	100 eaches/box 10 boxes/case
MG325XL	NeuSkin Ultra Stretch Vinyl Exam Glove	X-Large	100 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.13	5.2
Palm:	.10	4.0
Cuff:	.08	3.4
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	20 MPa
Ultimate Elongation:	450%
After Aging	
Tensile Strength:	19 MPa
Ultimate Elongation:	400%

Quality Standards

Manufactured in accordance with Quality System ISO 9001.
Exceeds current ASTM 5250 Standards for critical defects (AQL 2.5).
AQL for critical defects is 1.5.

Note: Specifications are subject to change without notice.



For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



NeuSkin Ultra



Powder-Free Vinyl Exam Gloves, Stretch

NeuSkin Ultra Stretch Vinyl exam gloves are made from a vinyl formulation that helps provide elasticity and fit. They are soft and flexible, don easily and feel natural. Stretch Vinyl exam gloves are ideal for short-term use where there is minimal stress on the glove and a low-to-no risk of exposure to blood or other potentially infectious materials.

ENHANCED
FORMULATION
THAT PROVIDES
**ELASTICITY
AND FIT**

Description:

- NeuSkin Ultra Synthetic vinyl powder-free stretch vinyl exam gloves are an advanced formulation stretch vinyl that conform to the hands for glove that gives outstanding tactile sensitivity with a unique softness and flexibility.
- The stretchy vinyl glove incorporates a unique PVC blend that looks and feels like latex gloves.
- Tapered at the cuff to minimize cuff roll down. Easy to put on and take off.
- Meets and exceeds ASTM D5250

Item	Description	Size	Packaging
MG3251	NeuSkin Ultra Stretch Vinyl Exam Glove	X-Small	150 eaches/box 10 boxes/case
MG3252	NeuSkin Ultra Stretch Vinyl Exam Glove	Small	150 eaches/box 10 boxes/case
MG3253	NeuSkin Ultra Stretch Vinyl Exam Glove	Medium	150 eaches/box 10 boxes/case
MG3254	NeuSkin Ultra Stretch Vinyl Exam Glove	Large	150 eaches/box 10 boxes/case
MG3255	NeuSkin Ultra Stretch Vinyl Exam Glove	X-Large	150 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.13	5.2
Palm:	.10	4.0
Cuff:	.08	3.4
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	20 MPa
Ultimate Elongation:	450%
After Aging	
Tensile Strength:	19 MPa
Ultimate Elongation:	400%

Quality Standards

Manufactured in accordance with Quality System ISO 9001.
Exceeds current ASTM 5250 Standards for critical defects (AQL 2.5).
AQL for critical defects is 1.5.

Note: Specifications are subject to change without notice.



For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



Powder-Free Latex Exam Gloves

Medgluv Latex Powder-Free Exam Gloves have excellent barrier properties combined with great fit, feel and are powder-free to minimize skin irritation. They offer a soft and comfortable feel with outstanding tactile sensitivity and dexterity.

Description:

- This 6.5 mil textured glove ensures a secure grip while the superior elasticity provides unequal comfort, fit, strength and tactile sensitivity
- Standard Malaysian Gloves (SMG) certification assurance for quality low-protein latex exam glove.
- Offer excellent sensitivity touch perception and dependable protection
- Minimal low-protein level latex helps reduce latex sensitivity to wearers.
- Biodegradable and Environment friendly.

Item	Description	Size	Packaging
MG100XS	Medgluv Latex Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG100S	Medgluv Latex Exam Glove	Small	100 eaches/box 10 boxes/case
MG100M	Medgluv Latex Exam Glove	Medium	100 eaches/box 10 boxes/case
MG100L	Medgluv Latex Exam Glove	Large	100 eaches/box 10 boxes/case
MG100XL	Medgluv Latex Exam Glove	X-Large	100 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.16	6.5
Palm:	.13	5.2
Cuff:	.10	4.0
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	29 MPa
Ultimate Elongation:	700%
After Aging	
Tensile Strength:	25 MPa
Ultimate Elongation:	600%

Quality Standards

Manufactured in accordance with Quality Sysyem ISO 9001.
Meet and exceeds ASTM D3578 , D5151 and FDA CFR 177-2600 -
US Food Contact Approved, QSR/FDA 510K Medical Examination Grade.

Note: Specifications are subject to change without notice.

EXCEPTIONAL FIT,
THICKNESS FOR
DURABLE PROTECTION



Caution: This product contains natural rubber latex (latex) which may cause allergic reactions in some users. Safe use of this glove by or on latex sensitized individuals has not been established.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



Powder-Free Latex Exam Gloves

NeuGrip Latex Aloe Powder-Free Exam Gloves have excellent barrier properties combined with great fit, feel and are powder-free to minimize skin irritation. They offer a soft and comfortable feel with outstanding tactile sensitivity. Naturally helps moisturize and soothe dry, chapped hands.

EXCEPTIONAL FIT,
THICKNESS FOR
DURABLE PROTECTION

Description:

- Top quality Latex Exam glove with the benefits of aloe vera
- Naturally helps moisturize and soothe dry, chapped hands
- Strong durable powder-free natural rubber latex gloves provide superior barrier protection to minimize skin irritation.
- Standard Malaysian Gloves (SMG) certification assurance for quality low-protein latex exam glove.
- Biodegradable and Environment friendly.

Item	Description	Size	Packaging
MG1010	NeuGrip Aloe Latex Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG1011	NeuGrip Aloe Latex Exam Glove	Small	100 eaches/box 10 boxes/case
MG1012	NeuGrip Aloe Latex Exam Glove	Medium	100 eaches/box 10 boxes/case
MG1013	NeuGripLatex Exam Glove	Large	100 eaches/box 10 boxes/case
MG1014	NeuGrip Aloe Latex Exam Glove	X-Large	100 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.16	6.5
Palm:	.13	5.2
Cuff:	.10	4.0
Average Length	242mm	9.5"

Physical Properties

Before Aging

Tensile Strength:	29 MPa
Ultimate Elongation:	700%

After Aging

Tensile Strength:	25 MPa
Ultimate Elongation:	600%

Quality Standards

Manufactured in accordance with Quality Sysyem ISO 9001.
Meet and exceeds ASTM D3578 , D5151 and FDA CFR 177-2600 -
US Food Contact Approved, QSR/FDA 510K Medical Examination Grade.

Note: Specifications are subject to change without notice.



Caution: This product contains natural rubber latex (latex) which may cause allergic reactions in some users. Safe use of this glove by or on latex sensitized individuals has not been established.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



Powder-Free Latex Exam Gloves

NeuGrip Latex Powder-Free Exam Gloves are durable and strong in providing an excellent protection for the aviation and automotive industry. These dependable thicker latex glove provides a secure and excellent grip in any heavy duty environment. They allows easy donning and a comfortable feel and fit. They offer a soft and comfortable feel with outstanding tactile sensitivity and dexterity.

Description:

- NeuGrip's 8 mil glove thickness provides enhanced protection in the finger-tips where protection is critical.
- Unique double chlorination process results in consistency excellent donning, soft, comfortable fit and excellent elasticity
- Standard Malaysian Gloves (SMG) certification assurance for quality low-protein latex exam glove.
- Ideal for tasks in heavy-duty environments..
- Biodegradable and Environment friendly.

Item	Description	Size	Packaging
MG105XS	NeuGrip Latex Exam Glove	X-Small	100 eaches/box 10 boxes/case
MG105S	NeuGrip Latex Exam Glove	Small	100 eaches/box 10 boxes/case
MG105M	NeuGrip Latex Exam Glove	Medium	100 eaches/box 10 boxes/case
MG105L	NeuGrip Latex Exam Glove	Large	100 eaches/box 10 boxes/case
MG105XL	NeuGrip Latex Exam Glove	X-Large	100 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.20	7.9
Palm:	.15	6.1
Cuff:	.12	4.7
Average Length	242mm	9.5"

Physical Properties

Before Aging	
Tensile Strength:	32 MPa
Ultimate Elongation:	780%
After Aging	
Tensile Strength:	28 MPa
Ultimate Elongation:	720%

Quality Standards

Manufactured in accordance with Quality System ISO 9001.
Exceeds and meets current ASTM 3578 standard for critical defects.

Note: Specifications are subject to change without notice.

EXCEPTIONAL FIT,
THICKNESS FOR
DURABLE PROTECTION



Caution: This product contains natural rubber latex which may cause allergic reactions in some users. Safe use of this glove by or on latex sensitized individuals has not been established.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



TuffSkin XP



12-inch Cuff and 15 mil Thickness Powder-Free Latex Exam Gloves

Ideal for chemotherapy compounding and other related chemo applications. These 18-mil latex specialty glove is designed to offer exceptional added coverage and increased protection where there is potential exposure to sharps and chemicals.

Description:

- Diamond Textured gloves provide superior durability to handle your toughest applications, wet or dry.
- Delivers superior protection and are ideal for decontamination, chemotherapy compounding, cleaning and sterilizing instruments and meet the demands in law enforcement and industrial safety.
- Tested for puncture resistance and comfortable feel
- Meets USP 800 compliant and D6978-05 Standards for use of chemotherapy gloves when handling hazardous drugs* .

Item	Description	Size	Packaging
MG1215S	TuffSkin XP Latex Exam Glove	Small	50 eaches/box 10 boxes/case
MG1215M	TuffSkin XP Latex Exam Glove	Medium	50 eaches/box 10 boxes/case
MG1215L	TuffSkin XP Latex Exam Glove	Large	50 eaches/box 10 boxes/case
MG1215XL	TuffSkin XP Latex Exam Glove	X-Large	50 eaches/box 10 boxes/case
MG1215XXL	TuffSkin XP Latex Exam Glove	2X-Large	45 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.37	14.5 (15.0 XL/2XL)
Palm:	.28	11.0
Cuff:	.25	9.8
Average Length	305mm	12"

Physical Properties

Before Aging

Tensile Strength:	38 MPa
Ultimate Elongation:	780%

After Aging

Tensile Strength:	33 MPa
Ultimate Elongation:	720%

Quality Standards

Manufactured in accordance with Quality System ISO 9001.
Exceeds and meets current ASTM 3578 standard for critical defects.

Note: Specifications are subject to change without notice.

MAXIMUM BARRIER PROTECTION FOR ALL RISKS



Caution: This product contains natural rubber latex which may cause allergic reactions in some users. Safe use of this glove by or on latex sensitized individuals has not been established.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



TuffSkin Blu



12-inch Cuff and 18 mil Thickness
Powder-Free Latex Exam Gloves

Ideal for chemotherapy compounding and other related chemo applications. These 18-mil latex specialty glove is designed to offer exceptional added coverage and increased protection where there is potential exposure to sharps and chemicals.

Description:

- Diamond Textured gloves provide superior durability to handle your toughest applications, wet or dry.
- Delivers superior protection and are ideal for decontamination, chemotherapy compounding, cleaning and sterilizing instruments and meet the demands in law enforcement and industrial safety.
- Tested for puncture resistance and comfortable feel
- Meets USP 800 compliant and D6978-05 Standards for use of chemotherapy gloves when handling hazardous drugs* .

Item	Description	Size	Packaging
MG12181	TuffSkin Blu Latex Exam Glove	Small	50 eaches/box 10 boxes/case
MG12182	TuffSkin Blu Latex Exam Glove	Medium	50 eaches/box 10 boxes/case
MG12183	TuffSkin Blu Latex Exam Glove	Large	50 eaches/box 10 boxes/case
MG12184	TuffSkin Blu Latex Exam Glove	X-Large	50 eaches/box 10 boxes/case
MG12185	TuffSkin Blu Latex Exam Glove	2X-Large	45 eaches/box 10 boxes/case

Product Specifications

Gauge Thickness	MM	MIL
Middle Finger:	.46	18.2
Palm:	.38	15.0
Cuff:	.30	12.0
Average Length	305mm	12"

Physical Properties

Before Aging

Tensile Strength:	38 MPa
Ultimate Elongation:	780%

After Aging

Tensile Strength:	33 MPa
Ultimate Elongation:	720%

Quality Standards

Manufactured in accordance with Quality System ISO 9001.
Exceeds and meets current ASTM 3578 standard for critical defects.

Note: Specifications are subject to change without notice.

18 MIL THICK DIAMOND
TEXTURED FOR
MAXIMUM PROTECTION



Diamond
Textured



Caution: This product contains natural rubber latex which may cause allergic reactions in some users. Safe use of this glove by or on latex sensitized individuals has not been established.

For additional information, please visit: www.medgluv.com
Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Store in a cool dry place. Keep away from sources of ozone and ignition.



www.medgluv.com



NeuMask

Ear-loop Procedure Mask

Medgluv Procedure Earloop Face Masks are a level 3 high barrier mask ideal for oral exams of high-risk patients and procedures involving high levels of spray, spatter, moisture and airborne particles. Perfect for ultrasonic scalers, high-speed aerosols, air polishers and oral surgeries. Soft and strong, ample-length earloops so there is less pulling, and adjustable nosepiece for comfortable fit. Especially useful for laser procedures that generate harmful airborne particles. Comfortable and highly breathable in any settings. Light, comfortable masks for extended wear when necessary. Latex free, ear loops are made with no irritating rubber or plastic touches the skin. Three-ply, glass-free filter media is surrounded by soft, non-irritating inner and outer facing.

Description

- Procedure masks with elastic ear-loops provide complete protection
- Polypropylene material offer a soft, fluid protection barrier.
- A full-width nosepiece guarantees proper fit.
- High Filtration Melt-blown Filter. Easy breathing; Delta-P < 6.0
- Bacterial filtration Efficiency (BFE) > 98% @ 3.0µm.
- Meets and exceeds ASTM F2100-19 Standards

Item No: MGM101 (Level 3)
Color: Blue
Packaging: 50 masks/box, 10 boxes/case



Item No: MGM102 (Level 2)
Color: Orange
Packaging: 50 masks/box, 10 boxes/case



Item No: MGM103 (Level 2)
Color: Pink
Packaging: 50 masks/box, 10 boxes/case



Item No: MGM104 (Level 3)
Color: Black
Packaging: 50 masks/box, 10 boxes/case



Item No: MGMC100 (Level 1)
Color: Childs Characters
Packaging: 50 masks/box, 10 boxes/case



Medgluv Shoe Covers

With Non-Skid Bottom

Great way to keep dirt and other contaminants out of unwanted areas in any facilities. Prevent slips and contamination, applicable in a wide variety of settings and situations.

Description

- Increased tear strength with sewn seams.
- Skid-resistant tacky bottom strip
- Full elastic added to fit over shoes for easy donning.

Material:	Spunbond non-woven material
Color:	Blue
Item Number:	MGSC102 (Size XL)
Packaging:	100covers/bag, 10 bags/case




Medgluv Bouffant Caps

Made with lightweight spunbond fabric and are designed to cover hair in no fluid contamination or light fluid contamination environments. Regular blue spunbond bouffants, are suitable for non-fluid contamination environments, such as patient rooms, waiting areas and exam rooms.

Description

- One layer spunbond fabric
- Latex-Free elastic

Brand	Medgluv Bouffant Caps
Material	Spunbond non-woven material
Color	Blue
Item Number:	MGBC21 - 21" MGBC24 - 24"
Packaging	100caps/bag, 10 bags/case



LAB COATS Premium Disposable

Medgluv disposable premium lab coats are engineered to optimize comfort and barrier protection. Lab coats are rigorously tested and manufactured in an ISO Certified facility under stringent process controls to ensure that each product meets exacting quality standards and performs to specification

Characteristics and Overview:

- Knee-length provides ample body coverage.
- Knit collar, knit cuffs and snap front
- Elastic wrists provide a secure fit and reduce the risk of tears and snags
- Made with protective multilayer nonwoven material that is fluid resistant, breathable and comfortable
- Triple layer Non-Conductive Material resists moisture, dirt and spill.



Mask Specifications:


Brand: Disposable Premium Lab Coats
Material: Spunbond non-woven material
Color: Blue and White
Item Number: MGLC10 / MGLC20
Packaging: 10pcs/bag, 3bags/case

WITHOUT POCKETS

Item #	Size	Color
MGLC101	Small	White
MGLC102	Medium	White
MGLC103	Large	White
MGLC104	X-Large	White
MGLC105	2X-Large	White
MGLC106	Small	Blue
MGLC107	Medium	Blue
MGLC108	Large	Blue
MGLC109	X-Large	Blue
MGLC110	2X-Large	Blue

WITH 3 POCKETS

Item #	Size	Color
MGLC201	Small	White
MGLC202	Medium	White
MGLC203	Large	White
MGLC204	X-Large	White
MGLC205	2X-Large	White
MGLC206	Small	Blue
MGLC207	Medium	Blue
MGLC208	Large	Blue
MGLC209	X-Large	Blue
MGLC210	2X-Large	Blue



Single use only
Do not reuse.



Latex-Free



Non-Sterile



AAMI Level 1 Isolation Gown - MGGL104

Disposable Protective Isolation Gown. Non-Sterile 45 grams Polyethylene film fluid-resistance protective gown. Impervious to the penetration of Fluid liquids.

- Disposable non-surgical isolation gown
- Breathable, Knitted cuff wrists
- Straps on neck and waists
- Impervious to Fluids.
- 100 gowns per case.



AAMI Level 2 Isolation Gown - MGGL24


Disposable Protective Isolation Gown, non-sterile, 27 grams polypropylene non-woven fabric. Impervious to the penetration of fluid liquids.

- Disposable non-surgical isolation gown
- Breathable, Knitted cuff wrists
- Straps on neck and waists
- Impervious to Fluids.
- Ultrasonic sewn seams
- Meets and Exceeds AAMI PB70 – Level 2
- 100 gowns per case.

AAMI Level 3 Isolation Gown - MGGL34

Disposable Protective Isolation Gown, non-sterile, 45 grams polypropylene with polyethylene coating. Ultrasonic sewn seams. Impervious to the penetration of fluid liquids.

- Disposable Non-Surgical Isolation Gown
- 100 gowns per case
- Splash Resistance
- Straps on neck and waist
- Elastic Knit Rib Cuff
- Ultrasonic sewn seams.



Certified Gowns Test Results:

AAMI Level	Test	Liquid Challenge	Result	Medgluv Gown Test Result	
1	AATCC 42 Impact Penetration	Water	≤ 4.5 g	0.06 g	PASS
2	AATCC 42 Impact Penetration	Water	≤ 1.0 g	0.06 g	PASS
	AATCC 127 Hydrostatic Pressure	Water	≤ 20 cm	144.97 cm	PASS
3	AATCC 42 Impact Penetration	Water	≤ 1.0 g	0.06 g	PASS
	AATCC 127 Hydrostatic Pressure	Water	< 5.0 cm	144.49 cm	PASS

