



antark
ASHWA





**Most Robust Chassis in class
Best in class Suspension**



Digital Speedometer for new EV Era



Stylish Headlights

**India's Highest Payload Carrying Capacity Vehicle in segment
India's Lowest Maintenance Cargo Electric Vehicle in segment**

3 Years Warranty/ 80,000 Kms.*

Best in class Lowest Maintenance Power train

Technical Specifications	
Vehicle Category	L5N
Seating Capacity	Driver Only
Powertrain	
Battery Type,Voltage	LFP, 60V
Battery Capacity (Rated)	9.5 KW
Peak Power	9 KW @3200RPM
Peak Torque	85Nm
Transmission Type	Floating axle AE gear with Differential
Suspension and brakes	
Front	Leading Link Type with Coil Spring & Shock Absorber
Rear	Two sets of Longitudinal Leaf Springs, Assisted By Two Telescopic Shock Absorbers
Steering	Handle Bar
Brake	Drum brake hydraulically actuated (Front & Rear)
Tyre	4.5 x 10 - 8 PR
Dimensions	
Wheelbase	2080 mm
Overall Width	1490 mm
Overall Length	3400 mm
Overall Height	1685 mm
Ground Clearance	180 mm
Payload Box dimensions	1830 mm x 1400 mm x 285 mm
Performance	
Top Speed	42 kmph
Driving Range	100 ± 5 kms
Gradeability	17%
Home Charger	
Type	60V/ 1750W Off board Charger
Charge Duration	4-5 Hrs.

For sales Inquiry:
Mail at info@antarkenergy.com