



2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis



Client Name: Rolling Pines

Client Address: 2672 A Lower Centreville Rd, Liberty, MS 39645

License Number: MCUL002757 / MPRC001303



Sample Name: Lemon Haze Full Spectrum 1g Vape Cart

Sample ID: MS10887

METRC ID (LOT#): 1A4230100007851000000314

Batch Number: 1A4230100007851000000311

Sample Matrix: Vape Cart

Total Batch Size (#), Units in Batch (count):

Total Sample Weight (g), Units Sampled (count): 10

Sample Density(g/ml):

Servings Per Container (#):

Serving Mass (g):

Grams per Package:

Date Sampled: 3/20/2025

Date Received: 3/20/2025

Date Reported: 3/27/2025

Sample Result: PASS



Cannabinoids

PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #88580

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	0.5892	5.892	0.0384	0.1160
CBD	10.8405	108.405	0.0564	0.1709
CBDA	ND	ND	0.0627	0.1889
CBDV	< LOQ	< LOQ	0.0698	0.2124
CBG	5.2199	52.199	0.0572	0.1740
CBGA	0.1775	1.775	0.0603	0.1826
CBN	1.0135	10.135	0.0549	0.1654
d8-THC	ND	ND	0.0447	0.1356
d9-THC	56.726	567.26	0.0455	0.1372
THCA	1.676	16.76	0.0470	0.1411
THCV	0.372	3.72	0.0556	0.1677

Total Cannabinoids

	%	mg/g
Total THC:	58.20	581.959
Total CBD:	10.84	108.405
Total Cannabinoids:	76.39	763.866

Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)



Sample ID: MS10887

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #88583

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
Myrcene	0.9222	9.222	0.006	0.018
α -Pinene	0.8548	8.548	0.003	0.009
trans-Caryophyllene	0.818	8.18	0.014	0.043
Limonene	0.3608	3.608	0.006	0.018
beta-Pinene	0.3562	3.562	0.006	0.019
α -Humulene	0.3168	3.168	0.007	0.022
Linalool	0.3112	3.112	0.007	0.023
trans-Ocimene	0.2866	2.866	0.011	0.032
α -Bisabolol	0.2285	2.285	0.017	0.052
Guaiol	0.185	1.85	0.013	0.040
Carophyllene Oxide	0.1703	1.703	0.022	0.067
trans-Nerolidol	0.155	1.55	0.007	0.021
Geraniol	0.1227	1.227	0.021	0.065
3-Carene	0.1089	1.089	0.005	0.016
Isopulegol	0.1072	1.072	0.016	0.048
α -Terpinolene	0.1063	1.063	0.003	0.011
Camphene	0.1038	1.038	0.009	0.027
gamma-terpinene	0.0997	0.997	0.005	0.016
alpha-Terpinene	0.0968	0.968	0.002	0.007
Cineole	0.0739	0.739	0.008	0.024
cis-Ocimene	0.0284	0.284	0.005	0.015
cis-Nerolidol	ND	ND	0.007	0.021
Total Terpenes	5.8131	58.131		

Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units: $\mu\text{g/kg}$ | Test ID: #89424

Analyte	Pass/Fail	Result ($\mu\text{g/g}$)	Limit	LOD ($\mu\text{g/g}$)	LOQ ($\mu\text{g/g}$)
Arsenic	Pass	0.111	0.200	0.016	0.050
Cadmium	Pass	< LOQ	0.200	0.022	0.067
Chromium	Pass	ND	0.600	0.065	0.198
Copper	Pass	1.126	3.000	0.083	0.251
Lead	Pass	< LOQ	0.500	0.021	0.062
Mercury	Pass	ND	0.100	0.028	0.084
Nickel	Pass	0.429	0.500	0.055	0.166



Sample ID: MS10887

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #88584

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	0.013	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chloromequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Paclobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	ND	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS10887





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Mycotoxins

PASS

Mycotoxins (LC-MS) - Limit units: $\mu\text{g/kg}$ = ppb | Test ID: #88582

Analyte	Pass/Fail	Result ($\mu\text{g/kg}$)	Limit	LOD ($\mu\text{g/kg}$)
Aflatoxin B1	PASS	ND	20.0	0.679
Aflatoxin B2	PASS	ND	20.0	0.433
Aflatoxin G1	PASS	ND	20.0	0.373
Aflatoxin G2	PASS	ND	20.0	0.632
Ochratoxin A	PASS	ND	20.0	0.446

Residual Solvents

Pass

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (HS-GC-MS) - Limit units: $\mu\text{g/g}$ | Test ID: #88585

Analyte	Pass/Fail	Result ($\mu\text{g/g}$)	Limit	LOD ($\mu\text{g/g}$)	LOQ ($\mu\text{g/g}$)
Propane	Pass	ND	5000	187.88	626.28
2-Methylpropane	Pass	ND	5000	93.50	311.66
n-Butane	Pass	ND	5000	99.75	332.51
Neopentane	Pass	ND	5000	248.23	827.43
Methanol	Pass	ND	3000	208.89	696.29
Isopentane	Pass	ND	5000	506.34	1687.79
n-Pentane	Pass	ND	5000	393.23	1310.76
Ethanol	Pass	<LOQ	5000	346.28	1154.27
Ethyl Ether	Pass	ND	5000	400.67	1335.56
2,2-Dimethylbutane	Pass	ND	290	56.50	188.34
Acetone	Pass	<LOQ	1000	42.17	140.57
Isopropanol	Pass	ND	5000	260.56	868.52
Acetonitrile	Pass	ND	410	54.54	181.79
2,3-Dimethylbutane	Pass	ND	290	2.54	8.48
Dichloromethane	Pass	ND	600	14.22	47.41
2-Methylpentane	Pass	ND	290	47.80	159.35
3-Methylpentane	Pass	ND	290	53.27	177.57
n-Hexane	Pass	ND	290	49.79	165.98
Ethyl Acetate	Pass	ND	5000	334.29	1114.30
Chloroform	Pass	ND	60	1.04	3.46
Benzene	Pass	ND	2	0.18	0.61
Isopropyl Acetate	Pass	ND	5000	377.60	1258.67
n-Heptane	Pass	ND	5000	667.21	2224.02
Toluene	Pass	ND	890	68.95	229.84
Ethyl Benzene	Pass	ND	2170	181.59	605.30
m,p-Xylene	Pass	ND	2170	421.85	1406.18
o-Xylene	Pass	ND	2710	206.87	689.57
Total Xylene	Pass	ND	2170	6.90	22.99

Microbials

PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus1	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Total Yeast and Mold	0	10,000 CFU/g	Pass
Total Coliforms	0	100 CFU/g	Pass



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steeptill.com

Regulatory Compliance Testing Certificate of Analysis

Foreign Material

Pass

Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	Pass

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Whitney Morris

Whitney Morris
Laboratory Director
Date: 3/27/2025



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

