



2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis



Client Name: Rolling Pines

Client Address: 2672 A Lower Centreville Rd, Liberty, MS 39645

License Number: MCUL002757 / MPRC001303



Sample Name: Supa Cake 1g FSO Vape Cart

Sample ID: MS10571

METRC ID (LOT#): 1A4230100007851000000271

Batch Number: 1A4230100007851000000240

Sample Matrix: Vape Cart

Total Batch Size (#), Units in Batch (count):

Total Sample Weight (g), Units Sampled (count): 10

Sample Density(g/ml):

Servings Per Container (#):

Serving Mass (g):

Grams per Package:

Date Sampled: 3/5/2025

Date Received: 3/5/2025

Date Reported: 3/10/2025

Sample Result: PASS



Cannabinoids

PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #85927

| Analyte | % | mg/g | LOD (mg/g) | LOQ (mg/g) |
|---------|---------|---------|------------|------------|
| CBC | 0.5807 | 5.807 | 0.0396 | 0.1196 |
| CBD | 6.4658 | 64.658 | 0.0582 | 0.1762 |
| CBDA | 0.0483 | 0.483 | 0.0647 | 0.1948 |
| CBDV | ND | ND | 0.0719 | 0.2191 |
| CBG | 0.8776 | 8.776 | 0.0590 | 0.1795 |
| CBGA | 0.2276 | 2.276 | 0.0622 | 0.1884 |
| CBN | 0.9486 | 9.486 | 0.0566 | 0.1706 |
| d8-THC | ND | ND | 0.0461 | 0.1399 |
| d9-THC | 53.5287 | 535.287 | 0.0469 | 0.1415 |
| THCA | 2.5024 | 25.024 | 0.0485 | 0.1455 |
| THCV | 0.2334 | 2.334 | 0.0574 | 0.1730 |

| Total Cannabinoids | | |
|---------------------|-------|---------|
| | % | mg/g |
| Total THC: | 55.72 | 557.233 |
| Total CBD: | 6.51 | 65.082 |
| Total Cannabinoids: | 65.07 | 650.714 |

Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)



Sample ID: MS10571

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #85930

| Analyte | % | mg/g | LOD (mg/g) | LOQ (mg/g) |
|---------------------|--------|--------|------------|------------|
| trans-Caryophyllene | 2.6666 | 26.666 | 0.014 | 0.043 |
| Limonene | 1.4612 | 14.612 | 0.006 | 0.018 |
| a-Humulene | 0.9232 | 9.232 | 0.007 | 0.022 |
| Linalool | 0.7368 | 7.368 | 0.007 | 0.023 |
| a-Bisabolol | 0.7308 | 7.308 | 0.017 | 0.052 |
| Myrcene | 0.7162 | 7.162 | 0.006 | 0.018 |
| trans-Nerolidol | 0.3058 | 3.058 | 0.007 | 0.021 |
| a-Pinene | 0.2913 | 2.913 | 0.003 | 0.010 |
| beta-Pinene | 0.2692 | 2.692 | 0.006 | 0.019 |
| Guaiol | 0.2203 | 2.203 | 0.013 | 0.040 |
| Carophyllene Oxide | 0.1934 | 1.934 | 0.022 | 0.067 |
| Geraniol | 0.1327 | 1.327 | 0.021 | 0.065 |
| Camphene | 0.1279 | 1.279 | 0.009 | 0.027 |
| a-Terpinolene | 0.1188 | 1.188 | 0.003 | 0.011 |
| Isopulegol | 0.1068 | 1.068 | 0.016 | 0.048 |
| gamma-terpinene | 0.1015 | 1.015 | 0.005 | 0.016 |
| 3-Carene | 0.101 | 1.01 | 0.005 | 0.016 |
| alpha-Terpinene | 0.0974 | 0.974 | 0.002 | 0.007 |
| Cineole | 0.0848 | 0.848 | 0.008 | 0.024 |
| trans-Ocimene | 0.0738 | 0.738 | 0.011 | 0.032 |
| cis-Ocimene | 0.0314 | 0.314 | 0.005 | 0.015 |
| cis-Nerolidol | ND | ND | 0.007 | 0.021 |
| Total Terpenes | 9.4909 | 94.909 | | |

Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units: µg/kg | Test ID: #85928

| Analyte | Pass/Fail | Result (ug/g) | Limit | LOD (ug/g) | LOQ (ug/g) |
|----------|-----------|---------------|-------|------------|------------|
| Arsenic | Pass | < LOQ | 0.200 | 0.016 | 0.050 |
| Cadmium | Pass | ND | 0.200 | 0.022 | 0.067 |
| Chromium | Pass | < LOQ | 0.600 | 0.065 | 0.198 |
| Copper | Pass | ND | 3.000 | 0.083 | 0.251 |
| Lead | Pass | ND | 0.500 | 0.021 | 0.062 |
| Mercury | Pass | ND | 0.100 | 0.028 | 0.084 |
| Nickel | Pass | < LOQ | 0.500 | 0.055 | 0.166 |



Sample ID: MS10571

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #85931

| Analyte | Pass/Fail | Result (µg/g) | Limit | LOD (µg/g) | LOQ (µg/g) |
|-----------------------|-----------|---------------|-------|------------|------------|
| Abamectin | PASS | ND | 0.500 | 0.001 | 0.002 |
| Acephate | PASS | ND | 0.400 | 0.015 | 0.047 |
| Acequinocyl | PASS | ND | 2.000 | 0.024 | 0.072 |
| Acetamiprid | PASS | ND | 0.200 | 0.002 | 0.006 |
| Aldicarb | PASS | ND | 0.400 | 0.005 | 0.015 |
| Azoxystrobin | PASS | ND | 0.200 | 0.002 | 0.006 |
| Bifenazate | PASS | ND | 0.200 | 0.002 | 0.007 |
| Bifenthrin | PASS | ND | 0.200 | 0.004 | 0.012 |
| Boscalid | PASS | ND | 0.400 | 0.008 | 0.023 |
| Carbaryl | PASS | ND | 0.200 | 0.001 | 0.003 |
| Carbofuran | PASS | ND | 0.200 | 0.002 | 0.005 |
| Chlorantraniliprole | PASS | ND | 0.200 | 0.004 | 0.011 |
| Chlorfenapyr | PASS | ND | 1.000 | 0.056 | 0.170 |
| Chloromequat chloride | PASS | ND | 0.200 | 0.004 | 0.013 |
| Chlorpyrifos | PASS | ND | 0.200 | 0.004 | 0.011 |
| Clofentezine | PASS | ND | 0.200 | 0.002 | 0.006 |
| Cyfluthrin | PASS | ND | 1.000 | 0.025 | 0.076 |
| Cypermethrin | PASS | ND | 1.000 | 0.010 | 0.029 |
| Daminozide | PASS | ND | 1.000 | 0.014 | 0.044 |
| Diazinon | PASS | ND | 0.200 | 0.001 | 0.004 |
| Dichlorvos | PASS | ND | 0.100 | 0.001 | 0.002 |
| Dimethoate | PASS | ND | 0.200 | 0.002 | 0.005 |
| Ethoprophos | PASS | ND | 0.200 | 0.002 | 0.006 |
| Etofenprox | PASS | ND | 0.400 | 0.009 | 0.029 |
| Etoxazole | PASS | ND | 0.200 | 0.001 | 0.004 |
| Fenoxycarb | PASS | ND | 0.200 | 0.002 | 0.005 |
| Fenpyroximate | PASS | ND | 0.400 | 0.002 | 0.007 |
| Fipronil | PASS | ND | 0.400 | 0.008 | 0.023 |
| Flonicamid | PASS | ND | 1.000 | 0.043 | 0.130 |
| Fludioxonil | PASS | ND | 0.400 | 0.010 | 0.030 |
| Hexythiazox | PASS | ND | 1.000 | 0.007 | 0.021 |
| Imazalil | PASS | ND | 0.200 | 0.003 | 0.008 |
| Imidacloprid | PASS | ND | 0.400 | 0.004 | 0.011 |
| Kresoxim-methyl | PASS | ND | 0.400 | 0.003 | 0.009 |
| Malathion | PASS | ND | 0.200 | 0.003 | 0.008 |
| Metalaxyl | PASS | ND | 0.200 | 0.002 | 0.004 |
| Methiocarb | PASS | ND | 0.200 | 0.002 | 0.005 |
| Methomyl | PASS | ND | 0.400 | 0.005 | 0.014 |
| Methyl parathion | PASS | ND | 0.200 | 0.005 | 0.016 |
| Myclobutanil | PASS | ND | 0.200 | 0.002 | 0.005 |
| Naled | PASS | ND | 0.500 | 0.004 | 0.012 |
| Oxamyl | PASS | ND | 1.000 | 0.013 | 0.040 |
| Paclobutrazol | PASS | ND | 0.400 | 0.009 | 0.028 |
| Permethrins | PASS | ND | 0.200 | 0.001 | 0.002 |
| Phosmet | PASS | ND | 0.200 | 0.001 | 0.004 |
| Piperonyl Butoxide | PASS | ND | 2.000 | 0.048 | 0.145 |
| Prallethrin | PASS | ND | 0.200 | 0.001 | 0.004 |
| Propiconazole | PASS | ND | 0.400 | 0.004 | 0.011 |
| Propoxur | PASS | ND | 0.200 | 0.002 | 0.005 |
| Pyrethrins | PASS | ND | 1.000 | 0.000 | 0.001 |
| Pyridaben | PASS | ND | 0.200 | 0.001 | 0.004 |
| Spinosad | PASS | ND | 0.200 | 0.000 | 0.001 |
| Spiromesifen | PASS | ND | 0.200 | 0.001 | 0.003 |
| Spirotetramat | PASS | ND | 0.200 | 0.005 | 0.015 |
| Spiroxamine | PASS | ND | 0.400 | 0.002 | 0.006 |
| Tebuconazole | PASS | ND | 0.400 | 0.006 | 0.017 |
| Thiacloprid | PASS | ND | 0.200 | 0.002 | 0.007 |
| Thiamethoxam | PASS | ND | 0.200 | 0.002 | 0.007 |
| Trifloxystrobin | PASS | ND | 0.200 | 0.015 | 0.045 |



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS10571





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Mycotoxins

PASS

Mycotoxins (LC-MS) - Limit units: $\mu\text{g/kg}$ = ppb | Test ID: #85929

| Analyte | Pass/Fail | Result ($\mu\text{g/kg}$) | Limit | LOD ($\mu\text{g/kg}$) |
|--------------|-----------|-----------------------------|-------|--------------------------|
| Aflatoxin B1 | PASS | ND | 20.0 | 0.679 |
| Aflatoxin B2 | PASS | ND | 20.0 | 0.433 |
| Aflatoxin G1 | PASS | ND | 20.0 | 0.373 |
| Aflatoxin G2 | PASS | ND | 20.0 | 0.632 |
| Ochratoxin A | PASS | ND | 20.0 | 0.446 |

Residual Solvents

Pass

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (HS-GC-MS) - Limit units: $\mu\text{g/g}$ | Test ID: #85932

| Analyte | Pass/Fail | Result ($\mu\text{g/g}$) | Limit | LOD ($\mu\text{g/g}$) | LOQ ($\mu\text{g/g}$) |
|--------------------|-----------|----------------------------|-------|-------------------------|-------------------------|
| Propane | Pass | ND | 5000 | 187.88 | 626.28 |
| 2-Methylpropane | Pass | ND | 5000 | 93.50 | 311.66 |
| n-Butane | Pass | ND | 5000 | 99.75 | 332.51 |
| Neopentane | Pass | ND | 5000 | 248.23 | 827.43 |
| Methanol | Pass | ND | 3000 | 208.89 | 696.29 |
| Isopentane | Pass | ND | 5000 | 506.34 | 1687.79 |
| n-Pentane | Pass | ND | 5000 | 393.23 | 1310.76 |
| Ethanol | Pass | <LOQ | 5000 | 346.28 | 1154.27 |
| Ethyl Ether | Pass | ND | 5000 | 400.67 | 1335.56 |
| 2,2-Dimethylbutane | Pass | ND | 290 | 56.50 | 188.34 |
| Acetone | Pass | ND | 1000 | 42.17 | 140.57 |
| Isopropanol | Pass | ND | 5000 | 260.56 | 868.52 |
| Acetonitrile | Pass | ND | 410 | 54.54 | 181.79 |
| 2,3-Dimethylbutane | Pass | ND | 290 | 2.54 | 8.48 |
| Dichloromethane | Pass | ND | 600 | 14.22 | 47.41 |
| 2-Methylpentane | Pass | ND | 290 | 47.80 | 159.35 |
| 3-Methylpentane | Pass | ND | 290 | 53.27 | 177.57 |
| n-Hexane | Pass | ND | 290 | 49.79 | 165.98 |
| Ethyl Acetate | Pass | ND | 5000 | 334.29 | 1114.30 |
| Chloroform | Pass | ND | 60 | 1.04 | 3.46 |
| Benzene | Pass | ND | 2 | 0.18 | 0.61 |
| Isopropyl Acetate | Pass | ND | 5000 | 377.60 | 1258.67 |
| n-Heptane | Pass | ND | 5000 | 667.21 | 2224.02 |
| Toluene | Pass | ND | 890 | 68.95 | 229.84 |
| Ethyl Benzene | Pass | ND | 2170 | 181.59 | 605.30 |
| m,p-Xylene | Pass | ND | 2170 | 421.85 | 1406.18 |
| o-Xylene | Pass | ND | 2710 | 206.87 | 689.57 |
| Total Xylene | Pass | ND | 2170 | 6.90 | 22.99 |

Microbials

PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

| Analyte | Results (CFU/g) | Limit (CFU/g) | Pass/Fail |
|-----------------------|-----------------|----------------------|-----------|
| Aspergillus Fumigatus | ND | Detectable in 1 gram | Pass |
| Aspergillus Niger | ND | Detectable in 1 gram | Pass |
| Aspergillus Flavus1 | ND | Detectable in 1 gram | Pass |
| Aspergillus Terrus | ND | Detectable in 1 gram | Pass |
| Shiga Toxin E.Coli | ND | Detectable in 1 gram | Pass |
| Salmonella | ND | Detectable in 1 gram | Pass |
| Total Yeast and Mold | 0 | 10,000 CFU/g | Pass |
| Total Coliforms | 0 | 100 CFU/g | Pass |



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS10571





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Foreign Material

Pass

Foreign Matter Inspection

| Analyte | Pass/Fail |
|----------------|-----------|
| Foreign Matter | Pass |

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Whitney Morris

Whitney Morris
Laboratory Director
Date: 3/10/2025



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

