

phi




phi



## DESIGN DYNAMICS


PHI Bi-Polarity gives it its dual personality. Its sleek simplistic appearance should not be confused with just looks. PHI will surprise you with its Multi-Functionality in use and aesthetics.

Its unique UNIFY mechanism is in organic synchrony with its comfort, function, and refined polished look.



Fixed Aluminum  
Loop Arm

Dynamic Mesh-Activated  
Lumbar Support



3 way adjustable arms

Seat Slider With Seat  
Pan Embedded  
Concealed Lever

phi

**ALL MESH  
CONFIGURATION**

**phi**



**PHI01A (Fixed Loop Arms)**  
**PHI02A (3D Adjustable Arms)**



**PHI01B (Fixed Loop Arms)**  
**PHI02B (3D Adjustable Arms)**



**UPHOLSTERED SEAT  
MESH BACK**

**phi**

**PHI03A (Fixed Loop Arms)  
PHI04A (3D Adjustable Arms)**



**PHI03B (Fixed Loop Arms)  
PHI04B (3D Adjustable Arms)**



**FULLY UPHOLSTERED**

**phi**

**PHI05B (Fixed Loop Arms)**



**PHI06B (3D Adjustable Arms)**





Adjustable Headrest  
(Optional)

Semi Translucent Mesh Back  
or Fully Upholstered Back

Fixed Aluminum or  
3d Adjustable Arms

Mesh Activated  
Adjustable  
Lumbar  
Support

Mesh Or  
Upholstered  
Seat

Sleek Concealed  
Adjustment controls

Unify Synchro Tilt  
Mechanism With  
Seat Slider

Class 4 Pneumatic  
Cylinder

Polished  
Aluminum  
Base

Multi-Surface  
Soft Noiseless Casters








phi









HY-6801B  
Grey




HY-6804B  
Black



HY-6836B  
Grayish Blue



HY-6826B  
Red




HY-6858B  
Grass Green

**STANDARD  
SEAT UPHOLSTERY  
COLORS**

**STANDARD  
BACK MESH  
COLORS**



YN80-17C  
White




YN80-10C-5  
Grey




YN80-11C  
Black

**phi**

**WHAT'S  
YOUR  
FLAVOR  
FAVE?**



YN80-12C-3  
Red



YN80-15C-7  
Blue

phi



Shipping

20 Foot Standard 128 Chairs  
40 Foot HQ 266 Chairs



[www.axessoem.com](http://www.axessoem.com)



4641 Stag Thicket Ln.  
Brunswick, Ohio 44212 (USA)

T: +1 (330) 460-4840

[general@axess-int.com](mailto:general@axess-int.com)