ADHIKAANSH ACADEMY (IITJEE NEET IX X XI XII)

RUN BY: DEEPAK SAINI SIR

B.TECH, M.TECH (N.S.I.T. DELHI UNIVERSITY) Ex. Faculty of Resonance Kota, Career Point Kota Aakash Institute Mumbai

MATHS NOTES (CLASS 12TH)



Adhikaansh Academy

225/5, Panchsheel Colony, Apposite to Nandini Plaza , Garh Road Meerut. Contact no: 7665186856

FOR MORE FREE QUESTION BANKS AND SAMPLE PAPER WT'S UP ON : 7665186856



Chapter-01

Relation and Function

TYPES OF RELATIONS:

- A relation R in a set A is called reflexive if $(a, a) \in R$ for every $a \in A$.
- A relation R in a set A is called symmetric if (a1, a2) ∈ R implies that (a2, a1) ∈ R, for all a1, a2 ∈
- A relation R in a set A is called transitive if (a1, a2) ∈ R, and (a2, a3) ∈ R together imply that (a1
- all a1, a2, a3 \in A.

EQUIVALENCE RELATION

• A relation R in a set A is said to be an equivalence relation if R is reflexive, symmetric and transitive.

Equivalence Classes

- Every arbitrary equivalence relation R in a set X divides X into mutually disjoint subsets (Ai) called partitions or subdivisions of X satisfying the following conditions:
- All elements of Ai are related to each other for all i
- No element of Ai is related to any element of Aj whenever $i \neq j$
- $Ai \cup Ai = X$ and $Ai \cap Ai = \Phi$, $i \neq j$. These subsets ((A_i)) are called equivalence classes.
- For an equivalence relation in a set X, the equivalence class containing a ∈ X, denoted by
 [a], is the subset of X containing all elements b related to a.

****Function:** Arelation f: A \longrightarrow B is said to be a function if every clement of A is correlated to a

Unique element in B.

*Aisdomain

* Biscodomain

FOR MORE FREE QUESTION BANKS AND SAMPLE PAPER WT'S UP ON : 7665186856

