

# High Load COC

## Crop Oil Concentrate

**HIGH LOAD COC** is formulated with a balanced system of emulsifiers and crop oil for use whenever the active ingredient label recommends the use of a crop oil concentrate (COC). **HIGH LOAD COC** significantly increases wetting and the even distribution of the active ingredients throughout the canopy while improving penetration and contact activity on the target surface.

### DIRECTIONS FOR USE

Follow the directions on the most restrictive active ingredient label when prescription mixing more than one crop protection product. If the active ingredient does not specify the use of a crop oil concentrate (COC) follow the directions below. Use only if a crop oil concentrate (COC) is allowed or not excluded on the label. If the user does not have experience with the mixture being applied, perform a jar test using the order and amounts in the mixture and perform a phytotoxicity test to ensure crop safety.

### MIXING INSTRUCTIONS

In general, follow the W-A-L-E-S plan when adding herbicides to a tank mix.

1. Wettable Powders (WP) then Flowables (F, DF)
2. Agitate then add anti-foaming compounds, buffers
3. Liquid and Soluble products
4. Emulsifiable concentrates (EC)
5. **HIGH LOAD COC** and other adjuvants

Prior to mixing you should fill your spray tank with half of the carrier that you intend to use. Then start the sprayer and check that all valves and gauges work and that you have proper tank agitation.

### PRECAUTIONARY STATEMENTS

Avoid contact with skin, eyes or clothing. Do not take internally. Do not eat, drink, smoke or chew gum while using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. In addition, follow precautionary statements on all products used with this material. Clean affected clothing, shoes, and protective equipment before reuse.

### FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorized to make any warranty, guarantee of direction concerning this product. 2. Because of time, place, rate of application and other conditions of use are beyond seller's control, seller's liability from handling, storage, and use of this product is limited to replacement of product or refund of purchase price.

### PRINCIPAL FUNCTIONING AGENTS:

Paraffinic Petroleum Oil.....	60%
Surfactant/Emulsifier.....	40%
TOTAL.....	100%

All ingredients are exempt from tolerance under 40 CFR 180.

**CAUTION: Keep out of reach of children**

**IF SWALLOWED:** Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration.

**PERSONAL PROTECTIVE EQUIPMENT:** Wear protective gloves, protective clothing, eye protection and face protection.

### USE RATES

**Aerial to ground sprays using 5-50 gallons per acre:** Use 1 to 2 pints **HIGH LOAD COC** per acre in sufficient volume to provide good plant coverage with the equipment used. To increase coverage of mid to late season sprays add 1 to 2 quarts per acre. Do not exceed 2.5% v/v concentration. **Brush Control:** For weed and brush control foliage sprays, use 1 gallon **HIGH LOAD COC** per 100 gallons of finished spray. For increased coverage in late season sprays, use 2 gallons per 100 gallons.

### STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Store in original container only. Do not add anything to the container. Keep container tightly sealed when not in use. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product. For optimal storage, store between 40° and 90° F.

**Disposal:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal if allowed by law. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

**NET CONTENTS: 2.5 U.S. Gallons (9.46 L)**



AG ELEMENTS LLC  
9817 Hwy 62/82  
Wolfforth, TX 79382