





FRONT ELEVATION
1/4" = 1'-0"



RIGHT ELEVATION
1/4" = 1'-0"

FINAL PLAN

DESIGNER: M. WISELL		Drexel TM DrexelTeam.com		WILLOW RIDGE DESIGN BUILD		2024 PARADE HOUSE		COPYRIGHT © 2023 CONCEPT AND DESIGN ARE THE PROPERTY OF DREXEL TEAM, INC. ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DREXEL TEAM, INC. THIS PLAN IS THE PROPERTY OF DREXEL TEAM, INC. AND IS NOT TO BE USED FOR ANY OTHER PROJECT WITHOUT THE WRITTEN PERMISSION OF DREXEL TEAM, INC. ALL INFORMATION IS TO BE USED AS A GUIDE ONLY. DREXEL TEAM, INC. IS NOT RESPONSIBLE FOR ANY CHANGES OR MODIFICATIONS REQUIRED DURING CONSTRUCTION. REPRESENTATION FOR IMPROVEMENT.		PRELIMINARY PLAN		09/21/2023		MNW	
SCALE: 1/4" = 1'-0"		A1								REVISIONS		10/12/2023		MNW	
REVISIONS										10/19/2023		MNW			
FINAL PLAN										10/26/2023		MNW			
SHEET NO:										REVISIONS		11/01/2023		MNW	
PROJECT NO:		R23-179-M								REVISIONS		12/15/2023		MNW	




RETAINING WALL TBD
ON SITE

RETAINING WALL TBD
ON SITE

LOT 168 MORNING DEW LANE
SUN PRAIRIE, WI 53590

 DrexelTM DrexelTeam.com		DESIGNER: M. VISSELL SCALE: 1/4" = 1'-0" SHEET NO: A2 PROJECT NO: R23-179-M		2024 PARADE HOUSE WILLOW RIDGE DESIGN BUILD LOT 168 MORNING DEW LANE SUN PRAIRIE, WI 53590		COPYRIGHT © 2023 CONTRACTED FOR ARCHITECTURAL SERVICES BY DREXEL TEAM, LLC. ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DREXEL TEAM, LLC. THE INFORMATION CONTAINED HEREIN IS THE PROPERTY OF DREXEL TEAM, LLC. THE INFORMATION CONTAINED HEREIN IS FOR THE EXCLUSIVE USE OF THE CLIENT AND IS NOT TO BE USED FOR ANY OTHER PROJECTS WITHOUT THE WRITTEN PERMISSION OF DREXEL TEAM, LLC. THE INFORMATION CONTAINED HEREIN IS NOT TO BE USED FOR ANY OTHER PROJECTS WITHOUT THE WRITTEN PERMISSION OF DREXEL TEAM, LLC. THE INFORMATION CONTAINED HEREIN IS NOT TO BE USED FOR ANY OTHER PROJECTS WITHOUT THE WRITTEN PERMISSION OF DREXEL TEAM, LLC.		PRELIMINARY PLAN REVISIONS REVISIONS FINAL PLAN REVISIONS REVISIONS REVISIONS		09/21/2023 10/12/2023 10/19/2023 10/26/2023 11/01/2023 12/15/2023 MMW MMW MMW MMW MMW MMW	
---	--	---	--	---	--	--	--	--	--	---	--




FIRST FLOOR PLAN

1/4" = 1'-0"

FIRST FLOOR AREA	2131 SF
TOTAL AREA	2131 SF

UNFINISHED LOWER LEVEL AREA	924 SF
LOWER LEVEL AREA	1030 SF



TYPICAL SECTION

1/4" = 1'-0"

NEW HOME PLAN SPECIFICATIONS

- FOUNDATION INFORMATION**
- HOUSE FOUNDATION
 - 8" x 9'-0" POURED CONCRETE WALL
 - GARAGE FOUNDATION
 - 6" x 4'-0" POURED CONCRETE WALL
 - PORCH/PATIO FOUNDATION (UNEXCAVATED)
 - 6" x 4'-0" POURED CONCRETE WALL (MIN. 4'-0" TALL)
 - WALL THICKNESS FOR REPRESENTATION ONLY- MASON/CONTRACTOR TO VERIFY
 - FINAL WALL/POST FOOTING SIZE AND DEPTH DETERMINED BY CONTRACTOR
 - MASON TO LOCATE PILASTERS AND SIZE FOOTINGS PER CODE AND SOIL CONDITIONS
 - WINDOWS/DOORS TO BE SET IN CONCRETE WALL- MAKE R.O. 3" BIGGER IN WIDTH AND HEIGHT
 - BEARING WALLS TO SIT ON MIN. 16" X 8" CONT. CONCRETE FOOTINGS, STUDS @ 16" O.C.
- WALL INFORMATION**
- HOUSE EXTERIOR
 - FIRST FLOOR WALL HEIGHT: 2 x 6 x 9' 1 1/8" (UNLESS NOTED/SHOWN OTHERWISE)
 - HOUSE INTERIOR
 - FIRST FLOOR WALL HEIGHT: 2 x 4 x 9' 1 1/8" (UNLESS NOTED/SHOWN OTHERWISE)
 - GARAGE
 - WALL HEIGHT: 2 x 6 x 10'-3 1/4" (UNLESS NOTED/SHOWN OTHERWISE)
 - STUDS @ 16" O.C. (UNLESS NOTED/SHOWN OTHERWISE)
- FLOOR SYSTEMS**
- BASEMENT
 - 4" CONCRETE SLAB
 - FIRST FLOOR
 - 11 7/8" I-JOIST @ 16" O.C.
 - STANDARD LOADING (PER SQ. FT.)
 - 40' LL, 15' DL
 - ADDITIONAL LOADING (PER SQ. FT.) (WHEN APPLICABLE)
 - 10" DL FOR TILE FLOOR
 - 13" DL FOR GYPCRETE (1.5" THICK)
 - 20" DL FOR FIREPLACE FACE/HEARTH
 - 25" DL FOR GRANITE/QUARTZ
 - DEFLECTION: LL=L/480, TL=L/360
 - DURATION OF LOAD: 1.00%
- ROOF SYSTEMS**
- ENGINEERED WOOD TRUSSES @24" O.C. DESIGNED FOR: ZONE 2
 - STD. LOADING (PER SQ. FT.)
 - 30# TOLL, 10# TCOL, 10# BCDL
 - DEFLECTION: LL=L/240, TL=L/180
 - DURATION OF LOAD: 1.15%
- HEADERS**
- STANDARD HEADER
 - ALL HEADERS NOT LABELED AS LVL TO BE MIN. (2) 2X10 HEADER FOR ON-SITE (UNLESS VALUE ENGINEERED FOR OFF-SITE CONSTRUCTION)
 - TOP OF WINDOW R.O.S.
 - FIRST FLOOR @ 6'-11 3/8" ABOVE SUBFLOOR (UNLESS NOTED/SHOWN OTHERWISE)
 - MINIMUM OF (2) SHOULDER STUDS AT EACH END FOR ALL OPENINGS 6'-0" AND LARGER
- GENERAL INFORMATION**
- ALL DIMENSIONS ARE TO THE ROUGH STUD (UNLESS NOTED OTHERWISE)
 - 2X6 WALLS=5 1/2", 2X4 WALLS =3 1/2"
 - ALL DIMENSIONS ARE TO OUTSIDE OF FOUNDATION WALLS/BRICK LEDGES
 - GENERAL CONTRACTOR TO LOCATE THE FOLLOWING ITEMS IN THE FOUNDATION (WHEN APPLICABLE)
 - FLOOR DRAINS, ELECTRIC SERVICES, WATER HEATER, SUMP PIT + PUMP, FURNACE, GAS/LP LINE, BASEMENT, WINDOWS, ETC.
 - ACTUAL STEPS IN FOUNDATION WALLS AND LOCATION OF WINDOW WELLS TO BE DETERMINED ON-SITE BY GENERAL CONTRACTOR
 - DECK FRAMING SPECIFICATION TO MEET OR EXCEED REQUIREMENTS DEFINED WITHIN "APPENDIX B" OF THE WI UNIFORM DWELLING
 - ALL CABINET LAYOUTS ARE CONCEPTUAL-CONSULT CABINET DESIGNER FOR EXACT SIZES AND LOCATIONS OF CABINETS, APPLIANCES, AND WINDOWS
 - ALL DOOR HEIGHTS ARE 6'-8" UNLESS NOTED/SHOWN OTHERWISE

WALL BRACING	
	INTERMITTENT BRACING (A)
	CONTINUOUS SHEATHING (B)
	GYPSUM BRACING (C)
	CONTINUOUS SHEATHING & EXTENDED HEADERS FIGURE 321.25-A W/PROPER HOLD DOWNS (D)

FINAL PLAN

2024 PARADE HOUSE

WILLOW RIDGE DESIGN
BUILD

LOT 168 MORNING DEW LANE
SUN PRAIRIE, WI 53590

DESIGNER	M. WISELL	SCALE	1/4" = 1'-0"	SHEET NO.	A3	PROJECT NO.	R23-179-M
COPYRIGHT © 2023							
CONTRACTOR: 168 MORNING DEW LANE, SUN PRAIRIE, WI 53590. THIS PLAN IS THE PROPERTY OF WILLOW RIDGE DESIGN AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF WILLOW RIDGE DESIGN. ALL RIGHTS ARE RESERVED. THIS PLAN IS THE PROPERTY OF WILLOW RIDGE DESIGN AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF WILLOW RIDGE DESIGN. ALL RIGHTS ARE RESERVED.							
ALTHOUGH EVERY EFFORT WILL BE MADE TO ENSURE THE ACCURACY OF THIS PLAN, THE USER ASSUMES ALL RESPONSIBILITY FOR THE PROPER USE OF THIS PLAN. THE USER AGREES TO HOLD WILLOW RIDGE DESIGN HARMLESS FROM ANY AND ALL CLAIMS, DAMAGES, LOSSES, AND EXPENSES, INCLUDING ATTORNEY'S FEES, ARISING OUT OF OR RESULTING FROM THE USE OF THIS PLAN, WHETHER OR NOT SUCH CLAIMS, DAMAGES, LOSSES, AND EXPENSES ARE CAUSED IN WHOLE OR IN PART BY THE NEGLIGENCE OF WILLOW RIDGE DESIGN.							
PRELIMINARY PLAN	REVISIONS	REVISIONS	REVISIONS	REVISIONS	REVISIONS	REVISIONS	REVISIONS
09/21/2023	10/12/2023	10/19/2023	10/26/2023	11/01/2023	12/15/2023		
MNW	MNW	MNW	MNW	MNW	MNW		

FOUNDATION PLAN


1/4" = 1'-0"

FIRST FLOOR AREA 2131 SF

TOTAL AREA 2131 SF

UNFINISHED LOWER LEVEL AREA 924 SF


LOWER LEVEL AREA 1030 SF



WALL BRACING	
	INTERMITTENT BRACING
	CONTINUOUS SHEATHING
	GYPSUM BRACING
	CONTINUOUS SHEATHING & EXTENDED HEADERS

NEW HOME PLAN SPECIFICATIONS

- FOUNDATION INFORMATION**
 - HOUSE FOUNDATION**
 - 8" x 9'-0" POURED CONCRETE WALL
 - GARAGE FOUNDATION**
 - 6" x 4'-0" POURED CONCRETE WALL (MIN. 4'-0" TALL)
 - PORCH/PATIO FOUNDATION (UNEXCAVATED)**
 - 6" x 4'-0" POURED CONCRETE WALL (MIN. 4'-0" TALL)
 - WALL THICKNESS FOR REPRESENTATION ONLY- MASON/CONTRACTOR TO VERIFY
 - FINAL WALL/POST FOOTING SIZE AND DEPTH DETERMINED BY CONTRACTOR
 - MASON TO LOCATE PILASTERS AND SIZE FOOTINGS PER CODE AND SOIL CONDITIONS
 - WINDOWS/DOORS TO BE SET IN CONCRETE WALL- MAKE R.O. 3" BIGGER IN WIDTH AND HEIGHT
 - BEARING WALLS TO SIT ON MIN. 16" X 8" CONT. CONCRETE FOOTINGS. STUDS @ 16" O.C.
- WALL INFORMATION**
 - HOUSE EXTERIOR**
 - FIRST FLOOR WALL HEIGHT: 2 x 6 x 9' 1 1/8" (UNLESS NOTED/SHOWN OTHERWISE)
 - HOUSE INTERIOR**
 - FIRST FLOOR WALL HEIGHT: 2 x 4 x 9' 1 1/8" (UNLESS NOTED/SHOWN OTHERWISE)
 - GARAGE**
 - WALL HEIGHT: 2 x 6 x 10'-3 1/4" (UNLESS NOTED/SHOWN OTHERWISE)
 - STUDS @ 16" O.C. (UNLESS NOTED/SHOWN OTHERWISE)
- FLOOR SYSTEMS**
 - BASEMENT**
 - 4" CONCRETE SLAB
 - FIRST FLOOR**
 - 11 7/8" I-JOIST @ 16" O.C.
 - STANDARD LOADING (PER SQ. FT.)
 - 40' LL, 15' DL
 - ADDITIONAL LOADING (PER SQ. FT.) (WHEN APPLICABLE)
 - 10' DL FOR TILE FLOOR
 - 13' DL FOR GYPSUM (1.5" THICK)
 - 20' DL FOR FIREPLACE FACE/HEARTH
 - 25' DL FOR GRANITE/QUARTZ
 - DEFLECTION: LL=L/480, TL=L/360
 - DURATION OF LOAD: 1.00%
- ROOF SYSTEMS**
 - ENGINEERED WOOD TRUSSES @24" O.C. DESIGNED FOR: ZONE 2
 - STD. LOADING (PER SQ. FT.)
 - 30# TCDL, 10# TCDL, 10# BCDL
 - DEFLECTION: LL=L/240, TL=L/180
 - DURATION OF LOAD: 1.15%
- HEADERS**
 - STANDARD HEADER
 - ALL HEADERS NOT LABELED AS LVL TO BE MIN. (2) 2X10 HEADER FOR ON-SITE (UNLESS VALUE ENGINEERED FOR OFF-SITE CONSTRUCTION)
 - TOP OF WINDOW R.O.S.
 - FIRST FLOOR @ 6'-11 3/8" ABOVE SUBFLOOR (UNLESS NOTED/SHOWN OTHERWISE)
 - MINIMUM OF (2) SHOULDER STUDS AT EACH END FOR ALL OPENINGS 6'-0" AND LARGER
- GENERAL INFORMATION**
 - ALL DIMENSIONS ARE TO THE ROUGH STUD (UNLESS NOTED OTHERWISE)
 - 2X6 WALLS=5 1/2", 2X4 WALLS =3 1/2"
 - ALL DIMENSIONS ARE TO OUTSIDE OF FOUNDATION WALLS/BRICK LEDGES
 - GENERAL CONTRACTOR TO LOCATE THE FOLLOWING ITEMS IN THE FOUNDATION (WHEN APPLICABLE)
 - FLOOR DRAINS, ELECTRIC SERVICES, WATER HEATER, SUMP PIT + PUMP, FURNACE, GAS/LP LINE, BASEMENT, WINDOWS, ETC.
 - ACTUAL STEPS IN FOUNDATION WALLS AND LOCATION OF WINDOW WELLS TO BE DETERMINED ON-SITE BY GENERAL CONTRACTOR
 - DECK FRAMING SPECIFICATION TO MEET OR EXCEED REQUIREMENTS DEFINED WITHIN "APPENDIX B" OF THE WI UNIFORM DWELLING
 - ALL CABINET LAYOUTS ARE CONCEPTUAL-CONSULT CABINET DESIGNER FOR EXACT SIZES AND LOCATIONS OF CABINETS, APPLIANCES, AND WINDOWS
 - ALL DOOR HEIGHTS ARE 6'-8" UNLESS NOTED/SHOWN OTHERWISE



FINAL PLAN


DESIGNER: M. WISSELL		 DrexelTeam.com		WILLOW RIDGE DESIGN BUILD		LOT 168 MORNING DEW LANE SUN PRAIRIE, WI 53590		COPYRIGHT © 2023 CONCEPT DESIGN BUILDING SUPPLY, LLC REPRODUCED BY ANY MEANS ALL OR ANY PARTS THEREOF WITHOUT THE WRITTEN CONSENT OF CONCEPT DESIGN BUILDING SUPPLY, LLC. NO PARTS OF THESE PLANS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM CONCEPT DESIGN BUILDING SUPPLY, LLC. ALL RIGHTS RESERVED.		A PRELIMINARY PLAN		09/21/2023		MNV	
SCALE: 1/4" = 1'-0"										A REVISIONS		10/12/2023		MNV	
SHEET NO. A4										A REVISIONS		10/19/2023		MNV	
PROJECT NO. R23-179-M		A FINAL PLAN		10/26/2023		MNV									
		A REVISIONS		11/01/2023		MNV									
		A REVISIONS		12/15/2023		MNV									

ROOF PLAN

1/4" = 1'-0"

FIRST FLOOR AREA	2131 SF
TOTAL AREA	2131 SF

UNFINISHED LOWER LEVEL AREA	924 SF
LOWER LEVEL AREA	1030 SF



NOTE:
CHIMNEYS SHALL EXTEND AT LEAST 2 FEET HIGHER THAN ANY PORTION OF THE BUILDING WITHIN 10 FEET, BUT SHALL NOT BE LESS THAN 3 FEET ABOVE THE POINT WHERE THE CHIMNEY PASSES THROUGH THE ROOF.


NEW HOME PLAN SPECIFICATIONS			
FOUNDATION INFORMATION			
HOUSE FOUNDATION 8" x 9'-0" POURED CONCRETE WALL GARAGE FOUNDATION 6" x 4'-0" POURED CONCRETE WALL PORCH/PATIO FOUNDATION (UNEXCAVATED) 6" x 4'-0" POURED CONCRETE WALL (MIN. 4'-0" TALL) - WALL THICKNESS FOR REPRESENTATION ONLY- MASON/CONTRACTOR TO VERIFY - FINAL WALL/POST FOOTING SIZE AND DEPTH DETERMINED BY CONTRACTOR - MASON TO LOCATE PLASTERS AND SIZE FOOTINGS PER CODE AND SOIL CONDITIONS - WINDOWS/DOORS TO BE SET IN CONCRETE WALL- MAKE R.O. 3" BIGGER IN WIDTH AND HEIGHT - BEARING WALLS TO SIT ON MIN. 16" X 8" CONT. CONCRETE FOOTINGS, STUDS @ 16" O.C.			
WALL INFORMATION			
HOUSE EXTERIOR - FIRST FLOOR WALL HEIGHT: 2 x 6 x 9' 1 1/8" (UNLESS NOTED/SHOWN OTHERWISE) HOUSE INTERIOR - FIRST FLOOR WALL HEIGHT: 2 x 4 x 9' 1 1/8" (UNLESS NOTED/SHOWN OTHERWISE) GARAGE - WALL HEIGHT: 2 x 6 x 10'-3 1/4" (UNLESS NOTED/SHOWN OTHERWISE) - STUDS @ 16" O.C. (UNLESS NOTED/SHOWN OTHERWISE)			
FLOOR SYSTEMS			
BASEMENT 4" CONCRETE SLAB FIRST FLOOR 11 7/8" I-JOIST @ 16" O.C. 40" LL. 15" DL. - ADDITIONAL LOADING (PER SQ. FT.) (WHEN APPLICABLE) 10" DL. FOR TILE FLOOR 13" DL. FOR GYPCRETE (1.5" THICK) 20" DL. FOR FIREPLACE FACE/HEARTH 25" DL. FOR GRANITE/QUARTZ - DEFLECTION: LL=L/480, TL=L/360 - DURATION OF LOAD: 1.00%			
ROOF SYSTEMS			
- ENGINEERED WOOD TRUSSES @ 24" O.C. DESIGNED FOR: ZONE 2 - STD. LOADING (PER SQ. FT.) 30# TCCL, 10# TCDL, 10# BCDL - DEFLECTION: LL=L/240, TL=L/180 - DURATION OF LOAD: 1.15%			
HEADERS			
- STANDARD HEADER - ALL HEADERS NOT LABELED AS LVL TO BE MIN. (2) 2X10 HEADER FOR ON-SITE (UNLESS VALUE ENGINEERED FOR OFF-SITE CONSTRUCTION) - TOP OF WINDOW R.O.S. - FIRST FLOOR @ 6'-11 3/8" ABOVE SUBFLOOR (UNLESS NOTED/SHOWN OTHERWISE) - MINIMUM OF (2) SHOULDER STUDS AT EACH END FOR ALL OPENINGS 6'-0" AND LARGER			
GENERAL INFORMATION			
- ALL DIMENSIONS ARE TO THE ROUGH STUD (UNLESS NOTED OTHERWISE) 2X6 WALLS=5 1/2", 2X4 WALLS =3 1/2" - ALL DIMENSIONS ARE TO OUTSIDE OF FOUNDATION WALLS/BRICK LEDGES - GENERAL CONTRACTOR TO LOCATE THE FOLLOWING ITEMS IN THE FOUNDATION (WHEN APPLICABLE) - FLOOR DRAINS, ELECTRIC SERVICES, WATER HEATER, SUMP PIT + PUMP, FURNACE, GAS/LP LINE, BASEMENT, WINDOWS, ETC. - ACTUAL STEPS IN FOUNDATION WALLS AND LOCATION OF WINDOW WELLS TO BE DETERMINED ON-SITE BY GENERAL CONTRACTOR - DECK FRAMING SPECIFICATION TO MEET OR EXCEED REQUIREMENTS DEFINED WITHIN "APPENDIX B" OF THE WI UNIFORM DWELLING - ALL CABINET LAYOUTS ARE CONCEPTUAL-CONSULT CABINET DESIGNER FOR EXACT SIZES AND LOCATIONS OF CABINETS, APPLIANCES, AND WINDOWS - ALL DOOR HEIGHTS ARE 6'-8" UNLESS NOTED/SHOWN OTHERWISE			

FINAL PLAN

DESIGNER: M. WISELL		2024 PARADE HOUSE		WILLOW RIDGE DESIGN BUILD		LOT 168 MORNING DEW LANE SUN PRAIRIE, WI 53590		COPYRIGHT © 2023 COMPIRE TRADING BUILDING SUPPLY, IT IS FORBIDDEN TO REPRODUCE OR REPRODUCE BY ANY MEANS ALL OR ANY PARTS OF THIS DOCUMENT WITHOUT THE EXPRESS WRITTEN PERMISSION OF COMPIRE TRADING BUILDING SUPPLY. ANY VIOLATION OF THESE TERMS SHALL RESULT IN A FINE OF \$10,000 PER VIOLATION.		A PRELIMINARY PLAN		09/21/2023 MNW	
SCALE: 1/4" = 1'-0"		Drexel TM DrexelTeam.com		WILLOW RIDGE DESIGN BUILD		LOT 168 MORNING DEW LANE SUN PRAIRIE, WI 53590		ALTHOUGH EVERY EFFORT WILL BE MADE TO PRODUCE AN ACCURATE AND COMPLETE SET OF PLANS, THE ARCHITECT MAKES NO WARRANTY, REPRESENTATION OR GUARANTEE TO THE ACCURACY OR COMPLETENESS OF THE PLANS AND CHANGES OR ADJUSTMENTS REQUIRED DURING CONSTRUCTION ARE THE RESPONSIBILITY OF THE REPRESENTATIVE FOR OR WHOLESALER/ACQUIROR.		A REVISIONS		10/12/2023 MNW	
SHEET NO: A5										A REVISIONS		10/19/2023 MNW	
										A FINAL PLAN		10/26/2023 MNW	
										A REVISIONS		11/01/2023 MNW	
PROJECT NO: R23-179-M										A REVISIONS		12/15/2023 MNW	

SITE PLAN

1/8" = 1'-0"



FINAL PLAN

DESIGNER: M. WISELL		 DrexelTeam.com		WILLOW RIDGE DESIGN BUILD		LOT 168 MORNING DEW LANE SUN PRAIRIE, WI 53590		COPYRIGHT © 2023 COPYRIGHTED THESE BUILDING DOCUMENTS ARE THE PROPERTY OF DREXEL TEAM, INC. ALL RIGHTS ARE RESERVED. NO PART OF THESE DOCUMENTS MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DREXEL TEAM, INC. DREXEL TEAM, INC. IS NOT RESPONSIBLE FOR ANY ERRORS OR OMISSIONS IN THESE PLANS. THE USER OF THESE PLANS IS THE USER OF THESE PLANS IN THE FUTURE. ALTHOUGH EVERY EFFORT WILL BE MADE BY DREXEL TEAM, INC. TO PROVIDE THE MOST ACCURATE AND COMPLETE INFORMATION POSSIBLE, THE USER OF THESE PLANS IS RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND FOR ANY CHANGES OR MODIFICATIONS REQUIRED DURING CONSTRUCTION. DREXEL TEAM, INC. IS NOT RESPONSIBLE FOR ANY DELAYS OR INACCURACIES.	
SCALE: 1/8" = 1'-0"		A6		PRELIMINARY PLAN		09/21/2023		MNW	
SHEET NO.				REVISIONS		10/12/2023		MNW	
				REVISIONS		10/19/2023		MNW	
				FINAL PLAN		10/26/2023		MNW	
				REVISIONS		11/01/2023		MNW	
				REVISIONS		12/15/2023		MNW	