



LIST PRICING

February 1, 2024

Pricing is effective February 1, 2024, but subject to change without notice. This pricing revision replaces all previously stated pricing communications.

AQV Aqua Harvest

P.O. Box 563
Mystic, CT 06355
(860) 980-1441

Given the market volatility of commodity products, please consult AQV before providing contract or extended term pricing.

www.AQVAquaHarvest.com
water@AQVAquaHarvest.com



AQV Aqua Harvest AWG Systems

AQV Aqua Harvest AWG systems are built on proprietary technology that transforms ambient air into clean, potable water, providing a reliable water source anytime and anywhere. These systems are engineered to operate effectively in a wide range of environmental conditions, from humid coastal regions to arid desert landscapes. By capturing moisture from the air and passing it through advanced filtration and purification processes, AQV's systems produce water that meets or exceeds international drinking water standards.

WATERMATE™ ATMOSPHERIC WATER GENERATOR – 30 LITERS PER DAY



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
AQV-HO25BD	(1) 30 Liter p/d, 6 stage, hot & cold AWG	\$5,999.00	A
AQV-HO25BD-RO	(1) Reverse osmosis filtration pack	\$99.00	C
AQV-HO25BD-PF	(4) MERV 13 Pre-stage filtration	\$88.00	C
AQV-HO25BD-PF	(1) Remote intake assembly, 12' X 4" hose	\$129.00	C

H2 CANTEEN™ ATMOSPHERIC WATER GENERATOR – 80 LITERS PER DAY



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
AQV-H280MS	(1) 80 Liter p/d, 7 stage, hot & cold AWG	\$14,999.00	A
AQV-H280MS -RO	(1) Reverse osmosis filtration pack	\$199.00	C
AQV-H280MS -PF	(4) MERV 13 Pre-stage filtration	\$98.00	C
AQV-H280MS -PF	(1) Remote intake assembly, 12' X 4" hose	\$229.00	C

GEYSER™ ATMOSPHERIC WATER GENERATOR – 400 LITERS PER DAY



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
AQV-GEY400	(1) 400 Liter p/d, 7 stage, hot & cold AWG	\$69,999.00	A
AQV-GEY400-RO	(1) Reverse osmosis filtration pack	\$299.00	C
AQV-GEY400-PF	(4) MERV 13 Pre-stage filtration	\$128.00	C
AQV-GEY400-PF	(1) Remote intake assembly, 12' X 4" hose	\$229.00	C

TSUNAMI 1000™ ATMOSPHERIC WATER GENERATOR – 1000 LITERS PER DAY



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
AQV-TSU1000	(1) 1000 Liter p/d, 7 stage, AWG	\$149,999.00	A
AQV-TSU1000-RO	(1) Reverse osmosis filtration pack	\$499.00	C
AQV-TSU1000-PF	(4) MERV 13 Pre-stage filtration	\$128.00	C
AQV-TSU1000-PF	(4) Remote intake assembly	\$999.00	C


Max Harvest™, High Volume Atmospheric Water Generation

Proprietary atmospheric water generation systems for bottling, irrigation, municipal, disaster relief, and military. **Max Harvest**, the most powerful and highest-volume atmospheric water generation (AWG) system ever created. Engineered for unparalleled performance, Max Harvest is designed to meet the water demands of large-scale operations, providing an abundant and sustainable source of clean water directly from the atmosphere.

Max Harvest leverages cutting-edge AWG technology to extract and purify massive quantities of water from the air, producing thousands of liters of potable water daily. This makes it the ideal solution for industrial applications, agricultural operations, municipalities, and disaster relief efforts where traditional water sources may be scarce, contaminated, or unreliable.

What sets Max Harvest apart is its capacity and efficiency. The system is built to operate in a variety of climates, from humid tropical environments to arid desert conditions, ensuring a consistent water supply regardless of location. With its advanced filtration and purification processes, Max Harvest guarantees that the water produced is of the highest quality, meeting or exceeding all international drinking water standards.

MAX HARVEST™ 10000 ATMOSPHERIC WATER GENERATOR – 37,860 LITERS PER DAY



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
MH-10000	(1) 37,860 Liters p/d, 7 stage, AWG	\$1,195,000.00	A
MH-10000-RO	(1) Reverse osmosis filtration pack	\$499.00	C
MH-10000-PF	(4) MERV 13 Pre-stage filtration	\$128.00	C
MH-10000-PF	(1) Remote intake assembly	\$999.00	C

MAX HARVEST™ 20000 ATMOSPHERIC WATER GENERATOR – 75,720 LITERS PER DAY



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
MH-20000	(1) 75,720 Liters, 7 stage, modular, AWG	\$2,195,000.00	A
MH-20000-RO	(1) Reverse osmosis filtration pack	\$499.00	C
MH-20000-PF	(4) MERV 13 Pre-stage filtration	\$128.00	C
MH-20000-PF	Remote intake assemblies	Inc.	C

MAX HARVEST™ 50000 ATMOSPHERIC WATER GENERATOR – 191,000 LITERS PER DAY



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
MH-50000	(1) 191,000 Liters, 7 stage, modular, AWG	\$3,495,000.00	A
MH-50000-RO	(1) Reverse osmosis filtration pack	\$499.00	C
MH-50000-PF	(4) MERV 13 Pre-stage filtration	\$128.00	C
MH-50000-PF	Remote intake assemblies	Inc.	C

Power Generation

The Power Max 10k and Power Mini 5k are cutting-edge solar hybrid remote power generation systems designed for reliability and efficiency in off-grid or remote locations. Both models integrate advanced solar power technology with a diesel back-up generator to ensure continuous power supply, even in the absence of sunlight.

POWER MAX™ SOLAR HYBRID DIESEL GENERATOR – 10,000 WATTS



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
AQV-PMXSLR10	(1) Portable 50-hour, solar, hybrid generator, electric power tilt panels	\$195,000.00	A
AQV-PMXSLR16	(16) 7,360W solar panel slide rack	Inc.	C
AQV-PMXSLRT	(1) Industrial (3) axel trailer, ring hitch	Inc.	C
AQV-PMXSLRFP	(4) Intake filtration pack	\$88.00	C

POWER MINI™ SOLAR HYBRID DIESEL GENERATOR – 5,000 WATTS



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
AQV-PMMSLR05	(1) Portable 25-hour, solar, hybrid generator, electric power tilt panels	\$119,999.00	A
AQV-PMMSLR08	(8) 3,680W solar panel slide rack	Inc.	C
AQV-PMMSLRT	(1) Industrial single axel trailer, ring hitch	Inc.	C
AQV-PMMSLFP	(4) Intake filtration pack	\$88.00	C

Atmospheric Water Generator Mobility System

Stainless Steel and galvanized caged tandem trailer.

AQV AWG COMMERCIAL TRAILER



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
AQV-TRL08	(1) Stainless Steel and galvanized tandem trailer, lights, electronic braking, (2) axel trailer, ring hitch with side caging. 153W X 243L X 154H cm Recommended for H2 Canteen & Geyser AWG Systems	\$15,999.00	A
AQV-TRL12	(1) Stainless Steel and galvanized tandem trailer, lights, electronic braking, (2) axel trailer, ring hitch with side caging. 153W X 243L X 365H cm Recommended for Tsunami AWG Systems	\$20,999.00	C
AQV-TRL08-TOP	(1) Molded 8' security top w/ rain gutters 170W X 262L X 15.24H cm	\$1,599.00	C
AQV-TRL12-TOP	(1) Molded 12' security top w/ rain gutters 170W X 384.04L X 15.24H cm	\$2,499.00	C

Bacterial Destruction

Our UVC systems, proudly manufactured in the USA, are designed to virtually eliminate microbiological contaminants, including bacteria, viruses, and protozoa, without the need for potentially hazardous chemicals. These systems utilize advanced ultraviolet (UV) technology to disrupt the DNA of harmful microorganisms, rendering them inactive and ensuring your water is safe and pure. Unlike chemical treatments, our UVC systems provide a clean and eco-friendly solution that preserves the natural quality of your water, making it ideal for applications where health and safety are paramount.

AQV AQUA PURE ULTRAVIOLET “C” INLINE SANITIZER



PART NUMBER	DESCRIPTION	LIST PRICE	CODE
AQV-S03PA	(1) Up to 3gpm, 22w, 1/2" MNPT, UVC reactor	\$899.00	A
AQV-S09PA	(1) Up to 9gpm, 22w, 3/4" MNPT, UVC reactor	\$1,499.00	C
AQV-S24PA	(1) Up to 24gpm, 22w, 3/4" MNPT, UVC reactor	\$1,949.00	C
AQV-S80PA	(1) Up to 80gpm, 22w, 3/4" MNPT, UVC reactor	\$3,999.00	C

AQV Aqua Harvest Terms and Conditions

Unless otherwise indicated, the following terms and conditions apply to all purchase agreements.

- All invoices are due upon receipt unless pre-approved credit terms are in place.
- A fifty percent (50%) deposit is required at the time of order placement.
- Upon receiving an order and deposit, AQV Aqua Harvest will confirm acceptance within two business days.
- Listed prices exclude shipping costs unless specified otherwise. • Listed prices do not include VAT taxes.
- The remaining balance of any order must be paid before shipment from AQV Aqua Harvest.
- Custom and BETA orders are non-returnable.
- Stock items may be returned if they are in new, salable condition. A Return Goods Authorization (RGA) number is required prior to returning any items. Returned goods are subject to a thirty percent (30%) restocking fee.

AQV Aqua Harvest Product Warranty

Unless otherwise indicated, all water harvesting equipment solutions are protected with a (2) year Limited Warranty.

Limited Warranty.

AQV Aqua Harvest, Inc. (“AQV”) warrants to the original purchaser (“Customer”) that its Aqua Harvest Atmospheric Water Generation (AWG) systems (“Product”) will be free from defects in materials and workmanship under normal use and maintenance for a period of **two (2) years or 17,520 operating hours**, whichever occurs first, from the date of installation (“Warranty Period”). During the Warranty Period, AQV will repair or replace any defective parts of the Product, provided that the Product has been used in accordance with the operating instructions and has been properly maintained.

Exclusions.

This warranty does not cover and AQV shall not be responsible for:

- Misuse or Abuse:** Damage or malfunctions resulting from improper use, abuse, or neglect, including but not limited to failure to operate the Product in accordance with the user manual.
- Unauthorized Modifications:** Any modifications, alterations, or repairs made to the Product by persons not authorized by AQV or without using factory-authorized parts.
- Consumables:** Replacement of consumable parts, including but not limited to filters, as these are expected to be replaced as part of regular maintenance.
- Failure to Maintain:** Issues arising from failure to properly maintain the Product according to the maintenance schedule provided in the user manual, including the use of non-authorized parts or components.
- Force Majeure:** Any damage or loss caused by events beyond AQV’s control, including but not limited to natural disasters, storms, earthquakes, floods, and acts of God.
- Acts of War and Civil Disturbance:** Damage caused by war, terrorism, civil disturbance, or similar events.
- Storm Damage:** Damage caused by storms, including but not limited to lightning, hurricanes, or any severe weather conditions.
- Commercial or Industrial Use:** If the Product is used for purposes other than those for which it was designed, or if it is used in a manner inconsistent with the Product's specifications or user manual.

Limitation of Liability.

This warranty is the sole and exclusive remedy provided by AQV. To the maximum extent permitted by applicable law, AQV disclaims all other warranties, whether express, implied, statutory, or otherwise, including but not limited to any warranties of merchantability or fitness for a particular purpose. AQV shall not be liable for any indirect, incidental, special, or consequential damages arising from the use of the Product or any breach of this warranty.

Warranty Extension.

Customers may extend the Warranty Period for up to five (5) years under the following terms:

1. **One-Year Extension:** The Warranty Period may be extended for one (1) additional year for an additional cost of 4% of the original purchase price of the Product. This will extend the warranty coverage to a total of three (3) years or 26,280 operating hours.
2. **Three-Year Extension:** The Warranty Period may be extended for three (3) additional years for an additional cost of 10% of the original purchase price of the Product. This will extend the warranty coverage to a total of four (4) years or 35,040 operating hours.
3. **Five-Year Extension:** The Warranty Period may be extended for five (5) additional years for an additional cost of 14% of the original purchase price of the Product. This will extend the warranty coverage to a total of five (5) years or 43,800 operating hours.

To purchase a warranty extension, the Customer must contact AQV within the first 90 days of the Warranty Period. Extensions can still be purchased after the 90-day window but must be done before the original warranty expires. However, the cost for the extended warranty may vary and will be quoted based on the rates at the time of the request.

Claim Procedure.

To make a warranty claim, the Customer must notify AQV's customer service department within the Warranty Period. The Customer may be required to provide proof of purchase, the Product's serial number, and evidence of proper maintenance. AQV reserves the right to inspect the Product to determine the cause of the defect before processing the claim.

Governing Law.

This warranty shall be governed by and construed in accordance with the laws of the state or country where the Product was purchased.

Contact Information.

For warranty service or inquiries, please contact:

AQV Aqua Harvest, Inc.
Customer Service Department
Warranty Claims
P.O. Box 563
Mystic, Connecticut USA 06355
1-860-980-1441
act.engineering@h2oharvesting.com
www.h2oharvesting.com

Harvesting the future of water!