

**Score display- Information**



---

Images are for illustration only.

## Archway Enterprise Technology Limited – Score display.

External cable connectors are approved to MIL-C-5015 specification, with a push in and twist to lock mechanism, all connectors are waterproof when fully mated.

Accepts scores from 00-16cm or 00-20cm score landing pads, and from the 1.4m control pad.

2cm DC (dead centre) as standard, 1cm DC available on request.

Contained within an airline approved protective case, manufactured under the “Nanuk” brand name, it is certified to MIL-STD-810F.

The score display has 2x 190mm high, 7 sector RED colour led displays, these are easily visible in bright sunlight upto 40m distance.

The display is powered by an internal 12v battery, it will last for at least 12 hours of continuous use.

The internal battery charging facility will recharge the battery overnight when connected to the mains power supply.

LCD visual battery condition screen with display on/off, battery % available and battery voltage displays.

The 110/240v 50/60Hz mains power supply can be used to power the display and to float charge the battery, if the mains power fails in any situation, the 12v battery will instantly take over and no data will be lost.

Automatic 8 second score display.

External 00cm score audible alarm.

Event Judge remote control unit with 20m cable.

Manual score display reset facility via the display case reset button or by the Event Judge remote control unit.

Accepts input data from ultrasonic anemometer wind data display.

Data output facility to laptop PC, Competition Score and management software is supplied with the AMD system.

The score display has a “Static Electricity” earth grounding point.

A score display mounting tripod, with ground anchoring pegs is provided as standard.

Display - dimensions 52cm x 41cm x 20cm, weight 8.3Kg.

A comprehensive Score display user manual is supplied with “How to...” guides and storage and maintenance instructions.

Our Competition management software is provided with this system, a full pictorial user manual is included.

## Archway Enterprise Technology Limited – Score display.

Items supplied as part of the score display system.

1x Score display with 190mm high score digits

1x Handheld remote control unit with 20m cable

1x PC connection cable 5m long

1x Mains power connecting cable

1x Telescopic tripod - display mounting device

3x Ground anchor pegs

1x Static electricity ground peg

1x Copy of Competition Management Software (CMS) application on USB drive

1x Pictorial CMS end use manual

1x Pictorial Score display end use manual.