## ENERGY SAVING INDUSTRIAL CEILING FANS

## PRODUCT HIGHLIGHTS

### **FEATURES:**

- Low energy consumption maintenance free motors
- 18" standard downrod length
- Sealed bearings so no maintenance required
- Extra 24" lead wires coming out of fan for easy adapting to longer downrods
- 24" stainless steel safety cable
- Painted steel blades
- MR series has Moisture Resistant motors
- Quiet operation
- UL/ULC approved
- 5 Year Warranty

### **IDEAL APPLICATIONS:**

- All models are ideal for factories, warehouses, retail stores and garages
- The MR Series is Moisture Resistant and high performance is ideal agricultural, greenhouse and high moisture application
- Heat de-stratification
- Insect control with air velocity over 250 feet per minute
- Air curtain for shipping doors



VES Environmental Solutions, LLC. is North America's most innovative environmental company. Our components are designed to cover all aspects of a good ventilation system. With today's high heating and cooling cost you need to find a way to reduce your energy bills and provide an ideal environment for workers. Our Energy Saving Industrial Ceiling Fan Series is the most cost effective way to move large volumes of air in any building that has ceilings exceeding 15 feet. In the wintertime, hot air rises and is trapped at the ceiling level. Ceiling fans gently push this hot air down and keeps the floor level of the building warmer. By recovering the warm air, you lose less heat out through the roof and your heaters turn on less. This saves you money and provides a better environment to raise productivity. In the summertime, turn the fans on medium to high speed and you create a constant building temperature and a breeze to cool employees, machinery and equipment.

### **CONTROLS**

We have a full range of variable speed controls designed for both downdraft and forward/reverse applications. All controls have a minimum speed adjustment so you can set the ideal speed based on your application and ceiling height. Our controls are packaged with knobs, cover plate and hardware to attach to standard electrical boxes.



www.weaverairproducts.com 1033 3rd Ave SW, S # 212 Carmel, IN 46032

Tel: 317-848-4420 Fax: 317-848-4420

jweaver@weaverairproducts.com





# ENERGY SAVING INDUSTRIAL CEILING FANS



Part#	Description	Wires	Downrod	Voltage	CFM	Amp
COMMERCIAL SE	RIES - CURVED BLADES					
INDA364L	36" Fan, Forward/Reverse (White)	4	18″	120	12,500	.35
INDA484L	48" Fan, Forward/Reverse (White)	4	18″	120	21,000	.50
INDA564L	56" Fan, Forward/Reverse (White)	4	18″	120	25,500	.80
INDA56P	56" Fan, Downdraft, Cord and Plug (White)	3	18″	120	28,000	.55
INDUSTRIAL SERI	ES - STRAIGHT BLADES					
INDA483S3L	48" Fan, Downdraft, 3 Speed, with pull chain (White)	3	18″	120	21,000/11,200/6,200	.50
INDA563S3L	56" Fan, Downdraft, 3 Speed, with pull chain (White)	3	18″	120	25,000/16,800/9,600	.55
INDB564L	56" High Output Fan, Forward/Reverse (White)	4	18″	120	28,000	.70
**INDB564LB	56" High Output Fan, Forward/Reverse (Brown)	4	18″	120	28,000	.70
INDB562404L	56" High Output Fan, Forward/Reverse (White)	4	18″	240	28,000	.40
INDB562774L	56" High Output Fan, Forward/Reverse (White)	4	18″	277	28,000	.36
INDB604L	60" High Output Fan, Forward/Reverse (White)	4	18″	120	46,000	.70
INDB604LB	60" High Output Fan, Forward/Reverse (Brown)	4	18″	120	46,000	.70
*INDB56MR4LP	56" High Output, Moisture Resistant Fan, Forward Reverse (White)	4	18″	120	28,000	.70
*INDB60MR4LP	60" High Output, Moisture Resistant Fan, Forward Reverse (White)	4	18″	120	46,000	.70
•	re special order with a MOQ of 250  ES - STRAIGHT POLY BLADES ENERGY STAR APPROVED  56" Fan, Outdoor/Energy Star approved, 3 Speed Wall Control	4	18″	120	28.000	.50
**INDC60ODP	60" Fan, Outdoor/Energy Star approved, 3 Speed Wall Control	4	18"	120	46,000	.50
CONTROLS				400		
ICFC2.5	2.5 Amp Variable Speed Control for up to 2 fans in downdraft mode (silver)			120		2.5
ICFC5	5 Amp Variable Speed Control for up to 5 fans in downdraft mode (silver)			120		5
ICFCFR5	5 Amp Variable Speed Control for up to 5 fans forward/reverse mode (silver)			120		3
ICFC10	10 Amp Variable Speed Control for up to 10 fans in downdraft mode			120		10
ICFC08277	8 Amp Variable Speed Control for up to 8 fans in downdraft mode (s			277		8

Note: If using VES Controls with other fans, check for combined amp draw on fans to indicate how many fans can be wired to the control. Not to match total amps listed above.

## **ACCESSORIES**

<u>INDJHA</u>	Hook, J Mount adapter for ceiling fans		
<u>INDSLPA</u>	Mount, Ceiling fan sloped mount adaptor		
PC2419	Downrod, Ceiling fan, 30", 1/2" dia, Use with A series fans		
PC2452	Downrod, Ceiling fan, 36", 21mm dia, Use with A series fans		
PC2412	Downrod, Ceiling fan, 30", 3/4" dia, Use with B or C series fans		
PC2472	Downrod, Ceiling fan, 36", 3/4" dia, Use with B or C series fans		
PC2413	Downrod, Ceiling fan, 48", 3/4" dia, Use with B or C series fans		

Note: OSHA guidelines require fans to be moutned at least 10' above ground from the lowest moving part on the fan.