

Prepared for:
Green Zone, LLC

1500-MG-CBD-TNC

Batch ID or Lot Number: 122022_1ST	Test: Potency	Reported: 13Dec2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000229629	Started: 12Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 08Dec2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.005	0.017	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.004	0.016	ND	ND	
Cannabidiol (CBD)	0.015	0.046	4.970	49.70	
Cannabidiolic Acid (CBDA)	0.015	0.047	ND	ND	
Cannabidivarin (CBDV)	0.004	0.011	0.020	0.20	
Cannabidivarinic Acid (CBDVA)	0.006	0.020	ND	ND	
Cannabigerol (CBG)	0.003	0.010	0.110	1.10	
Cannabigerolic Acid (CBGA)	0.011	0.041	ND	ND	
Cannabinol (CBN)	0.003	0.013	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.008	0.028	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.013	0.049	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.012	0.044	0.120	1.20	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.011	0.039	ND	ND	
Tetrahydrocannabivarin (THCV)	0.002	0.009	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.009	0.035	ND	ND	
Total Cannabinoids			5.220	52.20	
Total Potential THC			0.120	1.20	
Total Potential CBD			4.970	49.70	

Final Approval


Sam Smith
13Dec2022
03:07:00 PM MST

PREPARED BY / DATE


Karen Winternheimer
13Dec2022
03:20:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/a8a2e904-fac3-42f4-a2a1-1245be0bd460>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
a8a2e904fac342f4a2a11245be0bd460.1