

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

Lab ID: 2603091-001

Collection Date: 2/27/2026 4:00:00 PM

Client Sample ID: Caesarstone Site #1

Matrix: LIQUID

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

PERMIT METALS

E245.1, 1994

Analyst: KR

MERCURY IN WATER, TOTAL

Mercury	< 0.0000500	0.0000500		mg/L	1	3/10/2026 1:38:42 PM
---------	-------------	-----------	--	------	---	----------------------

PERMIT METALS

E200.7, 1994

E200.7_PRE

Analyst: KR

METALS IN WATER BY ICP, TOTAL

Arsenic	< 0.00500	0.00500		mg/L	1	3/12/2026 7:32:50 PM
Cadmium	< 0.00100	0.00100		mg/L	1	3/12/2026 7:32:50 PM
Chromium	< 0.0100	0.0100		mg/L	1	3/12/2026 7:32:50 PM
Copper	< 0.0100	0.0100		mg/L	1	3/12/2026 7:32:50 PM
Lead	< 0.00500	0.00500		mg/L	1	3/12/2026 7:32:50 PM
Molybdenum	< 0.0100	0.0100		mg/L	1	3/12/2026 7:32:50 PM
Nickel	< 0.0100	0.0100		mg/L	1	3/12/2026 7:32:50 PM
Selenium	< 0.00500	0.00500		mg/L	1	3/12/2026 7:32:50 PM
Silver	< 0.00200	0.00200		mg/L	1	3/12/2026 7:32:50 PM
Zinc	0.0242	0.0100		mg/L	1	3/12/2026 7:32:50 PM

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

1,1,1,2-Tetrachloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,1-Trichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,2,2-Tetrachloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,2-Trichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloroethene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloropropene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2,3-Trichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2,4-Trimethylbenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dibromoethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3,5-Trimethylbenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3-Dichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,4-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

2,2-Dichloropropane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Butanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Chloroethyl vinyl ether	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Chlorotoluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Hexanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
4-Chlorotoluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
4-Methyl-2-pentanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acetone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acetonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acrolein	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acrylonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Allyl chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Benzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromobenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromochloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromodichloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromoform	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Carbon disulfide	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Carbon tetrachloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chlorobenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chlorodibromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroform	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroprene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,2-Dichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,3-Dichloropropene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,4-Dichloro-2-butene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Dibromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Dichlorodifluoromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Ethyl methacrylate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Ethylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Isopropylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
m,p-Xylene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methacrylonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methyl methacrylate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methyl tert-butyl ether	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methylene chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM

Qualifiers:
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

n-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
n-Propylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
o-Xylene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Propionitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
sec-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Styrene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
tert-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Tetrachloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Toluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,2-Dichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,3-Dichloropropene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,4-Dichloro-2-butene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Trichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Trichlorofluoromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Vinyl acetate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Vinyl chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Xylenes, Total	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Surr: 4-Bromofluorobenzene	101	69.4 - 127	%Rec	1	3/10/2026 9:00:00 AM
Surr: Dibromofluoromethane	110	72.9 - 137	%Rec	1	3/10/2026 9:00:00 AM
Surr: Toluene-d8	106	75.8 - 123	%Rec	1	3/10/2026 9:00:00 AM

PH

A4500 H+B, 2021

Analyst: EJA

pH	7.16	0.100	H	pH Units	1	3/16/2026 9:40:00 AM
----	------	-------	---	----------	---	----------------------

TOTAL DISSOLVED SOLIDS

A2540 C-2020

Analyst: EJA

Total Dissolved Solids (Residue, Filterable)	456	10	H	mg/L	1	3/10/2026 11:55:00 AM
--	-----	----	---	------	---	-----------------------

TOTAL SUSPENDED SOLIDS

A2540 D-2020

Analyst: EJA

Suspended Solids (Residue, Non-Filterable)	1,800	5	H	mg/L	1	3/9/2026 8:43:00 AM
--	-------	---	---	------	---	---------------------

Qualifiers:

H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

Lab ID: 2603091-002

Collection Date: 2/27/2026 4:27:00 PM

Client Sample ID: Caesarstone Site #2

Matrix: LIQUID

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

PERMIT METALS

E245.1, 1994

Analyst: KR

MERCURY IN WATER, TOTAL

Mercury	< 0.0000500	0.0000500		mg/L	1	3/10/2026 1:38:42 PM
---------	-------------	-----------	--	------	---	----------------------

PERMIT METALS

E200.7, 1994

E200.7_PRE

Analyst: KR

METALS IN WATER BY ICP, TOTAL

Arsenic	< 0.00500	0.00500		mg/L	1	3/12/2026 7:38:12 PM
Cadmium	< 0.00100	0.00100		mg/L	1	3/12/2026 7:38:12 PM
Chromium	< 0.0100	0.0100		mg/L	1	3/12/2026 7:38:12 PM
Copper	< 0.0100	0.0100		mg/L	1	3/12/2026 7:38:12 PM
Lead	< 0.00500	0.00500		mg/L	1	3/12/2026 7:38:12 PM
Molybdenum	< 0.0100	0.0100		mg/L	1	3/12/2026 7:38:12 PM
Nickel	< 0.0100	0.0100		mg/L	1	3/12/2026 7:38:12 PM
Selenium	< 0.00500	0.00500		mg/L	1	3/12/2026 7:38:12 PM
Silver	< 0.00200	0.00200		mg/L	1	3/12/2026 7:38:12 PM
Zinc	< 0.0100	0.0100		mg/L	1	3/12/2026 7:38:12 PM

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

1,1,1,2-Tetrachloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,1-Trichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,2,2-Tetrachloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,2-Trichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloroethene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloropropene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2,3-Trichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2,4-Trimethylbenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dibromoethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3,5-Trimethylbenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3-Dichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,4-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

2,2-Dichloropropane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Butanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Chloroethyl vinyl ether	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Chlorotoluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Hexanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
4-Chlorotoluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
4-Methyl-2-pentanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acetone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acetonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acrolein	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acrylonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Allyl chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Benzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromobenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromochloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromodichloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromoform	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Carbon disulfide	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Carbon tetrachloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chlorobenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chlorodibromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroform	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroprene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,2-Dichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,3-Dichloropropene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,4-Dichloro-2-butene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Dibromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Dichlorodifluoromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Ethyl methacrylate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Ethylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Isopropylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
m,p-Xylene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methacrylonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methyl methacrylate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methyl tert-butyl ether	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methylene chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

n-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
n-Propylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
o-Xylene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Propionitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
sec-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Styrene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
tert-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Tetrachloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Toluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,2-Dichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,3-Dichloropropene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,4-Dichloro-2-butene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Trichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Trichlorofluoromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Vinyl acetate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Vinyl chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Xylenes, Total	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Surr: 4-Bromofluorobenzene	101	69.4 - 127	%Rec	1	3/10/2026 9:00:00 AM
Surr: Dibromofluoromethane	109	72.9 - 137	%Rec	1	3/10/2026 9:00:00 AM
Surr: Toluene-d8	104	75.8 - 123	%Rec	1	3/10/2026 9:00:00 AM

PH

A4500 H+B, 2021

Analyst: EJA

pH	7.59	0.100	H	pH Units	1	3/16/2026 9:40:00 AM
----	------	-------	---	----------	---	----------------------

TOTAL DISSOLVED SOLIDS

A2540 C-2020

Analyst: EJA

Total Dissolved Solids (Residue, Filterable)	3,640	10	H	mg/L	1	3/10/2026 11:55:00 AM
--	-------	----	---	------	---	-----------------------

TOTAL SUSPENDED SOLIDS

A2540 D-2020

Analyst: EJA

Suspended Solids (Residue, Non-Filterable)	105	5	H	mg/L	1	3/9/2026 8:43:00 AM
--	-----	---	---	------	---	---------------------

Qualifiers:

H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits
W	Sample container temperature is out of limit as specified at testcode

M	Manual Integration used to determine area response
PL	Permit Limit
RL	Reporting Detection Limit

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

Lab ID: 2603091-003

Collection Date: 2/27/2026 4:39:00 PM

Client Sample ID: Caesarstone Site #3

Matrix: LIQUID

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

PERMIT METALS

E245.1, 1994

Analyst: KR

MERCURY IN WATER, TOTAL

Mercury	< 0.0000500	0.0000500		mg/L	1	3/10/2026 1:38:42 PM
---------	-------------	-----------	--	------	---	----------------------

PERMIT METALS

E200.7, 1994

E200.7_PRE

Analyst: KR

METALS IN WATER BY ICP, TOTAL

Arsenic	0.00501	0.00500		mg/L	1	3/12/2026 7:59:52 PM
Cadmium	< 0.00100	0.00100		mg/L	1	3/12/2026 7:59:52 PM
Chromium	< 0.0100	0.0100		mg/L	1	3/12/2026 7:59:52 PM
Copper	< 0.0100	0.0100		mg/L	1	3/12/2026 7:59:52 PM
Lead	< 0.00500	0.00500		mg/L	1	3/12/2026 7:59:52 PM
Molybdenum	< 0.0100	0.0100		mg/L	1	3/12/2026 7:59:52 PM
Nickel	< 0.0100	0.0100		mg/L	1	3/12/2026 7:59:52 PM
Selenium	0.00528	0.00500		mg/L	1	3/12/2026 7:59:52 PM
Silver	< 0.00200	0.00200		mg/L	1	3/12/2026 7:59:52 PM
Zinc	0.0226	0.0100		mg/L	1	3/12/2026 7:59:52 PM

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

1,1,1,2-Tetrachloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,1-Trichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,2,2-Tetrachloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1,2-Trichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloroethene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,1-Dichloropropene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2,3-Trichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2,4-Trimethylbenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dibromoethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichloroethane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,2-Dichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3,5-Trimethylbenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,3-Dichloropropane	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM
1,4-Dichlorobenzene	< 0.00500	0.00500		mg/L	1	3/10/2026 9:00:00 AM

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

2,2-Dichloropropane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Butanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Chloroethyl vinyl ether	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Chlorotoluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
2-Hexanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
4-Chlorotoluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
4-Methyl-2-pentanone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acetone	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acetonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acrolein	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Acrylonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Allyl chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Benzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromobenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromochloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromodichloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromoform	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Bromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Carbon disulfide	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Carbon tetrachloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chlorobenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chlorodibromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroform	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Chloroprene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,2-Dichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,3-Dichloropropene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
cis-1,4-Dichloro-2-butene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Dibromomethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Dichlorodifluoromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Ethyl methacrylate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Ethylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Isopropylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
m,p-Xylene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methacrylonitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methyl methacrylate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methyl tert-butyl ether	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Methylene chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM

Qualifiers:
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit

Green Country Testing, Inc.
6825 E 38th Street
Tulsa, OK 74145
TEL: 918-828-9977 FAX: 918-828-7756
Website: www.greencountrytesting.com



Analytical Report

(continuous)

WO#: 2603091

Date Reported: 3/16/2026

CLIENT: Kristen Stampfer

Lab Order: 2603091

Project: Caesarstone

VOLATILE ORGANICS IN WATER

SW8260D

Analyst: BWD

n-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
n-Propylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
o-Xylene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Propionitrile	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
sec-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Styrene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
tert-Butylbenzene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Tetrachloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Toluene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,2-Dichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,3-Dichloropropene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
trans-1,4-Dichloro-2-butene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Trichloroethene	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Trichlorofluoromethane	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Vinyl acetate	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Vinyl chloride	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Xylenes, Total	< 0.00500	0.00500	mg/L	1	3/10/2026 9:00:00 AM
Surr: 4-Bromofluorobenzene	101	69.4 - 127	%Rec	1	3/10/2026 9:00:00 AM
Surr: Dibromofluoromethane	109	72.9 - 137	%Rec	1	3/10/2026 9:00:00 AM
Surr: Toluene-d8	104	75.8 - 123	%Rec	1	3/10/2026 9:00:00 AM

PH

A4500 H+B, 2021

Analyst: EJA

pH	4.78	0.100	H	pH Units	1	3/16/2026 9:40:00 AM
----	------	-------	---	----------	---	----------------------

TOTAL DISSOLVED SOLIDS

A2540 C-2020

Analyst: EJA

Total Dissolved Solids (Residue, Filterable)	6,780	10	H	mg/L	1	3/10/2026 11:55:00 AM
--	-------	----	---	------	---	-----------------------

TOTAL SUSPENDED SOLIDS

A2540 D-2020

Analyst: EJA

Suspended Solids (Residue, Non-Filterable)	381	5	H	mg/L	1	3/9/2026 8:43:00 AM
--	-----	---	---	------	---	---------------------

Qualifiers:

H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit



QC SUMMARY REPORT

WO#: 2603091

16-Mar-26

Client: Kristen Stampfer

Project: Caesarstone

TestNo: A2540 C-2020

Sample ID	MB-R78989	SampType:	MBLK	TestCode:	TDS	Units:	mg/L	Prep Date:		RunNo:	78989			
Client ID:	PBW	Batch ID:	R78989	TestNo:	A2540 C-2020			Analysis Date:	3/10/2026	SeqNo:	898768			
Analyte		Result		PQL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids (Residue, Filterable)		< 10		10										

Sample ID	LCS-R78989	SampType:	LCS	TestCode:	TDS	Units:	mg/L	Prep Date:		RunNo:	78989			
Client ID:	LCSW	Batch ID:	R78989	TestNo:	A2540 C-2020			Analysis Date:	3/10/2026	SeqNo:	898769			
Analyte		Result		PQL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids (Residue, Filterable)		998		10	1,000	0		100	80	120				

Sample ID	2603072-003ADUP	SampType:	DUP	TestCode:	TDS	Units:	mg/L	Prep Date:		RunNo:	78989			
Client ID:	BatchQC	Batch ID:	R78989	TestNo:	A2540 C-2020			Analysis Date:	3/10/2026	SeqNo:	898781			
Analyte		Result		PQL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids (Residue, Filterable)		1,430		10							1,451	1	5	

Qualifiers:

H	Holding times for preparation or analysis exceeded
PL	Permit Limit
W	Sample container temperature is out of limit as specified at testcode

M	Manual Integration used to determine area response
R	RPD outside accepted recovery limits

ND	Not Detected at the Reporting Limit
RL	Reporting Detection Limit

Original
Page 11 of 23



QC SUMMARY REPORT

WO#: 2603091
16-Mar-26

Client: Kristen Stampfer
Project: Caesarstone

TestNo: A2540 D-2020

Sample ID	MB-R78961	SampType:	MBLK	TestCode:	TSS	Units:	mg/L	Prep Date:		RunNo:	78961			
Client ID:	PBW	Batch ID:	R78961	TestNo:	A2540 D-2020			Analysis Date:	3/9/2026	SeqNo:	898347			
Analyte		Result		PQL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Suspended Solids (Residue, Non-Filterable)		< 5		5										

Sample ID	LCS-R78961	SampType:	LCS	TestCode:	TSS	Units:	mg/L	Prep Date:		RunNo:	78961			
Client ID:	LCSW	Batch ID:	R78961	TestNo:	A2540 D-2020			Analysis Date:	3/9/2026	SeqNo:	898348			
Analyte		Result		PQL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Suspended Solids (Residue, Non-Filterable)		39		5	40	0		98	80	120				

Sample ID	2603006-001ADUP	SampType:	DUP	TestCode:	TSS	Units:	mg/L	Prep Date:		RunNo:	78961			
Client ID:	BatchQC	Batch ID:	R78961	TestNo:	A2540 D-2020			Analysis Date:	3/9/2026	SeqNo:	898350			
Analyte		Result		PQL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Suspended Solids (Residue, Non-Filterable)		75		5							81	8	5	R

Qualifiers:
H Holding times for preparation or analysis exceeded
PL Permit Limit
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
R RPD outside accepted recovery limits

ND Not Detected at the Reporting Limit
RL Reporting Detection Limit

Original
Page 12 of 23



QC SUMMARY REPORT

WO#: 2603091
16-Mar-26

Client: Kristen Stampfer
Project: Caesarstone

TestNo: A4500 H+B, 2021

Sample ID	LCS-1	SampType:	LCS	TestCode:	PH	Units:	pH Units	Prep Date:		RunNo:	79084
Client ID:	LCSW	Batch ID:	R79084	TestNo:	A4500 H+B, 2			Analysis Date:	3/16/2026	SeqNo:	899660
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual

pH 6.06 0.100 6.000 0 101 80 120

Sample ID	LCS-2	SampType:	LCS	TestCode:	PH	Units:	pH Units	Prep Date:		RunNo:	79084
Client ID:	LCSW	Batch ID:	R79084	TestNo:	A4500 H+B, 2			Analysis Date:	3/16/2026	SeqNo:	899661
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual

pH 9.06 0.100 9.000 0 101 80 120

Sample ID	2603019-001BDUP	SampType:	DUP	TestCode:	PH	Units:	pH Units	Prep Date:		RunNo:	79084
Client ID:	BatchQC	Batch ID:	R79084	TestNo:	A4500 H+B, 2			Analysis Date:	3/16/2026	SeqNo:	899663
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual

pH 7.20 0.100 7.190 0.139 1.03 H

Qualifiers: H Holding times for preparation or analysis exceeded
PL Permit Limit
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
R RPD outside accepted recovery limits

ND Not Detected at the Reporting Limit
RL Reporting Detection Limit

Original
Page 13 of 23