



# Standard Product Catalog



Silver King is the world leading supplier of refrigeration equipment. With almost seven decades in the industry, we know what it takes to make customized refrigeration equipment that are both functional and energy efficient. Our commitment to manufacturing products to the highest quality possible, enables us to custom-fit solutions to meet unique specifications and ensure quality. Our extensive line of products include:

- Display Cases
- Merchandisers
- Refrigerators
- Fountainettes
- Prep Tables
- Dairy Dispensers
- Salad Prep Systems
- Freezers
- Chef Bases

Silver King's parent company, Marmon Foodservice Technologies, supports the global foodservice industry with innovative equipment and technologies for restaurants, hotels, cafeterias, and other commercial and institutional environments. Marmon's brands include Prince Castle, Angelo Po food preparation equipment, Cornelius beverage dispensing equipment, and a host of other foodservice businesses. The company is a subsidiary of Marmon Holdings, Inc., a global, diversified industrial organization comprising about 185 independent manufacturing and service businesses. Marmon is part of Berkshire Hathaway Inc., one of the world's largest, most successful, and best respected companies.

## CONTENTS

<b>Undercounter Refrigerators</b>	<b>3</b>
<b>Refrigerated Chef Bases</b>	<b>4</b>
<b>Undercounter Freezers</b>	<b>5</b>
<b>Freezer Chef Bases</b>	<b>6</b>
<b>Mobile Freezers</b>	<b>7</b>
<b>Shelf Refrigerators</b>	<b>8</b>
<b>Refrigerated Prep Tables With Drawers</b>	<b>8</b>
<b>Refrigerated Prep Tables With Doors</b>	<b>9</b>
<b>Refrigerated Countertop Prep Tables</b>	<b>10</b>
<b>Dairy Dispensing</b>	<b>10-11</b>
<b>Fountainettes</b>	<b>12</b>
<b>Salad Systems</b>	<b>12</b>
<b>Specialty Items</b>	<b>13</b>
<b>Accessories</b>	<b>13</b>
<b>Terms &amp; Conditions</b>	<b>14-15</b>

## UNDERCOUNTER REFRIGERATORS

Silver King provides a full line of refrigeration solutions that are both reliable and energy efficient. Our sleek, stainless steel refrigerators are made with the highest quality material to guarantee everything is kept fresh and meets temperature standards. Our refrigerators have polyurethane insulation for maximum strength and durability that ensures minimal wasted energy.

Undercounter Refrigerators	Model No.	Description	Ship WT (lbs.)
	SKR24A-ESUS1 (REPLACES MODEL SKER24-SD-1-BK1)	24" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P	140
	SKR27A-ESUS1 (REPLACES MODEL SKR27A/C10)	27" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P	155
	SKR27A/CEU10	27" UNDERCOUNTER, FRONT BREATHING 230V/50-60HZ/1PH, 3" CASTERS, EURO, E-PLUG, CE APPROVED	165
	SKR27A/CUK10	27" UNDERCOUNTER, FRONT BREATHING 230V/50-60HZ/1PH, 3" CASTERS, UK, G-PLUG, CE APPROVED	165
	SKR27A-EDUS1 (REPLACES MODEL SKR27AD/C10)	27" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P	195
	SKR27AD/CEU15	27" UNDERCOUNTER, FRONT BREATHING 230V/50-60HZ/1PH, 3" CASTERS, 2-DRAWERS, EURO, E-PLUG, CE APPROVED	210
	SKR48A-ESUS1 (REPLACES MODEL SKER48-SD-1-BK1)	48" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P	265
	SKR48A-EGUS1 (REPLACES MODEL SKER48-GD-1-BK1)	48" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, GLASS DOOR AND LIGHT, 3" CASTERS, NEMA 5-15P	300

## REFRIGERATED CHEF BASES

Yes, it is possible to have the best quality Chef Bases at a value that pays back again and again! At Silver King we understand that all space in the kitchen is valuable. Our chef bases offer quality throughout and energy efficiency that is hard to beat. The H-Series Chef Bases offer up to 50% more storage within standard footprint. We have the best reputation for maintaining proper cooling temperatures while giving your kitchen a sleek look.

Refrigerated Chef Bases	Model No.	Description	Ship WT (lbs.)
	SKRCB38H-RDUS10 (REPLACES MODEL SKRCB38H/C10)	38" CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	285
	SKRCB50H-RDUS10 (REPLACES MODEL SKRCB50H/C10)	50" CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	345
	SKRCB60H-RDUS10 (REPLACES MODEL SKRCB60H/C10)	60" CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	395
	SKRCB60H-RDEU10 (REPLACES MODEL SKRCB60H/CEU10)	60" CHEF BASE, MARINE EDGE 230V/50-60HZ/1PH, 4" HD CASTERS, EURO, E-PLUG, CE APPROVED	440
	SKRCB60H-RDUK10 (REPLACES MODEL SKRCB60H/CUK10)	60" CHEF BASE, MARINE EDGE 230V/50-60HZ/1PH, 4" HD CASTERS, UK, G-PLUG, CE APPROVED	440
	SKRCB79H-RDUS10 (REPLACES MODEL SKRCB79H/C10)	79" CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	515
	SKRCB84H-RDUS10 (REPLACES MODEL SKRCB84H/C10)	84" CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	565
	SKRCB84H-RDUS12 (REPLACES MODEL SKRCB84H/C12)	84" CHEF BASE, FLAT TOP 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	540
	SKRCB97HL-RDUS1 (REPLACES MODEL SKRCB97HL/CFG)	97" CHEF BASE, FLAT TOP 115V/60HZ/1PH, 4" HD CASTERS, HANDLES, CORNER BRACKETS, C13/NEMA 5-15P PLUG	715

## UNDERCOUNTER FREEZERS

Silver King's sleek freezer units are uniquely designed to increase square footage in any space and also reduce energy usage. Silver King freezers are made with quality materials to ensure maximum strength and durability.

Undercounter Freezers	Model No.	Description	Ship WT (lbs.)
	SKF27A-ESUS1 (REPLACES MODEL SKEF27-SD-1-BK6)	27" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P	165
	SKF27A/CEU10	27" UNDERCOUNTER, FRONT BREATHING 230V/50-60HZ/1PH, 3" CASTERS, EURO, E-PLUG, CE APPROVED	195
	SKF27A/CSA10	27" UNDERCOUNTER, FRONT BREATHING 230V/50-60HZ/1PH, 3" CASTERS, UK, G-PLUG, CE APPROVED	170
	SKF27A-EDUS1 (REPLACES MODEL SKEF27-D2-1-BK6)	27" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P	205
	SKF27AD/CUK15	27" UNDERCOUNTER, FRONT BREATHING 230V/50-60HZ/1PH, 3" CASTERS, 2-DRAWERS, UK, G-PLUG, CE APPROVED	205
	SKF27AD/CSA15	27" UNDERCOUNTER, FRONT BREATHING 230V/50-60HZ/1PH, 3" CASTERS, 2-DRAWERS, UK, G-PLUG, CE APPROVED	195
	SKF48A-ESUS1 (REPLACES MODEL SKEF48-SD-1-BK1)	48" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P	285
	SKF27A-EGUS4 (REPLACES MODEL SKEF27-GD-1-BJ6)	27" UNDERCOUNTER, FRONT BREATHING 115V/60HZ/1PH, 2" CASTERS, GLASS DOOR AND LIGHT, SPECIAL GRAVITY FED MALT CUP SHELVES, NEMA 5-15P	195



## FREEZER CHEF BASES


Silver King freezers provide whisper quiet operation, and front-breathing models allow for maximized freezer space in a minimal footprint.

Freezer Chef Bases	Model No.	Description	Ship WT (lbs.)	List Price
	SKF72-FDUS10 (REPLACES MODEL SKF72D/C10)	72" FREEZER CHEF BASE, WORK TOP-BACKSPLASH, 115V/60HZ/1PH, 2-2-PAN DRAWERS, 3-2 ½ PAN DRAWERS, 4" CASTERS, NEMA 5-15P	575	\$19,184
	SKFCB50H-FDUS10 (REPLACES MODEL SKFCB50H/C10)	50" FREEZER CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	355	\$13,394
	SKFCB60H-FDUS10 (REPLACES MODEL SKFCB60H/C10)	60" FREEZER CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	395	\$13,905
	SKFCB79H-FDUS10 (REPLACES MODEL SKFCB79H/C10)	79" FREEZER CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	530	\$19,053
	SKFCB84H-FDUS10 (REPLACES MODEL SKFCB84H/C10)	84" FREEZER CHEF BASE, MARINE EDGE 115V/60HZ/1PH, 4" HD CASTERS, NEMA 5-15P	575	\$19,591

## MOBILE FREEZERS




Mobile Freezers	Model No.	Description	Ship WT (lbs.)
	SKFMW34-ELUS1 (REPLACES MODEL SKEFT34-IL-1-EM6)	34" MOBILE FREEZER 115V/60HZ/1PH, 5" CASTERS, INSULATED LIDS/ SIDE TO SIDE, EN-PLUG	190
	SKFMW34-FLEU2 (REPLACES MODEL SKMWF34/CEU2)	34" MOBILE FREEZER 230V/50-60HZ/1PH, 5" CASTERS, INSULATED LIDS/SIDE TO SIDE, EURO, E-PLUG, CE APPROVED	190
	SKFMW34-FLAM5 (REPLACES MODEL SKMWF34/C5)	34" MOBILE FREEZER 230V/50-60HZ/1PH, 5" CASTERS, INSULATED LIDS/SIDE TO SIDE, AMER NEMA 6-15P, CE APPROVED	205
	SKFMW34-ELUS3 (REPLACES MODEL SKEFT34-IL-1-EJ6)	34" MOBILE FREEZER 115V/60HZ/1PH, 2" CASTERS, INSULATED LIDS/ SIDE TO SIDE, EN-PLUG	185
	SKFMW34-FLEU3 (REPLACES MODEL SKMWF34/CEU3)	34" MOBILE FREEZER 230V/50-60HZ/1PH, 5" CASTERS, STAINLESS STEEL LIDS/SIDE TO SIDE, EURO, E-PLUG, CE APPROVED	190
	SKFMW34-ELUS5 (REPLACES MODEL SKMWF34-IL-1-EJ5)	34" MOBILE FREEZER 115V/60HZ/1PH, 2" CASTERS, LESS BUMPERS, INSULATED STAINLESS STEEL LIDS/FRONT TO BACK, EN PLUG	195
	SKFMW44-ELUS1 (REPLACES MODEL SKEFT44-IL-1-EM1)	44" MOBILE FREEZER 115V/60HZ/1PH, 5" CASTERS, INSULATED LIDS/ SIDE TO SIDE, NEMA 5-15P	230
	SKFMW50-ELUS1 (REPLACES MODEL SKEFT50-IL-1-EM2)	50" MOBILE FREEZER 115V/60HZ/1PH, 5" CASTERS, INSULATED LIDS/ SIDE TO SIDE, NEMA 5-15P	250
	SKFI15-ELUS1 (REPLACES MODEL SKEFT15-IL-1-BK1)	15" MOBILE FREEZER 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P HOLD UP TO 4-3 GAL ICE CREAM TUBS/STACKED	115
	SKFI15-RLEU20 (REPLACES MODEL SKFS2/CEU20)	15" MOBILE FREEZER 230V/50-60HZ/1PH, 3" CASTERS, EURO, E-PLUG, CE APPROVED, HOLD UP TO 4-3 GAL ICE CREAM TUBS/STACKED	120
	SKFI15-RLUK20 (REPLACES MODEL SKFS2/CUK20)	15" MOBILE FREEZER 230V/50-60HZ/1PH, 3" CASTERS, UK, G-PLUG, CE APPROVED, HOLD UP TO 4-3 GAL ICE CREAM TUBS/STACKED	120

## SHELF REFRIGERATORS

Shelf Refrigerators	Model No.	Description	Ship WT (lbs.)
	SKRS28-RSUS10 (REPLACES MODEL SKSR/C10)	28" SHELF REFRIGERATOR 115V/60HZ/1PH, RH HINGE DOOR, NEMA 5-15P	140
	SKRS28-RSUS11 (REPLACES MODEL SKSR/C11)	28" SHELF REFRIGERATOR 115V/60HZ/1PH, LH HINGE DOOR, NEMA 5-15P	140

## REFRIGERATED PREPARATION TABLES – WITH DRAWERS

Silver King's prep tables keep products cold. They are rated #1 in coldest pan and cabinet temperatures by an independent testing agency. And all Silver King prep tables are certified to NSF Standard 7 specifications.

Refrigerated Prep Tables With Drawers	Model No.	Description	Ship WT (lbs.)
	SKPZ60-FDUS10 (REPLACES MODEL SKPZ60D/C10)	60" PREPARATION TABLE, WITH 19" DEEP CUTTING BOARD 4 - 2 PAN DRAWERS, 115V/60HZ/1PH, 5" CASTERS, NEMA 5-15P	550
	SKPZ72-FDUS2 (REPLACES MODEL SKPZ72D/C2)	72" PREPARATION TABLE, WITH 19" DEEP CUTTING BOARD 3-2 ½ PAN DRAWERS, 2-2 PAN DRAWERS, 115V/60HZ/1PH, 5" CASTERS, NEMA 5-15P	625
	SKPZ92-FDUS10 (REPLACES MODEL SKPZ92D/C10)	92" PREPARATION TABLE, WITH 19" DEEP CUTTING BOARD 6-2 PAN DRAWERS, 115V/60HZ/1PH, 5" CASTERS, NEMA 5-15P	795






## REFRIGERATED PREPARATION TABLES – WITH DOORS



Silver King's prep tables keep products cold. They are rated #1 in coldest pan and cabinet temperatures by an independent testing agency. And all Silver King prep tables are certified to NSF Standard 7 specifications.

### Refrigerated Prep Tables With Doors

	Model No.	Description	Ship WT (lbs.)
	SKP278A-ESUS2 (REPLACES MODEL SKP278/C2)	27" PREPARATION TABLE, WITH 10" DEEP CUTTING BOARD 115V/60HZ/1PH, 5" CASTERS, 8 1/6 SIZE PANS, NEMA 5-15P	210
	SKP278A-ESEU2 (REPLACES MODEL SKP278/CEU2)	27" PREPARATION TABLE, WITH 10" DEEP CUTTING BOARD 230V/50-60HZ/1PH, 5" CASTERS, 8 1/6 SIZE PANS, EURO, E-PLUG, CE APPROVED	220
	SKP2712A-ESUS2 (REPLACES MODEL SKP2712/C2)	27" PREPARATION TABLE, WITH 10" DEEP CUTTING BOARD 115V/60HZ/1PH, 5" CASTERS, 12 1/6 SIZE PANS, NEMA 5-15P	235
	SKP4812A-ESUS1 (REPLACES MODEL SKEPT4812-SD-1-BM1)	48" PREPARATION TABLE, WITH 10" DEEP CUTTING BOARD 115V/60HZ/1PH, 5" CASTERS, 12 1/6 SIZE PANS, NEMA 5-15P	325
	SKP4812A-RSEU2 (REPLACES MODEL SKP4812A/CEU2)	48" PREPARATION TABLE, WITH 10" DEEP CUTTING BOARD 230V/50-60HZ/1PH, 5" CASTERS, 12 1/6 SIZE PANS, EURO, E-PLUG, CE APPROVED	330
	SKPZ60-FSUS10 (REPLACES MODEL SKPZ60/C10)	60" PREPARATION TABLE, WITH 19" DEEP CUTTING BOARD 115V/60HZ/1PH, 5" CASTERS, 8 1/3 SIZE PANS 4" DEEP, NEMA 5-15P	430
	SKPZ92-FSUS10 (REPLACES MODEL SKPZ92/C10)	92" PREPARATION TABLE, WITH 19" DEEP CUTTING BOARD 115V/60HZ/1PH, 5" CASTERS, 12 1/3 SIZE PANS 4" DEEP, NEMA 5-15P	675



## REFRIGERATED COUNTERTOP PREPARATION TABLES

Refrigerated Countertop Preparation Tables	Model No.	Description	Ship WT (lbs.)
	SKPS3-NA	12" COUNTER TOP PREPARATION STATION 115V/60HZ/1PH, 3 PAN, NEMA 5-15P	22
	SKPS8A-ELUS1 (REPLACES MODEL SKEPT43-SL-1-BA1)	43" COUNTER TOP PREPARATION STATION 115V/60HZ/1PH, WITH ADAPTER BARS, ACCOMMODATES 8 1/6 SIZE PANS (NOT INCLUDED), NEMA 5-15P	105
	SKPS12A-ELUS1 (REPLACES MODEL SKEPT57-SL-1-BA1)	57" COUNTER TOP PREPARATION STATION 115V/60HZ/1PH, WITH ADAPTER BARS, ACCOMMODATES 12 1/6 SIZE PANS (NOT INCLUDED), NEMA 5-15P	120





Preparation Table Accessories	Model No.	Description	Ship WT (lbs.)
	FG8	FOOD GUARD FOR (SKEPT43-SL-1-BA1/ SKPS8A-ELUS1)	10
	FG12	FOOD GUARD FOR (SKEPT57-SL-1-BA1/ SKPS12A-ELUS1)	13
	10330-11	0.5"X8.75"X31" - POLYETHYLENE CUTTING BOARD KIT FOR USE WITH-SKEPT43-SL-1-BA1/ SKPS8A-ELUS1	8
	10330-12	0.5"X8.75"X44.75" - POLYETHYLENE CUTTING BOARD KIT FOR USE WITH – SKEPT57-SL-1-BA1/ SKPS12A-ELUS1	11

## DAIRY DISPENSING

Silver King has been the leader in Milk Dispensers for over 60 years. These units also reduce waste through its dripless operation. Our units provide easy access to the temperature indicator and adjustable temp options. Whatever size of Majestic Milk Dispenser you choose, you can expect years of dependable performance.

Dairy Dispensing	Model No.	Description	Ship WT (lbs.)
	SKMAJ1-C4 (REPLACES MODEL SKMAJ1/C4)	MAJESTIC 1 VALVE 115V/60HZ/1PH, 1-PLATFORM/1-KRATE, NEMA 5-15P	120
	SKMAJ1-CEU4 (REPLACES MODEL SKMAJ1/CEU4)	MAJESTIC 1 VALVE 230V/50-60HZ/1PH, 1-PLATFORM/1-KRATE, EURO, E-PLUG, CE APPROVED	120
	SKMAJ1-C3 (REPLACES MODEL SKMAJ1/C3)	MAJESTIC 1 VALVE 115V/60HZ/1PH, 1-PLATFORM/1-KRATE, SHIPBOARD LEGS, NEMA 5-15P	125
	SKMAJ1-CAM3 (REPLACES MODEL SKMAJ1/CAM3)	MAJESTIC 1 VALVE 230V/50-60HZ/1PH, 1-PLATFORM/1-KRATE, SHIPBOARD LEGS, AMER NEMA 6-15P	125

## DAIRY DISPENSING (continued)





Dairy Dispensing	Model No.	Description	Ship WT (lbs.)
	SKMAJ2-C4 (REPLACES MODEL SKMAJ2/C4)	MAJESTIC 2 VALVE 115V/60HZ/1PH, 2-PLATFORMS/2-KRATES, NEMA 5-15P	160
	SKMAJ2-CEU4 (REPLACES MODEL SKMAJ2/CEU4)	MAJESTIC 2 VALVE 230V/50-60HZ/1PH, 2-PLATFORMS/2-KRATES, EURO, E-PLUG, CE APPROVED	160
	SKMAJ2-C3 (REPLACES MODEL SKMAJ2/C3)	MAJESTIC 2 VALVE 115V/60HZ/1PH, 2-PLATFORMS/2-KRATES, SHIPBOARD LEGS, NEMA 5-15P	165
	SKMAJ2-CAM3 (REPLACES MODEL SKMAJ2/CAM3)	MAJESTIC 2 VALVE 230V/50-60HZ/1PH, 2-PLATFORMS/2-KRATES, SHIPBOARD LEGS, AMER NEMA 6-15P	165
	SKMAJ3-C4 (REPLACES MODEL SKMAJ3/C4)	MAJESTIC 3 VALVE 115V/60HZ/1PH, 3-PLATFORMS/3-KRATES, NEMA 5-15P	200
	SKMAJ3-CEU4 (REPLACES MODEL SKMAJ3/CEU4)	MAJESTIC 3 VALVE 230V/50HZ/1PH, 3-PLATFORMS/3-KRATES, EURO, E-PLUG, CE APPROVED	200
	SKMAJ3-C3 (REPLACES MODEL SKMAJ3/C3)	MAJESTIC 3 VALVE 115V/60HZ/1PH, 3-PLATFORMS/3-KRATES, SHIPBOARD LEGS, NEMA 5-15P	205


## Milk Dispenser Accessories & Supplies

	Model No.	Description	Ship WT (lbs.)
	35904	MILK CRATE ACCOMMODATES 3, 5 & 6 GAL MILK BAGS	5
	63959	MILK CONTAINER PLATFORM ACCOMMODATES 3, 5 & 6 GALLON BAG-IN-BOX	4
	20323	TUBE DISPENSER 10.25 In (0505097-00A)	22
	62642	STAINLESS STEEL DISPENSER CAN 3 GALLON	12
	60224	STAINLESS STEEL DISPENSER CAN 5 GALLON	14



## FOUNTAINETTES

Selling ice cream is a great way to generate more cold cash for your foodservice operation. Silver King Fountainettes are extremely versatile, enabling you to create a high volume profit center when combined with a dipping cabinet or soft serve machine. Our fountainettes feature a stainless steel design that improves functionality and efficiency.

Fountainettes	Model No.	Description	Ship WT (lbs.)
	SKRNB27-RSUS2 (REPLACES MODEL SKF2A/C1)	27" REFRIGERATED FOUNTAINETTE 115V/60HZ/1PH, 2-1/6 SIZE PANS 6" DEEP WITH COVERS, 3-1/9 SIZE PANS 4" DEEP WITH COVERS AND LADLES, NEMA 5-15P, LESS PUMPS AND JARS	205
	SKRNB27-RSUS5 (REPLACES MODEL SKF2A/C5)	27" REFRIGERATED FOUNTAINETTE 115V/60HZ/1PH, 8.5" CUTTING BOARD, 2" RECESSED CASTERS, 4-1/6 PANS 6" DEEP WITH COVERS, NEMA 5-15P, LESS PUMPS AND JARS	220
	SKRN36-RSUS2 (REPLACES MODEL SKF3/C2)	36" REFRIGERATED FOUNTAINETTE 115V/60HZ/1PH, 5" CASTERS, NEMA 5-15P, LESS PUMPS AND JARS	275
	SKRN48-ESUS1 (REPLACES MODEL SKEPF48-SD-1-BM1)	48" REFRIGERATED FOUNTAINETTE, WITH 6" DEEP CUTTING BOARD 115V/60HZ/1PH, 5" CASTERS, BUMPERS, NEMA 5-15P, LESS PUMPS AND JARS	325

Fountainette Accessories	Model No.	Description	Ship WT (lbs.)
	22590-02	PUMPS & JARS (SKF2A/C1/SKRNB27-RSUS2 & SKF2A/C5/ SKRNB27-RSUS5 models only)	15



## SALAD SYSTEMS

Salad Systems	Model No.	Description	Ship WT (lbs.)
	SKDL25-ESUS2 (REPLACES MODEL SKELD25-SD-1-BA2)	25" LETTUCE DISPENSER 115V/60HZ/1PH, LH/RH DOOR, DUAL STANDARD/ DIVIDED BIN, NEMA 5-15P	145
	SKDL18-RDUS4 (REPLACES MODEL SKSD/C4)	18" LETTUCE DISPENSER, 2-1 PAN DRAWERS, 115V/60HZ/1PH, 3" CASTERS, NEMA 5-15P	175

Salad System Accessories	Model No.	Description	Ship WT (lbs.)
	10316-03	LETTUCE BIN DUAL STANDARD/DIVIDED	16

## SPECIALTY ITEMS

Specialty Items	Model No.	Description	Ship WT (lbs.)
	SKRU27-EGUS1 (REPLACES MODEL SKBR1G)	27" UPRIGHT REFRIGERATOR 115V/60HZ/1PH, GLASS DOOR, LED LIGHT, NEMA 5-15P, R290	315
	SKRM48-RGUS10 (REPLACES MODEL SKDC48/C10)	48" DISPLAY CASE 115V/60HZ/1PH, FRONT SLIDING GLASS DOORS, REAR GLASS PANEL-MIRROR EFFECT, LED LIGHT, NEMA 5-15P	245
	SKRM48-RPUS10 (REPLACES MODEL SKDC48PT/C10)	48" DISPLAY CASE - PASS THROUGH FRONT AND BACK SLIDING GLASS DOORS, LED LIGHT, NEMA 5-15P	245
	SKFDI23-ELUS1 (REPLACES MODEL SKEDI23-TL-1-BA1)	23" DROP-IN-FREEZER 115V/60HZ/1PH, HOLDS 15-20 DOZEN ICE CREAM NOVOLTIES, NEMA 5-15P	115
	SKFDI18-ELUS1 (REPLACES MODEL SKEDI18-IL-1-BA1)	18" DROP-IN-FREEZER 115V/60HZ/1PH, HOLDS 1-3 GAL ICE CREAM TUB, NEMA 5-15P	80
	SKFDI18-RLEU20 (REPLACES MODEL SKDI/CEU20)	18" DROP-IN-FREEZER 230V/50HZ/1PH, HOLD 1-3 GAL ICE CREAM TUB, EURO, E-PLUG, CE APPROVED	80
	SKFI18-ELUS1 (REPLACES MODEL SKEFT18-IL-1-BG1)	18" ICE CREAM FREEZER 115V/60HZ/1PH, 6" LEGS, HOLD 1-3 GAL ICE CREAM TUB, NEMA 5-15P	95

Accessories	Model No.	Description	Ship WT (lbs.)
	10315-08	LOCKING BAR FOR MODELS SKFDI23-ELUS1 AND SKEDI23-TL-1-BA1 ONLY	2
	10314-50	WALL MOUNT KIT FOR MODELS SKDC48/C10 AND SKRM48-RGUS10 ONLY	24

# TERMS AND CONDITIONS

## SILVER KING WARRANTY – LEGACY PRODUCT LINE

Silver King warrants to the original purchaser of every new Silver King Legacy refrigerated self-contained unit (as defined below), that the Equipment shall be free from defects in material and workmanship under normal use and service as outlined in the Technical Manual for a period of one (1) year from the later of either (a) the date of shipment from the manufacturer or (b) the date of installation (the "Warranty Period"), but in no event shall the Warranty Period commence later than six (6) months from the date of shipment from the manufacturer unless otherwise agreed upon by the parties in writing. Equipment includes General Market Refrigeration units and excludes all Dispensing and Custom Holding Refrigeration or extended agreements whose written terms are conditional at time of sale or contract. All warranties are subject to specific limitations outlined below.

This Equipment warranty does not apply to: Repair or replacement required as a result of carelessness or neglect. Improper installation, incorrect voltage supply, modifying, tampering with or altering components and/or Equipment. Failure to perform proper maintenance. This warranty does not apply to damage resulting from fire, water, burglary, accident, abuse, misuse, transit, acts of God, terrorism, attempted repairs, improper installation or maintenance by unauthorized persons, and does not apply to food loss. Unit is compromised by adding excess weight or adhering nonapproved components to the frame. Combining the equipment with hardware, fixtures, accessories or other equipment not provided by Silver King. Misuse of the Equipment or use of the Equipment not in accordance with the Technical Manual. Warranty excludes consumables or replacement components such as shelving, trays, gaskets, etc. Warranty excludes interior liner or exterior shell. Condensing coils must be cleaned at regular intervals. Failure to do so can cause compressor malfunction and will void warranty. Although cleaning requirements vary in accordance with operation of various products, Silver King advocates a minimum monthly cleaning.

The Equipment warranty does not include freight, handling, installation, labor (following the (1) year labor warranty period) or other incidental or consequential costs including product and/or economic loss. This Equipment warranty is in lieu of all other warranties, express or implied, are hereby disclaimed and excluded including those of merchantability, and fitness for a particular purpose. This Equipment warranty is non-transferable. Specific provisions of this Equipment warranty are as follows:

**90 DAY REPLACEMENT PARTS WARRANTY** Silver King warrants to the original Equipment purchaser that a replacement OEM part thereof will be free of defects in material and workmanship, under normal use and service, for a period of 90 days from the date of original purchase of such replacement OEM part subject to all terms and conditions herein.

**LIFETIME HINGE AND HANDLE WARRANTY** Silver King provides a lifetime warranty on hinges and primary (door or drawer) handles. In the event of a non-conforming hinge or primary handle, Silver King shall provide a replacement part; however, Purchaser shall be responsible for any other replacement costs, including but not limited to shipping, installation and labor.

**Three (3) Year Drawer Slide Warranty** Silver King warrants to the original Equipment purchaser for a period of time not to exceed the earlier of the following: three (3) years from the date of original purchase of the Equipment or three (3) years and six (6) months from the date of shipment from the factory of the equipment, that it will replace the drawer slides with one of similar design and capacity, exclusive of delivery and installation charges, if it is found in Silver King's review to be inefficient or inoperative due to defects in material or factory workmanship.

**FIVE (5) YEAR COMPRESSOR WARRANTY** Silver King warrants to the original Equipment purchaser for a period of time not to exceed the following: five (5) years from the date of original purchase of the Equipment or five (5) years and six (6) months from the date of shipment from the factory of the Equipment, that it will replace the compressor with one of similar design and capacity, exclusive of delivery and installation charges, if it is found subject to Silver King's review to be inefficient or inoperative due to defects in material or factory workmanship. It is the original purchaser's responsibility to return the serial plate of the defective compressor, or at Silver King's option the complete compressor, to the factory. Failure to do so will void this limited compressor warranty. This limited compressor warranty shall be limited to parts only after the WARRANTY period applicable to the Equipment has expired.

This Equipment warranty is limited to repairing or replacing any parts that, at Silver King's discretion, are deemed to be defective within the time period covered by this warranty. The three (3) year parts warranty covers standard freight and handling charges. Special handling charges or expedited means for transport

are excluded from reimbursement. Use of non-OEM parts may, at Silver King's discretion, void this warranty. If approved, warranty credit for non-OEM parts will be issued at the OEM cost. Replacement parts sold separately are warranted for 90-days from date of purchase. Special installation/applications, including remote locations, are limited in coverage by this warranty. Any installation that requires extra work, and or travel, is the sole responsibility of the equipment purchaser.

**ADDITIONAL WARRANTY GUIDELINES:** A factory issued Service Authorization Number must be obtained prior to work being performed under the (1) one-year labor warranty. Contact your supplier or Silver King. Claims submitted without a Service Authorization Number will be paid at Silver King's discretion. The labor warranty includes standard straight time labor charges in accordance with Silver King's Labor Warranty Guidelines and reasonable travel time, as determined as determined in the Silver King time – rate guide.

Silver King, at its discretion, may request photos during or prior to service being dispatched to validate a technical issue. Failure to comply with the request may result in the cost of service being the responsibility of the service requestor or site.

The labor warranty does not cover original installation, startup, normal adjustments or maintenance. Normal adjustments and maintenance include, but are not limited to; temperature control adjustments, temperature indicator calibrations, coil and filter cleaning, or condensate drain cleaning.

A second service call for a related failure is not covered.

Use of refrigerants other than specified on the Equipment serial plate voids the warranty. All claims must include; model and serial number of equipment, date of purchase, date of failure, and a copy of the service invoice detailing the defect and service performed. No claim will be processed without this information. All claims must be filed within 30 days from date of service.

**PRODUCT ORDERING INFORMATION** Call us toll free at 1-800-328-3329 or 1-763-923-2441 Fax us at 1-763-553-1209

Visit [www.silverking.com](http://www.silverking.com) for stocking distributor, equipment specs and current price list for your area.

**SERVICE / PARTS ORDERING INFORMATION** Call us toll free at 1-800-328-3329, prompt 1 Equipment Service and Tech Support or 2 Parts

**TERMS AND CONDITIONS** • This price list and conditions are effective January 1, 2020 and supersedes all previous price lists. • WARRANTY period may vary from customer to customer and is contract specific. • All prices reflect payment in U.S. Dollars. • Prices do not include any freight, duty, or taxes. • Pricing subject to change without notice. • No returns are accepted without prior written approval from the factory. An RMA (Returned Merchandise Authorization) form must be completed and then approved by Silver King. Please contact Silver King for details. Restocking fee will apply. • All electrical equipment is single phase. • Prices, designs, and specifications are subject to change without notice. • Payments via credit card are subject to a 3.5% surcharge. •

Any and all environmental attributes, including environmental offset credit rights, with respect to Silver King refrigeration units manufactured after September 1, 2015, shall remain the property of Silver King and are not transferred.

IN NO EVENT SHALL SILVER KING BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES. THE REMEDIES OF PURCHASER SET FORTH HEREIN ARE EXCLUSIVE AND THE TOTAL LIABILITY OF SILVER KING, WHETHER BASED ON CONTRACT, WARRANTY, NEGLIGENCE, INDEMNIFICATION, STRICT LIABILITY, TORT, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE OF THE COMPONENT UPON WHICH LIABILITY IS BASED. SILVER KING SHALL HAVE NO OBLIGATION OR LIABILITY FOR CONSEQUENTIAL OR SPECIAL DAMAGES, INCLUDING BUT NOT LIMITED TO INDIRECT, PUNITIVE DAMAGES, LOSS OF USE, LOSS OF PRODUCT, DOWNTIME OR LOST PROFITS, ARISING OUT OR, RELATED TO OR CONNECTED IN ANY WAY WITH THE PRODUCT OR ITS USE.

Silver King 1600 Xenium Lane, Plymouth, MN 55441-3706  
[www.silverking.com](http://www.silverking.com) • 1-800-328-3329

© Silver King 2020 Prices Subject To Change

*Note: Additional Terms and Conditions of sale may apply. Notice: Specifications Subject to Change Without Notice. Contact factory for specific model agency approval.*



# TERMS AND CONDITIONS

## SILVER KING WARRANTY – VANGUARD PRODUCT LINE

Silver King warrants to the original purchaser ("Purchaser") of every new Silver King Vanguard refrigerated self-contained unit (as defined below), that the Equipment shall be free from defects in material and workmanship under normal use and service as outlined in the Technical Manual for a period of three (3) years from the later of either (a) the date of shipment from the manufacturer or (b) the date of installation (the "Domestic Warranty Period"), but in no event shall the Domestic Warranty Period commence later than six (6) months from the date of shipment from the manufacturer unless otherwise agreed upon by the parties in writing. All warranties are subject to specific limitations outlined below.

This Equipment warranty does not apply to: Repair or replacement required as a result of carelessness or neglect. Improper installation, incorrect voltage supply, modifying, tampering with or altering components and/or Equipment. Failure to perform proper maintenance. This warranty does not apply to damage resulting from fire, water, burglary, accident, abuse, misuse, transit, acts of God, terrorism, attempted repairs, improper installation or maintenance by unauthorized persons, and does not apply to food loss. Unit is compromised by adding excess weight or adhering nonapproved components to the frame. Combining the equipment with hardware, fixtures, accessories or other equipment not provided by Silver King. Misuse of the Equipment or use of the Equipment not in accordance with the Technical Manual. Warranty excludes consumables or replacement components such as shelving, trays, gaskets, etc. Warranty excludes interior liner or exterior shell. Condensing coils must be cleaned at regular intervals. Failure to do so can cause compressor malfunction and will void warranty. Although cleaning requirements vary in accordance with operation of various products, Silver King advocates a minimum monthly cleaning.

The Equipment warranty does not include freight, handling, installation, labor (following the (3) year labor warranty period) or other incidental or consequential costs including product and/or economic loss. This Equipment warranty is in lieu of all other warranties, express or implied, are hereby disclaimed and excluded including those of merchantability, and fitness for a particular purpose. This Equipment warranty is non-transferable. Specific provisions of this Equipment warranty are as follows:

**90 DAY REPLACEMENT PARTS WARRANTY** Silver King warrants to the original Purchaser that a replacement OEM part thereof will be free of defects in material and workmanship, under normal use and service, for a period of 90 days from the date of original purchase of such replacement OEM part subject to all terms and conditions herein.

**LIFETIME HINGE AND HANDLE WARRANTY** Silver King provides a lifetime warranty on hinges and primary (door or drawer) handles. In the event of a non-conforming hinge or primary handle, Silver King shall provide a replacement part; however, Purchaser shall be responsible for any other replacement costs, including but not limited to shipping, installation and labor.

**FIVE (5) YEAR COMPRESSOR WARRANTY** Silver King warrants to the original Equipment purchaser for a period of time not to exceed the following: five (5) years from the date of original purchase of the Equipment or five (5) years and six (6) months from the date of shipment from the factory of the Equipment, that it will replace the compressor with one of similar design and capacity, exclusive of delivery and installation charges, if it is found subject to Silver King's review to be inefficient or inoperative due to defects in material or factory workmanship. It is the original purchaser's responsibility to return the serial plate of the defective compressor, or at Silver King's option the complete compressor, to the factory. Failure to do so will void this limited compressor warranty. This limited compressor warranty shall be limited to parts only after the WARRANTY period applicable to the Equipment has expired.

This Equipment warranty is limited to repairing or replacing any parts that, at Silver King's discretion, are deemed to be defective within the time period covered by this warranty. The three (3) year parts warranty covers standard freight and handling charges. Special handling charges or expedited means for transport are excluded from reimbursement. Use of non-OEM parts may, at Silver King's discretion, void this warranty. If approved, warranty credit for non-OEM parts will be issued at the OEM cost. Replacement parts sold separately are warranted for 90-days from date of purchase. Special installation/applications, including remote locations, are limited in coverage by this warranty. Any installation that requires extra work, and or travel, is the sole responsibility of the equipment purchaser.

**ADDITIONAL WARRANTY GUIDELINES:** A factory issued Service Authorization Number must be obtained prior to work being performed under the (3) three-year labor warranty. Contact your supplier or Silver King. Claims submitted without a Service Authorization Number will be paid at Silver King's

discretion. The labor warranty includes standard straight time labor charges in accordance with Silver King's Labor Warranty Guidelines and reasonable travel time, as determined as determined in the Silver King time – rate guide.

Silver King, at its discretion, may request photos during or prior to service being dispatched to validate a technical issue. Failure to comply with the request may result in the cost of service being the responsibility of the service requestor or site.

The labor warranty does not cover original installation, startup, normal adjustments or maintenance. Normal adjustments and maintenance include, but are not limited to; temperature control adjustments, temperature indicator calibrations, coil and filter cleaning, or condensate drain cleaning.

A second service call for a related failure is not covered.

Use of refrigerants other than specified on the Equipment serial plate voids the warranty. All claims must include; model and serial number of equipment, date of purchase, date of failure, and a copy of the service invoice detailing the defect and service performed. No claim will be processed without this information. All claims must be filed within 30 days from date of service.

**PRODUCT ORDERING INFORMATION** Call us toll free at 1-800-328-3329 or 1-763-923-2441 Fax us at 1-763-553-1209 Visit [www.silverking.com](http://www.silverking.com) for stocking distributor, equipment specs and current price list for your area.

**SERVICE / PARTS ORDERING INFORMATION** Call us toll free at 1-800-328-3329, prompt 1 Equipment Service and Tech Support or 2 Parts

**TERMS AND CONDITIONS** • This price list and conditions are effective January 1, 2020 and supersedes all previous price lists. • WARRANTY period may vary from customer to customer and is contract specific. • All prices reflect payment in U.S. Dollars. • Prices do not include any freight, duty, or taxes. • Pricing subject to change without notice. • No returns are accepted without prior written approval from the factory. An RMA (Returned Merchandise Authorization) form must be completed and then approved by Silver King. Please contact Silver King for details. Restocking fee will apply. • All electrical equipment is single phase. • Prices, designs, and specifications are subject to change without notice. • Payments via credit card are subject to a 3% surcharge. •

Any and all environmental attributes, including environmental offset credit rights, with respect to Silver King refrigeration units manufactured after September 1, 2015, shall remain the property of Silver King and are not transferred.

IN NO EVENT SHALL SILVER KING BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES. THE REMEDIES OF PURCHASER SET FORTH HEREIN ARE EXCLUSIVE AND THE TOTAL LIABILITY OF SILVER KING, WHETHER BASED ON CONTRACT, WARRANTY, NEGLIGENCE, INDEMNIFICATION, STRICT LIABILITY, TORT, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE OF THE COMPONENT UPON WHICH LIABILITY IS BASED. SILVER KING SHALL HAVE NO OBLIGATION OR LIABILITY FOR CONSEQUENTIAL OR SPECIAL DAMAGES, INCLUDING BUT NOT LIMITED TO INDIRECT, PUNITIVE DAMAGES, LOSS OF USE, LOSS OF PRODUCT, DOWNTIME OR LOST PROFITS, ARISING OUT OR, RELATED TO OR CONNECTED IN ANY WAY WITH THE PRODUCT OR ITS USE.

Silver King 1600 Xenium Lane, Plymouth, MN 55441-3706  
[www.silverking.com](http://www.silverking.com) • 1-800-328-3329

© Silver King 2020 Prices Subject To Change  
*Note: Additional Terms and Conditions of sale may apply. Notice: Specifications Subject to Change Without Notice. Contact factory for specific model agency approval.*



Silver King  
1600 Xenium Lane  
Plymouth, MN 55441-3706  
[www.silverking.com](http://www.silverking.com)  
**1-800-328-3329**



**MARMON**  
Foodservice  
Technologies

A BERKSHIRE HATHAWAY COMPANY