(Client fills out in advance)

Name:		Date:	Referred by:		
Home:			Cell:		
Address: _			City:		Zip:
Age:	Birthdate:	Email: _			
Please list	how long to all that a	pply below:			
Married: _	Partnered:	Single:	_ Separated:	Divorced:	Widowed:
Ethnicity:			Religion:		
Emergence	y contact:			Phone #:	
Relationsh	ip to client:			_	
Are you cu	rrently in other counse	eling?[]Yes[] No		
If yes, nam	ne and address:				
Prior coun	seling, name(s) & date	(s):			
Current m	edications / dosages (i	ncluding over the	counter):		
Have you l	nad any problems with	medications?	If yes, deta	ails:	
Any difficu	llty with drugs or alcoh	ol? (legal, relatio	nal, occupational	or personal?)	
Major reas	son for seeking help at	this time?			
How long	have you had these pro	oblems or sympto	oms?		
Why did y	ou seek help now?				

Do you have any serious or chronic medical conditions? If yes, dates & details:
Do you have any chronic pain, recurring body aches, or soreness? Where is your body distress?
Have you had any serious accidents/head injuries/seizure activity? If yes, dates & details:
Do you have any recurring nightmares? (describe)
Who loved you unconditionally from 0 to 18 years of age? Who gave you positive reinforcement?
Who loves you and supports you in your life now?
What is your spirituality or source of peace, love or joy?
What spiritual resources do you have, if any? By what name do you call your spiritual supports?
What characteristics do you like most about yourself?
Do you have any performance goals you would like to meet?
What states of being do you desire to live in or return to? (peace, joy, creativity?)
Have you lost any parts of yourself you would really like to have back in your life?

THE AMEN CLINIC QUESTIONNAIRE

0=Never 1=Rarely 2=Occasionally 3=Frequently 4=Very Frequently

 1. Frequent feelings of nervousness or anxiety
 _ 2. Panic attacks
 3. Avoidance of places due to fear of having an anxiety attack
 _4. Symptoms of heightened muscle tension (sore muscles, headaches)
 5. Periods of heart pounding, nausea, or dizziness (not w/ exercise)
 6. Tendency to predict the worst
 7. Multiple, persistent fears or phobias (dying, doing something crazy)
 8. Conflict avoidance
 9. Excessive fear of being judged or scrutinized by others
 10. Easily startled or tendency to freeze in intense situations
 11. Seemingly shy, timid, and easily embarrassed
 12. Bites fingernails or picks skin
Total number of questions with a score of 3 or 4 for questions 1-12 (GAD)
 13. Persistent sad or empty mood
 14. Loss of interest or pleasure from activities that are normally fun
 _ 15. Restlessness, irritability, or excessive crying
 16. Feelings of guilt, worthlessness, helplessness, hopelessness
 17. Sleeping too much or too little, or early morning waking
 18. Appetite changes/ weight loss or weight gain through overeating
 19. Decreased energy, fatigue, feeling "slowed down"
 20. Thoughts of death or suicide, or suicide attempts
 21. Difficulty concentrating, remembering, making decisions
 22. Physical symptoms; headaches, chronic pain, digestive problems
 23. Persistent negativity or low self esteem
 24. Persistent feeling of dissatisfaction or boredom
Total number of questions with a score of 3 or 4 for questions 13-24 (MDD)

0=Never 1=Rarely 2=Occasionally 3=Frequently 4=Very Frequently

 25. Excessive or senseless worrying
 26. Upset when things are out of place or don't go according to plan
 27. Tendency to be oppositional or argumentative
 28. Tendency to have repetitive negative or anxious thoughts
 29. Tendency toward compulsive behaviors
 30. Intense dislike of change
 31. Tendency to hold grudges
 32. Difficulty seeing options in situations
 33. Tendency to hold on to own opinion and not listen to others
 34. Needing to have things done a certain way or you become upset
 35. Others complain you worry too much
 36. Tendency to say no without first thinking about the question (OFA)
Total number of questions with a score of 3 or 4 for questions 25-36
 37. Periods of abnormally happy, depressed or anxious mood
 38. Periods of decreased need for sleep, energetic on much less sleep
 39. Periods of grandiose thoughts and ideas (feeling very powerful)
 40. Periods of increased talking or pressured speech
 41. Periods of too many thoughts racing through your mind
 42. Periods of increased energy level
 43. Periods of poor judgment that leads to risk-taking behaviors
 44. Periods of inappropriate social behavior
 45. Periods of irritability or aggression
 46. Periods of delusional or psychotic thinking
Total number of questions with a score of 3 or 4 for questions 37 – 46 (BD

0=Never 1=Rarely 2=Occasionally 3=Frequently 4=Very Frequently

 47. Short fuse or periods of extreme irritability
 48. Periods of rage without being provoked
 49. Often misinterprets comments as negative when they are not
 50. Periods of spaciness or confusion
 51. Periods of panic or fear for no specific reason
 52. Visual or auditory changes (seeing shadows or hearing sounds)
 53. Frequent periods of déjà vu (feeling you've been somewhere you have never been)
 54. Sensitivity or mild paranoia
 55. Headaches or abdominal pain or uncertain origin
 56. History of head injury or family history of violence/ explosiveness
 57. Dark thoughts, may be homicidal or suicidal
 58. Periods of forgetfulness or memory problems
Total number of questions with a score of 3 or 4 for questions 47- 58 (TL)
 59. Trouble staying focused
 60. Spaciness or feeling like you're in a fog
 61. Overwhelmed by tasks of daily living
 62. Feels tired, sluggish, or slow moving
 63. Procrastination, failure to finish things
 64. Chronic boredom
 65. Loses things
 66. Easily distracted
 67. Forgetful
 68. Poor planning skills
 69. Difficulty expressing feelings
 70. Difficulty expressing empathy for others
Total number of questions with a score of 3 or 4 for questions 59-70 (AD)

Mood Disorder Questionnaire (MDQ)

Name:	Date:	Date:		
Check (✓) the answer that best applies to	you. Answer each question as best you can.	Yes	No	
1. Has there ever been a period of time v	when you were not your usual self and			
you felt so good or so hyper that oth normal self or you were so hyper the				
you were so irritable that you shout	ed at people or started fights or arguments?			
you felt much more self-confident th	nan usual?			
you got much less sleep than usual	and found you didn't really miss it?			
you were much more talkative or sp	ooke faster than usual?			
thoughts raced through your head of	or you couldn't slow your mind down?			
you were so easily distracted by thir concentrating or staying on track?	ngs around you that you had trouble			
you had much more energy than use	ual?			
you were much more active or did n	nany more things than usual?			
you were much more social or outgo telephoned friends in the middle of t				
you were much more interested in s	sex than usual?			
you did things that were unusual for thought were excessive, foolish, or r				
spending money got you or your far	nily in trouble?			
If you checked YES to more than one chappened during the same period of ti				
3. How much of a problem did any of the having family, money, or legal trouble Please check 1 response only.	-			
No problem Minor problem	Moderate problem Serious problem			
4. Have any of your blood relatives (ie, c aunts, uncles) had manic-depressive i				
5. Has a health professional ever told yo bipolar disorder?	u that you have manic-depressive illness or			

This questionnaire should be used as a starting point. It is not a substitute for a full medical evaluation. Bipolar disorder is a complex illness, and an accurate, thorough diagnosis can only be made through a personal evaluation by your doctor.