

# BUILDING TYPES



## STANDARD CARPORTS

Structures less than 26' wide that consist simply of roofs and vertical metal support posts with no sides or ends. These carports can be partially or fully enclosed if necessary to keep your vehicles clean and dry.



## TRIPLE WIDE CARPORTS

Structures 26' - 30' wide that consist simply of roofs and vertical metal support posts with no sides or ends. These carports can be partially or fully enclosed if necessary to keep your vehicles clean and dry.



## RV COVERS

RV Covers range in size from 18' wide up to 30' wide and come standard with 15' legs with the option to reach 16' tall. RV covers include double legs and double base rails for exceptional strength and support.



## GARAGES

Garages are reinforced with fully enclosed walls and one or more bay doors. These metal buildings last longer and insulation can be added for additional comfort.



## COMBO UNITS

Our combo units offer the best of both worlds. These multipurpose buildings have both an enclosed area for storage as well as additional covered space for vehicles.



## SINGLE SLOPES

A single slope provides a small amount of covered space along with a simple installation process. This structure resembles to our lean-tos and tends to cost much less than our other buildings.



# BUILDING TYPES



## HORSE BARN

A Horse barn is composed of 1 center section and a lean-to on each side. They can all be customized to be enclosed or fully open. These barns do not have a continuous roof & has a 2/12 roof pitch for the lean-tos.



## EAGLE BARN

An Eagle barn is composed of 1 center section and a lean-to on each side. They can all be customized to be enclosed or fully open. These barns have a continuous roof with a 3/12 roof pitch.



## LOAFING SHEDS

Loafing Sheds are primarily used for agricultural purposes. For example, the storing of feed and agricultural equipment such as hay bales and mowers. They also make a great shelter for your livestock. Loafing Sheds can not be engineer certified.



## MINI STORAGE

Our mini storage options are enclosed metal buildings. These buildings are ideal for moving your items out of a storage unit and onto your own property.



## CLEAR SPAN BUILDINGS 40' WIDE

A.K.A COMMERCIAL BUILDINGS

Structures 32' - 40' wide that consist simply of roofs with different framing and vertical metal support posts. These carports can be partially or fully enclosed if necessary to keep your vehicles clean and dry.

## OVER 40' WIDE

The max size of our building width (center section) on our price sheets and on our online 3D builder is 40'. Any building with a center section wider than 40' must be done in-house by contacting our dealer services department. **Prior to contact, please have the correct installation address, the purpose of the building (for Risk Cat. rating), building features, etc.**



# INTERIOR & EXTERIOR VIEW

## INTERIOR VIEW



## EXTERIOR VIEW



# GLOSSARY

<b>Base Rail</b>	Refers to the horizontal rail that our legs slot into, you can think of them as the “feet” to our legs.
<b>Bow</b>	Refers to the truss of our 12’-24’ wide structures, it is composed of a long piece of tubular steel bent into a bow shape (like a bow/arrow) and given additional strength by a peak brace.
<b>Drop Panel</b>	A panel that drops down the side of our carport, they can be decorative or act as a guard against rain water when used between a lean-to and its center structure.
<b>End Wall</b>	A wall that encloses the two non-weight bearing sides (referred to as “ends”)
<b>Gable End</b>	A decorative addition that can add both style and extra lateral stability to a carport.
<b>Hat Channel</b>	Pieces that are used to provide an anchoring point for our roof panels on vertical style carports. When viewed from the side, they have the shape of a top-hat.
<b>Header Bar</b>	Refers to the bars located above our garage doors, or larger openings that redistributes the weight of the roof to both sides of the opening so that we can enter through a space a “leg” would normally be placed.
<b>J-Trim</b>	A piece of trim, that when viewed from the side profile, is shaped like a J. It acts both as a decorative feature as well as a cover to any sharp edges that open on drop panel
<b>L-Trim</b>	A piece of trim outlines and protects the sharp edges around openings of our doors and windows. When viewed from the side it looks like the letter “L”
<b>Lean-To</b>	Additions that can add up to 15’ additional width to a structure that has one set of leg to the outside and connects to a central carport that would supply it’s other pair of legs.
<b>Leg</b>	Refers to the vertical poles that bear the weight of the roof of our carports.
<b>Leg Brace</b>	A brace that connects from the legs to the truss/bow of the carport. It adds additional strength to the structure and helps hold up the roof.
<b>Peak Brace</b>	A brace located at the center peak of each bow that provides additional strength and structure to our units 12’-24’ in width.
<b>Side Wall</b>	The wall that encloses the two weight bearing sides (referred to as “sides”)
<b>Wainscot</b>	A decorative touch to our design that changes the color of the bottom 3’ height of the enclosed sides.
<b>45 Degree Trim Kit</b>	A decorative feature that gives the top openings a “softer” corner consisting of four forty five degree angles opposed to two ninety degree angles, it is also referred to as a “Dutch opening”



# ROOF STYLES

## Vertical Roof Style

Vertical Roof Style is the most durable as well as the most traditional style of metal roof. Its vertically aligned panels allows for better water and debris shed. Its construction with hat-channel and paneling on top make this the strongest roof style we offer.

# BEST!



*Our panels are 29 gauge steel. Available in standard lengths of 21', 26', 31', and up to 36' in certain areas. We have 16 colors available to choose from. Custom lengths are available upon request.*



# BETTER



## A-Frame Roof Style

**(Boxed Eave/Horizontal)**

Engineered to provide the coverage you need while maintaining a more traditional looking roof line to compliment your property/home. The roofing panels run from front to back like our regular style.



# GOOD



## Regular Roof Style

**(Arch Style)**

The original style offered in the carport industry, this is where it all started! Featuring rounded eaves, this is our most economical roof style available. The roofing panels run front to back.



# SITE LEVELING




**STEP 1:** Make sure to call 811 if you're unsure about utility lines.

**STEP 2:** Measure the width of your carport and place stakes accordingly. Square up stakes as necessary.

**STEP 3:** Run string between stakes and apply string level.

**STEP 4:** Record elevation changes, subtract your shortest measurement from the highest and you'll have how many inches off level the land is. *(Must be within 4")*





Garage doors close correctly when installed on level ground, preventing exposure to elements.



Garage door will NOT close and walk-in doors can not be installed on unlevelled ground.



Prevent use of concrete blocks and an interior exposed to the elements by leveling your land first!





# UTILITY INFORMATION



## NOTE

All buildings require a minimum of 4' open space around the perimeter of the work site, to allow space for ladders and crew. If a lift is required, a 30' perimeter around the buildings is needed for installation.

# ANCHOR INFORMATION

TYPE	APPLICATION	PLACEMENT	SIZE
ASPHALT ANCHOR	For installation on asphalt	Typically spaced 10' - 15' apart	30"
CONCRETE ANCHOR	For installation on concrete	Typically within 6" away from 1 side of each leg	6"
EARTH AUGER ANCHOR	For installation of any unit on the ground, whether it be on soil, gravel, etc.	Typically spaced 10' - 15' apart	30"
REBAR ANCHOR	Pins baserail in place during construction	Typically spaced 10' apart	30"

*\*If proper anchoring is not possible, building will not meet rating criteria.*



## FLUSH MOUNT KIT

The flush mount kit allows you to use a concrete pad the same size as the building itself without extending beyond 2" or more. Example: for a 20'x30' building you would need a 20' x 30' concrete pad.




## CONCRETE ANCHORS

Sometimes referred to as wedge anchors, contractors drill into the concrete and insert the anchor to fasten the building very securely to the concrete pad.



## REBAR ANCHORS


Used in combination with every other anchor style except for concrete. Rebar anchors hold the baserail in place during construction to ensure a sturdy installation.



## EARTH AUGER ANCHORS

*also known as Mobile Home Anchors*

Used to secure the building in ground installations only. They are double helical in design.




## ASPHALT ANCHORS

Used in asphalt installations only. They have 4 fins that when driven into the ground hold the anchor in keeping the building secure during high wind conditions.




# HOW TO POUR CONCRETE

## TYPICAL CONCRETE PAD SET UP



Please call corporate office 800.579.8589 for concrete pad designs other than 35/140.

## CROSS SECTION VIEW



### OPTION 1

With Flush Mounts installed, your concrete pad can be the same size as your building. For example: the concrete pad for a 20' x 30' building will also be 20' x 30'.

### OPTION 2

Without Flush Mounts installed, your concrete pad will have to be an additional 2" bigger. For example: the concrete pad for a 20' x 30' building will be 20'4" x 30'4".

# FLUSH MOUNT KITS

## CONCRETE



When installing a building on a concrete surface, the typical minimum requirement is to have a 2" perimeter (or greater) around the structure. Flush Mount Kits allow cement pads to be the exact width and length of the building without the 2" perimeter requirement.

### WITH FLUSH MOUNT KIT



### WITHOUT FLUSH MOUNT KIT




Flush Mount Kits allow your concrete pad to be the same size as your buildings without the need for an extra 2" around the perimeter of the building.



# ENGINEERED DRAWINGS

Generic  
Drawings



Eagle Carports  
"Flying High with Great Deals"

STRUCTURAL DESIGN

STANDARD PACKAGE  
ENCLOSED BUILDING

MAXIMUM 30'-0" WIDE X 16'-0" HEIGHT-  
BOX EAVE FRAME AND BOW FRAME

21 April 2021

Revision 3

M&A Project No. 162265/73115/181046/210155

Prepared for:

Eagle Carports  
210 Airport Road  
Mount Airy, NC 27030

Prepared by:

Moore and Associates Engineering  
and Consulting, Inc.

1009 East Avenue  
North Augusta, SC 29641

401 South Main Street, Suite 200  
Mount Airy, NC 27030




FEB 16 2022



Wet Seal

Site  
Specific



## 3 OPTIONS AVAILABLE:

### GENERIC STRUCTURAL DESIGN DRAWINGS

- Free PDF version sent by email upon request
- Standard drawings used when required
- Available after down payment is made

### GENERIC WET SEAL DRAWINGS

- **\$250**  
(2 copies) by mail with additional cost
- If state seal is required on every page by your local building department.
- Allow 1-2 weeks for completion

### SITE-SPECIFIC DRAWINGS

- Up to 24' Wide = **\$1,750**  
(2 copies) by mail with additional cost
- 25' to 30' Wide = **\$2,500**  
(2 copies) by mail with additional cost
- 31' and Wider = **\$4,000+**  
(2 copies) by mail with additional cost
- This will include the customer's name, address, local wind/snow loads, and exact building dimensions with door/window placements
- Allow 6-8 weeks for completion

**All drawing requirements are set by local jurisdictions.  
Customer is responsible for all permitting fees.**

**IF YOU HAVE ANY QUESTIONS OR NEED ANY ASSISTANCE WITH DRAWINGS, PLEASE CONTACT:**

Engineering Department  
Direct: 336-755-2719 or 336-415-5816

Email: [drawings@eaglecarports.com](mailto:drawings@eaglecarports.com) or [permitinfo@eaglecarports.com](mailto:permitinfo@eaglecarports.com)

**NOTE: A PLACEMENT SHEET IS REQUIRED  
FOR SITE-SPECIFIC DRAWINGS AND  
MUST BE SUBMITTED BY THE DEALER !**

*\*Prices and terms are subject to change without notice.*

# RISK CATEGORIES

## RC 1 AND RC 2

### RISK CAT. 1:

**Can NOT be lived in or used as a work space.** These are designed to hold non-living items, such as in agricultural facilities and storage buildings.

### RISK CAT. 2:


**CAN be lived in or used as a work space.** These are reinforced with additional structure to allow them to be used as occupied structures, such as houses, apartments buildings, offices and stores.

By checking the wind and snow rating in your area, you can see if a building is considered a Risk Cat. 1 or a Risk Cat. 2.

**SCAN  
HERE**

**TO CHECK THE WIND & SNOW  
RATING IN YOUR AREA.**

[EAGLECPMIGRATE.WPENGINE.COM/WIND-SNOW-RATINGS](http://EAGLECPMIGRATE.WPENGINE.COM/WIND-SNOW-RATINGS)





# PERMITTING INFORMATION

## PERMIT REQUIRED FOR INSTALL IN THE COUNTIES BELOW BUT NOT LIMITED TO:

NAME	TYPE	STATE	ZIP CODE
ELBERTA	CITY	AL	36530
BALDWIN	COUNTY	AL	36530
AURORA	CITY	CO	80010
EL PASO*	COUNTY*	CO*	80909
PUEBLO	COUNTY	CO	81001
FREMONT	COUNTY	CO	81212
ADAMS	COUNTY	CO	80019
BROOMFIELD	COUNTY	CO	80020
BROOMFIELD	CITY	CO	80021
FOUNTAIN	CITY	CO	80817
LAMAR	CITY	CO	80152
HUERFANO	COUNTY	CO	81055
ERIE	CITY	CO	80514/80516
MANCOS	CITY	CO	81328
PUEBLO WEST	CITY	CO	81007
FLORENCE	CITY	CO	81226
WHEAT RIDGE	CITY	CO	80033
DIVIDE	CITY	CO	80814
LARKSPUR	CITY	CO	80118
JEFFERSON	CITY	CO	80123
HENDERSON	CITY	CO	80640
LOVELAND	CITY	CO	80538/80539
THORNTON	CITY	CO	80229
AGUILAR	TOWN	CO	81020
MONTEZUMA	COUNTY	CO	81321
PARK	COUNTY	CO	80827
DOUGLAS	COUNTY	CO	80104
JEFFERSON	COUNTY	CO	80123
LARIMER	COUNTY	CO	80511
TELLER	CITY	CO	80813
GARFIELD	COUNTY	CO	81601
ARAPAHOE	COUNTY	CO	80010
MESA	COUNTY	CO	81330
GRAND	COUNTY	CO	80442
MONTROSE	COUNTY	CO	81401
FELLSMERE	CITY	FL	32948
OKALOOSA	CITY	FL	32531
KISSIMMEE	CITY	FL	34741
ST CLOUD	CITY	FL	34744
OSCEOLA	COUNTY	FL	34744
HARLEM	TOWN	GA	30814
FULTON	CITY	GA	30331
DODGE	CITY	KS	67801
NEW ORLEANS	CITY	LA	70032
TERREBONNE	PARISH	LA	70361
JACKSON	CITY	MO	70748
CHARLOTTE	CITY	NC	28105
RALEIGH	CITY	NC	27513
PILOT MTN	CITY	NC	27041
SURRY	COUNTY	NC	27030
HOBBS	CITY	NM	88240/88242
SAN JUAN	COUNTY	NM	87401
BERNALLILO	COUNTY	NM	87004
ALBUQUERQUE	CITY	NM	87101
SIERRA	COUNTY	NM	87901

NAME	TYPE	STATE	ZIP CODE
VALENCIA	COUNTY	NM	91354
SANTA FE	CITY	NM	87501
SANTA FE	COUNTY	NM	87505/ 87507
RIO ARRIBA	COUNTY	NM	87510
SANDOVAL	COUNTY	NM	87004
RIO RANCHO	CITY	NM	87114
TORRANCE	COUNTY	NM	87016
EDGEWOOD	CITY	NM	87015
LOS ALAMOS	COUNTY	NM	87544/87545
DOÑA ANA	COUNTY	NM	88032
CORALES	CITY	NM	87048/87114
SAN MIGUEL	COUNTY	NM	88044/88058
EL PRADO	CITY	NM	87529
TAOS	COUNTY	NM	87571
OTERO	COUNTY	NM	88310
CLOUDCROFT	CITY	NM	88317
RANCHOS DE TAOS	COUNTY	NM	87557
TOCOMCARL	CITY	NM	88401
POECHU POE NAMBE PUEBLO	INDIAN RESERVATION	NM	87506
GALLUP	CITY	NM	87317
MCKINNLEY	COUNTY	NM	87301
LOS LUNAS	VILLAGE	NM	87031
PERALTA	CITY	NM	87042
MOUNTAINEER	CITY	NM	87036
TORRENCE	COUNTY	NM	87016
SOCORRO	COUNTY	NM	87801
RIO	COMMUNITIES	NM	87114
BIBO	CITY	NM	87040
CIBOLA	COUNTY	NM	87020
LAS CRUCES	CITY	NM	88001
ALAMOGORDO	CITY	NM	88310/88311
LOGAN	CITY	NM	88426
QUAY	COUNTY	NM	88401/88433
THEODORE/MOBILE	CITY	NM	36582/36590
CARLSBAD	COUNTY	NM	88220/88221
GRANT	CITY	NM	87020
TIJERAS	CITY	NM	87059
DORCHESTER	COUNTY	SC	29437
GREER	CITY	SC	29365
SUMMERVILLE	TOWN	SC	29456
RIDGEFIELD	TOWN	SC	06879
BRUNSWICK	COUNTY	SC	31520
OCOHEE	COUNTY	SC	32703
COLUMBIA	CITY	SC	29044
SPARTANBURG	CITY	SC	29301
SENNECA	CITY	SC	29672
ROCKPORT	CITY	TN	38341
MEMPHIS	CITY	TN	37501
MIDLAND	COUNTY	TX	79701
CARLTON	CITY	TX	75006
UNIVERSAL CITY	CITY	TX	78148
HOUSTON	CITY	TX	77001
GALVESTON	CITY	TX	77550
SANTA FE	CITY	TX	77510/77517

\* Locations are subject to change as we discover more locations that require a permit.  
Some locations are more difficult to obtain a permit (Ex: El Paso County, CO)

# LIFT RENTAL GUIDE

## WHEN IS IT NEEDED?

Lifts are required for installation of some units. This is based on the width, height, and leg type. Please refer to the chart below to see if your building will require a lift rental.

**AVERAGE LIFT EQUIPMENT FEE: \$1,850/WEEK**

Rent-to-own WILL NOT finance lift equipment fee

Call corporate office for more information 1.800.579.8589



## DO YOU NEED A LIFT?

BUILDING WIDTH		18'	20'	22'	24'	26'	28'	30'	32' - 40'
LEG HEIGHT	13' SINGLE	NO	NO	NO	NO	NO	NO	NO	YES
	14' SINGLE	NO	NO	NO	NO	NO	NO	NO	YES
	13' DOUBLE	NO	NO	NO	NO	YES	YES	YES	YES
	14' DOUBLE	NO	NO	NO	NO	YES	YES	YES	YES
	15' DOUBLE	YES	YES	YES	YES	YES	YES	YES	YES
	16' DOUBLE	YES	YES	YES	YES	YES	YES	YES	YES

Note: All commercial grade buildings (32'-60' wide) require a 7K lift.



# COLOR CODES

## SHERWIN-WILLIAMS®

If the customer is interested in matching paint to our metal buildings, the color charts below can be taken to any Sherwin-Williams® location or dealer to match the color of our existing panels. We do not offer any warranty for paint from Sherwin-Williams®. We only offer a 20-year limited warrant through Becker's covering on our panels (See next page for details).

WHITE				
CONTROL #	2566-0082040-001			
PRODUCT:	B66W1151-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
B1		7		1
G2		1		1
Y3			1	1

PEBBLE BEIGE				
CONTROL #	2566-0082040-002			
PRODUCT:	B66W1151-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
B1		7	1	1
R2		1	1	
Y3		32		1

SANDSTONE				
CONTROL #	2566-0082040-003			
PRODUCT:	B66W1153-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
B1		22		1
R2		3		
Y3		49	1	1

PATRIOT RED				
CONTROL #	N/A			
PRODUCT:	B66T01154			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
R2 (Maroon)		24		
R3 (Magenta)	2	40		
R4 (New Red)	8			

CLAY				
CONTROL #	2566-0082040-005			
PRODUCT:	B66W1153-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1		53		
B1		36		
R2		5	1	1
Y3		33		1

RAWHIDE				
CONTROL #	2566-0082040-007			
PRODUCT:	B66W1153-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1	4	10	1	1
B1		26	1	1
R2		7		
Y3	2	19	1	

QUAKER GRAY				
CONTROL #	2566-0082040-008			
PRODUCT:	B66W1153-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1		14		
B1	4	57	1	1
R2		8	1	1
Y3		47		1

PEWTER GRAY				
CONTROL #	2566-0082040-004			
PRODUCT:	B66W1153-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1		36	1	
B1	2	7	1	1
R2		4	1	
Y3		15	1	

BARN RED				
CONTROL #	2566-0082040-010			
PRODUCT:	B66T1154-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1		19	1	1
N1	2	62		1
R2	2	25		
R3	2	21		

BURNISHED SLATE				
CONTROL #	N/A			
PRODUCT:	B66T01254			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1 (White)		63		1
B1 (Black)	6	23		
R2 (Maroon)		17		1
Y3 (Deep Gold)	2	32	1	


EARTH BROWN				
CONTROL #	2566-0082040-013			
PRODUCT:	B66T1154-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1		22		
N1	4	13		1
R2		62	1	1
R3	2	33	1	1

BURGANDY				
CONTROL #	2566-0082040-011			
PRODUCT:	B66T1154-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
B1	2	32	1	1
R2		21	1	1
R3	6	27	1	1
W1		17		
Y3		5		
R4		6		

EVERGREEN				
CONTROL #	2566-0082040-012			
PRODUCT:	B66T1154-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1		42		
B1		8	1	
L1	4	42		
R3		33		
Y3		4		

ROYAL BLUE				
CONTROL #	2566-0082040-009			
PRODUCT:	B66T1154-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
W1		42		
B1		8	1	
L1	4	42		
R3		33		
Y3		4		

BLACK				
CONTROL #	2566-0082040-014			
PRODUCT:	B66T1151-16			
COLORANT	Oz.	32 <sup>nds</sup>	64 <sup>ths</sup>	128 <sup>ths</sup>
B1	14			



# WARRANTY INFORMATION

## NO OTHER WARRANTIES WRITTEN OR IMPLIED ARE COVERED OTHER THAN THOSE LISTED BELOW:

- 1) Workmanship is guaranteed for 90 days after installation.
- 2) Paneling carries a 20-year limited warranty through Becker's covering panels which "peel, crack, blister, flake, split, or delaminate (except for such crazing or slight cracking as may occur on tightly rollformed edges, brake bends or embossing at the time of forming the pre-painted sheet and is accepted as standard and will not constitute a basis for a complaint under this limited warranty)."
- 3) Warranty does not cover manual labor, only materials listed above.
- 4) ANY alterations done by the customer to the purchased unit voids all warranty items listed above.
- 5) Eagle Carports Inc. is not liable for any damages as a result of inclement weather.

Effective as of 9/1 /2011: any building with a regular style roof and/or boxed eve style roof longer than 36 foot will NOT be covered under the 20 year limited warranty on rust through on paneling materials.

Gabriel Torres Jr.  
General Manager



# RESTOCKING FEES

## DO'S & DON'TS

When a customer orders a metal building from Eagle Carports, our top priority is customer service. We work with hundreds of professional installers from across the country to ensure that we can deliver and install our buildings in a timely and efficient manner. In order to continue with this service effectively, a restocking fee will be charged to the customer(s) any time the building is not ready to be installed (ex: no access to their home, invalid address, install site not ready, etc.).

The restocking fee does not apply when the fault is of Eagle Carports or the installers. The chart below can help give you a good idea of when to charge or not charge the restocking fee.



### A RESTOCKING FEE APPLIES WHEN:

- ✓ The ground is unlevel by more than 3" to 4" as the contract states and crew can not install.
- ✓ Concrete pad is not correct. IE, out of square, out of level, not cured, too course etc.
- ✓ When a customer calls to reschedule after the truck is loaded due to personal reasons or personal gain. . . Examples: I got called into work, I have to take my dog to the vet, I can't be on site today after all.
- ✓ When a customer changes their mind on install (does not like product, color, dimensions, etc.) when a contract has been signed. . . Examples: that red looked more red in the office, I think I want vertical sides and ends now etc.
- ✓ Customers change significant aspects of the install after we arrive or have loaded the unit (e.g., decides they want it 2' wider, wants a RUD on the side of the building, wants 4 windows that were not on original order, etc.).
- ✓ Customers cannot modify order once it has been brought to install, without paying a restocking fee.
- ✓ Customer has appointment (or any excuse) and needs to reschedule for their own benefit.

### A RESTOCKING FEE DOES NOT APPLY WHEN:

- ✗ Install crew runs into technical issues and cannot install.
- ✗ Crew cannot / will not go up driveway for any reason.
- ✗ Crew re-schedules due to any reason.
- ✗ Crew brings wrong material from what the order actually states (color, size, panels, roof style, anchors, screws).
- ✗ Crew cannot locate a verifiable installation site.
- ✗ Storm / weather causes reschedule.
- ✗ Crew shows up to install on any date that the customer did not accept and the customer does not allow the installation to proceed.
- ✗ When a customer calls to let you know that they will get stuck if they come today, or any situation when the customers are trying to protect our crew from loss of money or time.

*Example: It snowed here last night, it rained here last night and is now very muddy etc. etc..*

**RESTOCKING FEE:**  
**\$150.00 OR 5% OF THE RETAIL PRICE,**  
**WHICHEVER IS GREATER.**

# DISCOUNTS & ADDITIONAL FEES

## DISCOUNTS

**5% OFF**

IF CARPORT, GARAGE,  
OR BARN IS DELIVERED  
ONLY AND NOT INSTALLED

**20% OFF**  
**ROOF, ENDS**  
**AND GABLES**

IF CUSTOMER WISHES TO BUY FRAME  
ONLY WITHOUT ANY SHEET METAL/  
PANELS OR ENDS WITHOUT SHEET  
METAL/PANELS INSTALLED

**10% OFF**  
**DROP OFF**

IF CUSTOMER WISHES TO PICK  
UP BUILDING AT THE SHOP.

## FEES

Delivery of material or to return for an addition (trip fee included) .....	\$150
Installation of panels on buildings 30' long or less .....	\$200
Install 1 gable end up to 24' wide .....	\$300
Install 1 gable end up to 30' wide .....	\$350
Install 1 end up to 12' tall .....	\$450
Install 1 end up to 16' tall .....	\$550
Carrying Material .....	2.5% of Unit Price for Every 50 Yards
To close a side (6ft tall horizontal paneling) .....	\$200
	(additional \$20 for every 5 ft after 20 ft)
To close a side (6ft - 14ft tall horizontal paneling) .....	\$300
	(additional \$30 for every 5 ft after 20 ft)
Adding walk-in doors or windows to existing frameouts .....	\$150 each
Adding roll up garage doors to existing frameouts (8ftx8ft & below) .....	\$250 each
Adding roll up garage doors to existing frameouts (10ftx10ft) .....	\$300 each
Adding roll up garage doors to existing frameouts (12ftx12ft) .....	\$350 each
Adding roll up garage doors to existing frameouts (14ftx14ft) .....	\$400 each
Restock Fee .....	\$150.00 or 5% of the retail price, whichever is greater.

*If there is a combination of gable end & sides to be installed after initial installation, call for price.*

**EAGLE CARPORTS WILL NOT EXTEND A BUILDINGS LENGTH NOR ALLOW FOR  
ADDITIONS OF LEAN-TOS TO ANY BUILDS AFTER INITIAL INSTALLATION.**

*As of 2/22/2022*



# ACCESSORIES

## GARAGE DOORS



All of our roll up garage doors are provided by **Asta America**, however, depending on certification or lack of, model numbers change.

### CERTIFIED

10' HIGH & BELOW ..... **MODEL 283**

12' HIGH & ABOVE ..... **MODEL 203**


### UNCERTIFIED

10' HIGH & BELOW ..... **MODEL 281**

12' X 12' ..... **MODEL 201**

14' X 14' ..... **MODEL 201 HD**

## WINDOWS



We offer 2 different window models, manufactured by **Pocahontas Aluminum Company Inc.**

**24" X 36" OR 30" X 36"**

## DOORS



We offer 2 different door models, manufactured by **Pocahontas Aluminum Company Inc.**

**36" X 80"**


## BASE RAIL END CAPS



- Finished & trimmed appearance
- Extends life of base rail
- Reduces moisture
- Keep out pests

**BUILDING ADD-ON .....4 FOR \$20**

**OR ORDER ONLINE .....4 FOR \$15**



## COLORED SCREWS



We offer colored screws to match panels at only **2.5%** roof/sides/ends cost.



# ACCESSORIES

## ELECTRIC GARAGE DOOR OPENER KIT

Eagle Carports is now offering a new, more secure feature to our garage doors. Enjoy the convenience of opening and closing your garage doors without leaving your vehicle!

**Only available on 10' x 10' and smaller garage doors.**



**INSTALLED DOOR KIT ..... \$950**

**DEALER SOLD DROP SHIP ..... \$550**

## HEADER BRUSH SEAL

The header brush deal is used primarily to keep out birds and other wildlife from entering your building via the space above your garage door.

**INSTALLED PER FOOT ..... \$10**



**WITHOUT HEADER BRUSH SEAL**



**WITH HEADER BRUSH SEAL**

**NOTE**

For additional accessories, including end caps and other items, please visit [eaglecarports.com/shop](http://eaglecarports.com/shop)



# INSULATION



LOOKING TO UPGRADE A  
CUSTOM METAL BUILDING?

FEATURED BUILDING #71

Eagle Carports offers two high quality insulation options to create a more functional, multi-purpose garage space that can benefit anybody. Adding insulation to a building is not only ideal for workshops, man-caves and recreational projects, but it is also energy efficient which can lead to saving money on utility costs (ex: heating and air conditioning).

Other common benefits of adding insulation to any custom metal buildings include extra protection from moisture, humidity and rust. It also promotes noise reduction which lowers the echo inside the garage as well as reducing outside noise as well.

HOW TO PRICE INSULATION <i>Insulation sold per sq. ft.</i>		
DOUBLE BUBBLE TYPE (MOISTURE BARRIER)	R5	\$1.50 SF
2" FIBERGLASS	R7	\$2.25 SF
<b>ROOF:</b> Add 2' to width and multiply by length. Ex. 24' wide x 26' long 26 x 26 = 676 SF x \$/per SF		
<b>SIDES:</b> Multiply leg height by length by 2. Ex. 26' long x 10' tall 10 x 26 = 260 x 2 = 520 sf x \$/per SF		
<b>ENDS:</b> Add 1.5 to leg height, multiply by building width. Ex. 24' wide x 10' tall 11.5 x 24 = 276 x 2 = 552 sf x \$/per SF		



DOUBLE  
BUBBLE FOIL



2"  
FIBERGLASS