

DRILLING & CORING SERVICES 2025

VWD MOBILE B-61 HDX (Unit 1)

Mounted on an International 4x4 carrier, the Mobile B-61 HDX drill rig packs both power and versatility. This rig is the go too drill for both small scale and large-scale projects.

Features:

- SPT Auto-drop hammer
- 8" Hollow Stem Augers
- 6" Solid Stem Augers
- 4.5" Solid Stem Augers
- Three Winch Lines
- ODEX Drilling
- Mud Rotary
- HQ Coring Capabilities
- Grout Pump
- Approved AUTO Guard
- 4x4 Capabilities



Applications: Geotechnical, Environmental and Exploratory Drilling Programs

VWD MOBILE B-61 HDX (Unit 2)

This truck mounted Mobile B-61 HDX drill rig is the newest addition to our fleet. This powerful drill is a great for both small scale and large-scale projects.

Features:

- SPT Auto-drop hammer
- 8" Hollow Stem Augers
- 6" Solid Stem Augers
- 4.5" Solid Stem Augers
- Three Winch Lines
- ODEX Drilling
- Mud Rotary
- HQ Coring Capabilities
- Grout Pump



Applications: Geotechnical, Environmental and Exploratory Drilling Programs

VWD TRACK Drill RIG

The VWD track mounted drill has the capabilities of a large drill rig, without the excessive size. The low impact rubber tracks, versatility and compact size make this rig ideal for large projects as well as difficult or limited access sites.

Features:

- 50" to 34" Width (limited access)
- SPT Auto-drop hammer
- 8" Hollow Stem Augers
- 6" Solid Stem Augers
- 4.5" Solid Stem Augers
- ODEX Drilling
- Mud Rotary
- HQ Coring Capabilities
- Grout Pump
- Approved AUTO Guard

Rig Dimensions:

Body Width: 2.8 ft (0.86 m)

Adjustable Track Width: 4.2 ft (1.3 m) to 2.9 ft (0.9 m)

Height, mast down: 5.8 ft (1.8 m)

Height, mast up: 10 ft (3.1 m) to 15 ft (4.6 m) Length, mast down: 10 ft (3.1 m) to 15 ft (4.6 m)

Applications: Geotechnical, Environmental and Exploratory Drilling Programs



VWD PORTABLE AUGER RIG

The VWD Portable Auger rig is a powerful compact and cost efficient rig that can be towed just about anywhere with Valley Wide's pickup truck, ATV or UTV. This rig is a great selection for difficult or limited access sites.

Features:

- ATV/UTV Portable
- Low impact rubber tires
- 4.5" Hollow Stem Augers
- 3.5" Solid Stem Augers
- Scala penetrometer testing
- Approved AUTO Guard (optional)

Rig Dimensions:

Width: 6 ft (1.8 m)

Height, mast down: 4 ft (1.2 m) Height, mast up: 11 ft (3.4 m) Length, mast down: 8 ft (2.4 m)

Applications: Geotechnical and Environmental Drilling Programs



KTE CORE DRILL

The VWD Core Drill can be used for pre-coring borehole locations, or for a variety of other asphalt and concrete coring applications.

Features:

- Vertical concrete slab coring
- Horizontal concrete wall coring
- Asphalt surface coring
- 4" to 10" core diameter sizes



CONTACT US FOR A FREE QUOTE:

allan@valleywidedrilling.ca (250) 870-2939

ron@valleywidedrilling.ca (250) 317-1551

www.valleywidedrilling.ca