


PETERSON EQUIPMENT CO., INC.

Home of the Pete's Plug®

2026 Product Guide



THE ORIGINAL TEMPERATURE & PRESSURE TEST PLUG

PetesPlug.com

Product Guide at a Glance

A clean reference for selecting the right Pete's Plug® product family.

TESTING VALVES 50 configurations across brass, lead-free brass, and 316 grade stainless steel.	GAUGE ADAPTERS 13 adapter options with NPT and BSP configurations and multiple probe lengths.
TEST KITS 6 pressure and temperature test kit configurations.	ACCESSORIES 12 cap assemblies, thermometers, gauges, and case options.

How to Read the Part Numbers

- LF** — Lead-free brass configuration.
- BSP** — British Standard Pipe thread configuration.
- XL** — Extended-length configuration.
- Core material** — Blue strap indicates Neoprene; yellow strap indicates Nordel.

For current specification sheets and application details, visit PetesPlug.com.

Testing Valves

Product configurations organized by part number. Strap color identifies core material where applicable.

PART NUMBER	PRODUCT SPECIFICATIONS
#100	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: ¼" NPT Overall Length: 1 ½"
#100-LF	Type: Testing Valve Material: Lead Free Brass Core: Neoprene Thread Size: ¼" NPT Overall Length: 1 ½"
#100BSP	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: ¼" BSP Overall Length: 1 ½"
#100BSP-LF	Type: Testing Valve Material: Lead Free Brass Core: Neoprene Thread Size: ¼" BSP Overall Length: 1 ½"
#100XL	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: ¼" NPT Overall Length: 3"
#100XL-LF	Type: Testing Valve Material: Lead Free Brass Core: Neoprene Thread Size: ¼" NPT Overall Length: 3"
#110	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ¼" NPT Overall Length: 1 ½"

Testing Valves — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#110-LF	Type: Testing Valve Material: Lead Free Brass Core: Nordel Thread Size: ¼" NPT Overall Length: 1 ½"
#110BSP	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ¼" BSP Overall Length: 1 ½"
#110BSP-LF	Type: Testing Valve Material: Lead Free Brass Core: Nordel Thread Size: ¼" BSP Overall Length: 1 ½"
#110XL	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ¼" NPT Overall Length: 3"
#110XL-LF	Type: Testing Valve Material: Lead Free Brass Core: Nordel Thread Size: ¼" NPT Overall Length: 3"
#300	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: ⅜" NPT Overall Length: 1 ½"
#310	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ⅜" NPT Overall Length: 1 ½"

Testing Valves — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#400	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Neoprene Thread Size: ¼" NPT Overall Length: 1 ½"
#400BSP	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Neoprene Thread Size: ¼" BSP Overall Length: 1 ½"
#410	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Nordel Thread Size: ¼" NPT Overall Length: 1 ½"
#410BSP	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Nordel Thread Size: ¼" BSP Overall Length: 1 ½"
#562	Type: Testing Valve Material: Brass Core: Neoprene O-Ring: Buna-N Thread Size: ⅙" UNF Overall Length: 1 ½"
#562-E	Type: Testing Valve Material: Brass Core: Neoprene O-Ring: EPDM/Nordel Thread Size: ⅙" UNF Overall Length: 1 ½"
#562-LF	Type: Testing Valve Material: Lead Free Brass Core: Neoprene O-Ring: Buna-N Thread Size: ⅙" UNF Overall Length: 1 ½"

Testing Valves — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#572	Type: Testing Valve Material: Brass Core: Nordel O-Ring: Buna-N Thread Size: 1/16" UNF Overall Length: 1 1/2"
#572-E	Type: Testing Valve Material: Brass Core: Nordel O-Ring: EPDM/Nordel Thread Size: 1/16" UNF Overall Length: 1 1/2"
#572-LF	Type: Testing Valve Material: Lead Free Brass Core: Nordel O-Ring: Buna-N Thread Size: 1/16" UNF Overall Length: 1 1/2"
#700	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: 1/2" NPT Overall Length: 1 1/2"
#700-LF	Type: Testing Valve Material: Lead Free Brass Core: Neoprene Thread Size: 1/2" NPT Overall Length: 1 1/2"
#700XL	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: 1/2" NPT Overall Length: 3"
#700XL-LF	Type: Testing Valve Material: Lead Free Brass Core: Neoprene Thread Size: 1/2" NPT Overall Length: 3"

Testing Valves — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#710	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ½" NPT Overall Length: 1 ½"
#710-LF	Type: Testing Valve Material: Lead Free Brass Core: Nordel Thread Size: ½" NPT Overall Length: 1 ½"
#710XL	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ½" NPT Overall Length: 3"
#710XL-LF	Type: Testing Valve Material: Lead Free Brass Core: Nordel Thread Size: ½" NPT Overall Length: 3"
#750	Type: Testing Valve Material: Brass Core: Neoprene O-Ring: Buna-N Thread Size: ¾"-16 UNF Overall Length: 1 ½"
#750-LF	Type: Testing Valve Material: Lead Free Brass Core: Neoprene O-Ring: Buna-N Thread Size: ¾"-16 UNF Overall Length: 1 ½"
#760	Type: Testing Valve Material: Brass Core: Nordel O-Ring: Buna-N Thread Size: ¾"-16 UNF Overall Length: 1 ½"

Testing Valves — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#760-LF	Type: Testing Valve Material: Lead Free Brass Core: Nordel O-Ring: Buna-N Thread Size: ¾"-16 UNF Overall Length: 1 ½"
#800	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Neoprene Thread Size: ½" NPT Overall Length: 1 ½"
#800XL	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Neoprene Thread Size: ½" NPT Overall Length: 3"
#810	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Nordel Thread Size: ½" NPT Overall Length: 1 ½"
#810XL	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Nordel Thread: ½" NPT Length: 3"
#900	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: ¼" NPT Overall Length: 1 ⅝"
#910	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ¼" NPT Overall Length: 1 ⅝"

Testing Valves — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#1000	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: ¾" NPT Overall Length: 1 ½"
#1010	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ¾" NPT Overall Length: 1 ½"
#1100	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Neoprene Thread Size: ¾" NPT Overall Length: 1 ½"
#1110	Type: Testing Valve Material: 316 Grade Stainless Steel Core: Nordel Thread Size: ¾" NPT Overall Length: 1 ½"
#12500	Type: Testing Valve Material: Brass Core: Neoprene Thread Size: ⅝" NPT Overall Length: 1 ¼"
#12500-LF	Type: Testing Valve Material: Lead Free Brass Core: Neoprene Thread Size: ⅝" NPT Overall Length: 1 ¼"
#12510	Type: Testing Valve Material: Brass Core: Nordel Thread Size: ⅝" NPT Overall Length: 1 ¼"

Testing Valves — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#12510-LF	Type: Testing Valve Material: Lead Free Brass Core: Nordel Thread Size: 1/8" NPT Overall Length: 1 1/4"

Gauge Adapters

Adapters for pressure readings through Pete's Plug® test valves. Confirm probe width and compatibility notes.

PART NUMBER	PRODUCT SPECIFICATIONS
#500	Type: Gauge Adapter Body- Lead Free Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" NPT Overall Length: 2 ¾" Probe Length: 1 ½" Probe Width: ⅛"
#500-LF	Type: Gauge Adapter Body- Lead Free Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" NPT Overall Length: 2 ¾" Probe Length: 1 ½" Probe Width: ⅛" <i>*For 1 ½" Test Valves</i>
#500BSP	Type: Gauge Adapter Body- Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" BSP Overall Length: 2 ¾" Probe Length: 1 ½" Probe Width: ⅛" <i>*For 1 ½" Test Valves</i>
#500BSP-LF	Type: Gauge Adapter Body- Lead Free Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" BSP Overall Length: 2 ¾" Probe Length: 1 ½" Probe Width: ⅛" <i>*For 1 ½" Test Valves</i>

Gauge Adapters — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#500XL	Type: Gauge Adapter Body- Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" NPT Overall Length: 4 ¼" Probe Length: 3" Probe Width: ⅛" <i>*For 3" Test Valves</i>
#500XLBSP	Type: Gauge Adapter Body- Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" BSP Overall Length: 4 ¼" Probe Length: 3" Probe Width: ⅛" <i>*For 3" Test Valves</i>
#500XLBSP-LF	Type: Gauge Adapter Body- Lead Free Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" BSP Overall Length: 4 ¼" Probe Length: 3" Probe Width: ⅛" <i>*For 3" Test Valve</i>
#510	Type: Gauge Adapter Body- Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" NPT Overall Length: 2 ¾" Probe Length: 1 ½" Probe Width: ¼" <i>*Compatible only with the #12500 & #12510</i>

Gauge Adapters — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#510-LF	Type: Gauge Adapter Body- Lead Free Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread: ¼" NPT Overall Length: 2 ¾" Probe Length: 1 ½" Probe Width: ⅛" <i>*Compatible only with the #12500 & #12510</i>
#510S	Type: Gauge Adapter Body- Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread: ¼" NPT Overall Length: 2.2" Probe Length: 1.15" Probe Width: ⅛" <i>*Compatible only with #12500 & #12510</i>
#510S-LF	Type: Gauge Adapter Body- Lead Free Brass. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" NPT Overall Length: 2.2" Probe Length: 1.15" Probe Width: ⅛" <i>*Compatible only with #12500 & #12510</i>
#520	Type: Gauge Adapter Body- 316 Stainless. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" NPT Overall Length: 2 ¾" Probe Length: 1 ½" Probe Width: ⅛"

Gauge Adapters — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#520XL	Type: Gauge Adapter Body- 316 Stainless. Probe- 304 Stainless Steel. Guard- Aluminum. Thread Size: ¼" NPT Overall Length: 4 ¼" Probe Length: 1 ½" Probe Width: ⅛" <i>*For 1 ½" Test Valves</i>

Pressure & Temperature Test Kits

Complete kit configurations with listed included components.

PART NUMBER	PRODUCT SPECIFICATIONS
#1500	Type: Pressure & Temperature Test Kit Material: Brass Thread: NPT Includes: #500 (2 Qty), #606 (2 Qty), #1500-4 (1 Qty)
#1500-LF	Type: Lead Free Pressure & Temperature Test Kit Material: Lead Free Brass Thread: NPT Includes: #500-LF (2 Qty), #606 (2 Qty), #1500-4-LF (1 Qty)
#1500BSP	Type: Pressure & Temperature Test Kit Material: Brass Thread: BSP Includes: #500BSP (2 Qty), #607 (2 Qty), #1500-4-BSP (1 Qty)
#1500XL	Type: Pressure & Temperature Test Kit Material: Brass Thread: NPT Includes: #500XL (1 Qty), #606 (2 Qty), #1500-4 (1 Qty)

Pressure & Temperature Test Kits — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#1500XL-LF	Type: Lead Free Pressure & Temperature Test Kit Material: Lead Free Brass Thread: NPT Includes: #500XL-LF (1 Qty), #606 (2 Qty), #1500-4-LF (1 Qty)
#1500XL-BSP	Type: Pressure & Temperature Test Kit Material: Brass Thread: BSP Includes: #500XLBSP (1 Qty), #607 (2 Qty), #1500-4 BSP (1 Qty)

Accessories

Replacement cap assemblies, thermometers, pressure gauges, and carrying case options.

PART NUMBER	PRODUCT SPECIFICATIONS
#104-BS-B	Type: Brass Cap Assembly Cap- Brass. Gasket- Neoprene. Strap- Blue.
#104-BS-LF	Type: Lead Free Brass Cap Assembly Cap- Lead Free Brass. Gasket- Neoprene. Strap- Blue.
#104-BS-SS	Type: 316 Grade Stainless Steel Cap Assembly Cap- 316 Grade Stainless Steel. Gasket- Neoprene. Strap: Blue.
#104-YS-B	Type: Lead Free Brass Cap Assembly Cap- Lead Free Brass. Gasket- Nordel. Strap- Yellow.
#104-YS-LF	Type: Brass Cap Assembly Cap- Lead Free Brass. Gasket- Nordel. Strap- Yellow.
#104-YS-SS	Type: 316 Grade Stainless Steel Cap Assembly Cap- 316 Grade Stainless Steel. Gasket- Nordel. Strap- Yellow.

Accessories — Continued

PART NUMBER	PRODUCT SPECIFICATIONS
#518	Type: Clear clamshell case with blank Pete's Plug® sticker with instruction QR code.
#606	Type: Digital Thermometer Temperature Range: -58 ° to 572 ° Degrees Fahrenheit
#607	Type: Digital Thermometer Temperature Range: -50 ° to 300 ° Degrees Celsius
#1500-4	Type: Pressure Gauge Material: Brass Thread: NPT Pressure Range: 0-100 PSI Dial: 3½" Stem: ¼" NPT
#1500-4-LF	Type: Lead Free Pressure Gauge Material: Lead Free Brass Thread: NPT Pressure Range: 0-100 PSI Dial: 3½" Stem: ¼" NPT
#1500-4BSP	Type: Pressure Gauge Material: Brass Thread: BSP Pressure Range: 0-100 PSI Dial: 3½" Stem: ¼" BSP

Product Information

Core identification and ordering reference.

STRAP COLOR	CORE MATERIAL
Blue	Neoprene
Yellow	Nordel

All Pete's Plugs® come with a color-coordinated plastic strap attached to the plug, when applicable, to indicate core material.

SPEC SHEETS • PRODUCT SUPPORT • ORDERING INFORMATION

PetesPlug.com