

August 2, 2024

## ADDENDUM A

To the Contract Documents for the Construction of:

Walnut Valley Unified School District  
Walnut High School  
New Library /Media Center  
DSA #03-123832 | File #19-H52

### NOTICE TO BIDDERS

It is intended that all work affected by the following provisions shall conform to the original DSA approved Plans and Specifications with a DSA Approval Date of May 31, 2024. Delete or modify each of the following items wherever appearing on the Drawings and/or Specifications. Acknowledge receipt of this Addendum in the space provided on the Contractor's Proposal. Failure to do so may subject bidder to disqualification.

### SPECIFICATIONS:

#### ITEM 1.1                      TABLE OF CONTENTS

- A. REVISED TABLE OF CONTENTS IS HEREBY ISSUED.

#### ITEM 1.2                      01 10 00 – SUMMARY OF WORK

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.1.A.  
REASON: TO INDICATE CORRECT DSA APPROVAL DATE.
- B. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.2.B.  
REASON: TO CLARIFY WORK INCLUDES ASSOCIATED SITE IMPROVEMENTS
- C. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.5.A.  
REASON: CHANGED WORDING FROM "SITE OF WORK" TO "PREMISES OF WORK" FOR CLARIFICATION PURPOSES

#### ITEM 1.3                      01 20 00 – PRICE AND PAYMENT PROCEDURES

- A. ITEM DESCRIPTION:  
ADDED "CHANGE ORDER FORM NEXT SHEET" AT END OF SECTION.  
REASON: TO ACCOMMODATE ADDED CHANGE ORDER FORM.

**ITEM 1.4                      01 20 00.1 – DISTRICT STANDARD PAY APPLICATION & CONTINUATION SHEET**

- A. ITEM DESCRIPTION:  
ADDED SECTION IN ITS ENTIRETY  
REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.5                      01 30 00 – ADMINSTRATIVE REQUIREMENTS**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.2.D.  
REASON: TO CLARIFY CONCEALMENT OF PIPES, DUCTS AND CONDUIT WIRING TO BE WITHIN NEW AND FURRED WALLS.

**ITEM 1.6                      01 30 00 – ADMINISTRATIVE REQUIREMENTS (BIM MODEL REQUEST FORM)**

- A. ITEM DESCRIPTION:  
ADDED BIM MODEL REQUEST FORM.  
REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.7                      01 35 42 – CALGREEN REQUIREMENTS**

- A. ITEM DESCRIPTION:  
REMOVED SUB-PARAGRAPHS 1.3.C.3.B, C  
REASON: COMMISSIONING REQUIREMENTS DO NOT APPLY TO THIS PROJECT.

**ITEM 1.8                      01 40 00 – QUALITY REQUIREMENTS**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.16.A.  
REASON: TO CLARIFY CONTRACTOR SHALL CONDUCT MOISTURE, ALKALINITY AND RELATIVE HUMIDITY TESTING.
- B. ITEM DESCRIPTION:  
ADDED “APPROVED DSA 103-22 NEXT SHEET” TO END OF SECTION.  
REASON: TO ACCOMMODATE ADDED DSA 103-22 FORM.
- C. ITEM DESCRIPTION:  
ADDED APPROVED DSA 103-22 FORM.  
REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.9                      01 50 00 – TEMPORARY FACILITIES AND CONTROLS**

- A. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 1.3.B.  
REASON: CONTRACTOR SHALL PROVIDE TEMPORARY ELECTRICAL SERVICE PER PARAGRAPH 1.3.A.
- B. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 1.5.B.  
REASON: CONTRACTOR SHALL PROVIDE HEATING DEVICES AND HEATING PER 1.5.A
- C. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.9.A.

REASON: TO REMOVE ENCLOSURES FOR EXISTING SANITARY FACILITIES, CONTRACTOR TO PROVIDE AND MAINTAIN REQUIRED FACILITIES.

**ITEM 1.10      01 60 00      PRODUCT REQUIREMENTS**

- A. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 1.6.K.2.  
REASON: TO INDICATE CORRECT DISTRICT STANDARD FOR SPEAKER/CLOCK.
- B. ITEM DESCRIPTION:  
ADDED PARAGRAPH 1.8.G.  
REASON: TO PROVIDE LIST OF OFCI ITEMS.

**ITEM 1.11      01 78 00 – CLOSE OUT SUBMITTALS**

- A. ITEM DESCRIPTION:  
ADDED SECTION IN ITS ENTIRETY.  
REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.12      01 79 00 – DEMONSTRATION AND TRAINING**

- A. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 1.2.A.  
REASON: REFERENCED SECTION NOT INCLUDED IN PROJECT SPECIFICATIONS.
- B. ITEM DESCRIPTION:  
REMOVED PARAGRAPHS 3.3.A, D, F.  
REASON: COMMISSIONING REQUIREMENTS DO NOT APPLY TO THIS PROJECT.

**ITEM 1.13      02 41 19 – SELECTIVE DEMOLITION**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.1.A.  
REASON: TO INDICATE REMOVAL OF EXISTING GYPSUM WALL BOARD AT ROOF FRAMING.
- B. ITEM DESCRIPTION:  
REVISED PARAGRAPH 3.4.D.  
REASON: TO SPECIFY SAW-CUT EDGE WHEN REMOVING AC PAVING.
- C. ITEM DESCRIPTION:  
REVISED PARAGRAPH 3.4.J.  
REASON: TO INDICATE REMOVAL OF GYPSUM WALL BOARD AND INSULATION FROM UNDERSIDE OF ROOF ASSEMBLY.

**ITEM 1.14      03 10 00 – CONCRETE FORMING AND ACCESSORIES**

- A. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 1.3.B.  
REASON: SECTION 01 35 43 DOES NOT APPLY TO THIS PROJECT.

**ITEM 1.15      03 30 00 – CAST-IN-PLACE CONCRETE**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 2.2.E.  
REASON: TO INDICATE CORRECT GRADE BEAM, FOUNDATION AND  
SLAB STRENGTH PSI VALUES PER STRUCTURAL DRAWINGS.

**ITEM 1.16      04 21 00 – CLAY UNIT MASONRY**

- A. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 1.2.A  
REASON: SECTION 07 25 00 NOT INCLUDED IN PROJECT  
SPECIFICATIONS.
- B. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 1.3.B.  
REASON: SECTION 07 25 00 NOT INCLUDED IN PROJECT  
SPECIFICATIONS.

**ITEM 1.17      05 50 00 – METAL FABRICATION**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 3.6.C.  
REASON: TO INDICATE 18" INSIDE DIMENSION TREAD WIDTH PER  
DRAWINGS.
- B. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 3.6.C.3.  
REASON: TO INDICATE STEEL SPACERS AS DETAILED IN DRAWINGS.
- C. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 3.6.D.  
REASON: EXTERIOR VERTICAL ACCESS LADDERS ARE NOT IN THE  
SCOPE OF WORK.
- D. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 3.6.E.  
REASON: OVERHEAD DOOR OPENINGS ARE NOT IN THE SCOPE OF  
WORK.

**ITEM 1.18      06 10 00 – ROUGH CARPENTRY**

- A. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 2.5.B.  
REASON: PREFABRICATED WOOD I-JOISTS ARE NOT IN THE SCOPE  
OF WORK.
- B. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 2.5.C.  
REASON: RIM BOARDS ARE NOT IN THE SCOPE OF WORK.

**ITEM 1.19      06 41 16 – CASEWORK**

- A. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.9.A.7.

REASON: TO INDICATE DOOR LOCKS TO BE PROVIDED AT ALL CASEWORK DOORS.

B. ITEM DESCRIPTION:

REVISED SUB-PARAGRAPH 2.9.A.8.

REASON: TO INDICATE DRAWER LOCKS TO BE PROVIDED AT CASEWORK DRAWERS.

C. ITEM DESCRIPTION:

REVISED SUB-PARAGRAPH 2.9.A.8.A

REASON: TO INDICATE ALL ROOMS SEPARATELY KEYED ALIKE.

**ITEM 1.20 07 01 00 – ROOF REPAIRS**

A. ITEM DESCRIPTION:

ADDED SECTION 07 01 00 IN ITS ENTIRETY.

REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.21 07 21 00 – INSULATION**

A. ITEM DESCRIPTION:

REVISED PARAGRAPH 1.1.A.

REASON: TO INCLUDE INSULATION IN EXTERIOR ROOF.

B. ITEM DESCRIPTION:

REVISED SUB-PARAGRAPH 2.2.B.1.

REASON: TO INDICATE R-30 INSULATION IN ROOF ASSEMBLY PER DRAWINGS.

C. ITEM DESCRIPTION:

REVISED SUB-PARAGRAPH 2.3.B.2.

REASON: TO INDICATE R-30 SOUND INSULATION IN RESTROOM CEILING ASSEMBLY PER DRAWINGS.

**ITEM 1.22 07 26 13 – WEATHER RESISTIVE, AIR BARRIERS**

A. ITEM DESCRIPTION:

REVISED SUB-PARAGRAPH 1.1.B.1.

REASON: TO INDICATE RELATED SECTION 04 21 00.

**ITEM 1.23 07 62 00 – SHEET METAL FLASHING AND TRIM**

A. ITEM DESCRIPTION:

REVISED PARAGRAPH 2.5.A.

REASON: TO CLARIFY GALVANIZED FINISH WHERE NOT EXPOSED TO PUBLIC VIEW.

B. ITEM DESCRIPTION:

REVISED PARAGRAPH 2.5.B.

REASON: TO CLARIFY KYNAR FINISH WHERE EXPOSED TO PUBLIC VIEW.

**ITEM 1.24 07 84 00 – FIRESTOPPING**

A. ITEM DESCRIPTION:

REMOVED PARAGRAPH 3.3.A.

REASON: SECTION 09 22 16 NOT INCLUDED IN PROJECT SPECIFICATIONS.

**ITEM 1.25      08 31 13 – ACCESS DOORS**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.2.B.  
REASON: TO INDICATE CORRECT SPECIFICATION SECTION NUMBER.
- B. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.3.C.4.  
REASON: TO CLARIFY THAT COLOR AS SELECTED BY ARCHITECT SHALL MATCH ADJACENT PAINT COLOR SURFACES.

**ITEM 1.26      08 71 00 – DOOR HARDWARE**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 2.1.A.  
REASON: TO SPECIFY DISTRICT STANDARD FOR EXIT DEVICES TO BE SARGENT.
- B. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.6.F.5.  
REASON: TO SPECIFY SURFACE MOUNTED AUTOMATIC DOOR BOTTOMS AT ACOUSTIC OPENINGS.
- C. ITEM DESCRIPTION:  
REVISED HARDWARE GROUP #01.  
REASON: TO SPECIFY CORRECT PANIC HARDWARE PER DISTRICT STANDARD.
- D. ITEM DESCRIPTION:  
REVISED HARDWARE GROUP #03.  
REASON: TO SPECIFY CORRECT PANIC HARDWARE PER DISTRICT STANDARD.
- E. ITEM DESCRIPTION:  
REVISED HARDWARE GROUP #04.  
REASON: REMOVED LOCK GUARD AND ADDED THRESHOLD TO ACCOMMODATE ACOUSTIC SEALS BY MANUFACTURER.
- F. ITEM DESCRIPTION:  
REVISED HARDWARE GROUP #05.  
REASON: TO SPECIFY ACOUSTIC SEALS AND THRESHOLD.
- G. ITEM DESCRIPTION:  
REVISED HARDWARE GROUP #18.  
REASON: TO SPECIFY CORRECT PANIC HARDWARE PER DISTRICT STANDARD.
- H. ITEM DESCRIPTION:  
REVISED HARDWARE GROUP #19.  
REASON: TO SPECIFY CORRECT PANIC HARDWARE PER DISTRICT STANDARD.

**ITEM 1.27      08 80 00 – GLAZING**

- A. ITEM DESCRIPTION:  
ADDED SUB-PARAGRAPH 1.1.C.1.

REASON: TO INCLUDE 08 12 13 TO RELATED SECTIONS.

B. ITEM DESCRIPTION:

ADDED PARAGRAPH 2.2.C.

REASON: GLAZING TYPE GL-3 ADDED TO PROJECT SPECIFICATIONS.

C. ITEM DESCRIPTION:

ADDED PARAGRAPH 2.2.D.

REASON: GLAZING TYPE GL-4 ADDED TO PROJECT SPECIFICATIONS.

**ITEM 1.28      09 05 61 – COMMON WORK RESULTS FOR FLOORING PREPARATION**

A. ITEM DESCRIPTION:

REVISED PARAGRAPH 3.3.B.

REASON: TO CLARIFY ONLY FLOORS TO RECEIVE ADHERED FLOOR COVERINGS SHALL BE SHOT BLASTED.

**ITEM 1.29      09 29 00 – GYPSUM BOARD**

A. ITEM DESCRIPTION:

REVISED PARAGRAPH 3.4.C.

REASON: FIRE RATED ROOF ASSEMBLIES ADDED.

B. ITEM DESCRIPTION:

REVISED PARAGRAPH 3.5.D.

REASON: FIRE RATED ROOF ASSEMBLIES ADDED.

C. ITEM DESCRIPTION:

REVISED SUB-PARAGRAPH 3.5.G.3.

REASON: TO ADD AREAS EXPOSED TO VIEW TO RECEIVE LEVEL 5 FINISH.

**ITEM 1.30      09 30 13 – CERAMIC TILE**

A. ITEM DESCRIPTION:

REVISED PARAGRAPH 1.1.A.

REASON: TO ADD CERAMIC TILE OVER MORTAR BED AT DEPRESSED FLOOR SLABS.

B. ITEM DESCRIPTION:

ADDED PART 3.4.

REASON: TO SPECIFY INSTALLATION OF MORTAR SETTING BEDS AT FLOORS.

**ITEM 1.31      09 54 26 – SUSPENDED LINEAR WOOD CEILINGS**

A. ITEM DESCRIPTION:

ADDED SUB-PARAGRAPH 1.1.E.3

REASON: TO ADD 09 53 23 TO RELATED SECTIONS.

**ITEM 1.32      09 54 36 – SUSPENDED MODULAR CEILING PANELS**

A. ITEM DESCRIPTION:

REVISED PARAGRAPH 2.1.A.

REASON: TO SPECIFY BASIS OF DESIGN PRODUCT.

**ITEM 1.33      09 65 45 – VINYL TILE FLOORING – LVT**

- A. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.2.A.1.  
REASON: TO CLARIFY THAT NO SUBSTITUTIONS ARE ALLOWED.
- B. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.3.A.1.A.  
REASON: TO REMOVE "OR APPROVED EQUAL" PER 2.2.A.1.

**ITEM 1.34      09 68 13 – TILE CARPETING**

- A. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.2.A.1.  
REASON: TO CLARIFY DISTRICT STANDARD SHAWCONTRACT NO  
SUBSTITUTIONS.
- B. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPHS 2.2.A.3, 4.  
REASON: TO SPECIFY BASIS OF DESIGN PRODUCT AND  
MANUFACTURER WEBSITE.
- C. ITEM DESCRIPTION:  
REMOVED SUB-PARAGRAPH 2.2.A.5.  
REASON: NO SUBSTITUTIONS PER 2.2.A.1.
- D. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.3.A.1.A.  
REASON: TO REMOVE "OR APPROVED EQUAL PER 2.2.A.1.
- E. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.3.A.2.  
REASON: TO CLARIFY DISTRICT STANDARD BASIS OF DESIGN  
PRODUCT.

**ITEM 1.35      09 80 00 – ACOUSTICAL WALL PANELS**

- A. ITEM DESCRIPTION:  
ADDED SECTION IN ITS ENTIRETY.  
REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.36      09 90 00 – PAINTING**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 2.4.A.  
REASON: TO CLARIFY REFER TO SCHEDULE FOR MATERIAL  
PRODUCT AND APPLICATIONS.

**ITEM 1.37      10 14 33 – EXIT SIGNAGE**

- A. ITEM DESCRIPTION:  
ADDED SUB-PARAGRAPH 1.1.C.  
REASON: TO INCLUDE EVACUATION SIGNAGE.

**ITEM 1.38      10 22 33 – FOLDING PANEL PARTITIONS**

- A. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 1.1.A.  
REASON: TO CLARIFY COMPLIANCE WITH DRAWINGS AND SPECS.

- B. ITEM DESCRIPTION:  
REVISED PARAGRAPHS 1.2.A-N.  
REASON: TO UPDATE REFERENCE STANDARDS PER MANUFACTURER REQUIREMENTS.
- C. ITEM DESCRIPTION:  
ADDED PARAGRAPHS 1.4.D-F.  
REASON: TO ADD QUALITY ASSURANCE ITEMS PER MANUFACTURER REQUIREMENTS.
- D. ITEM DESCRIPTION:  
ADDED SUB-PARAGRAPHS 1.5.B, C.  
REASON: TO ADD PRODUCT DELIVERY, STORAGE, AND HANDLING REQUIREMENTS PER MANUFACTURER REQUIREMENTS.
- E. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.6.A.  
REASON: TO UPDATE SPECIFIC BASIS OF DESIGN PRODUCT WARRANTY INFORMATION PER MANUFACTURER.
- F. ITEM DESCRIPTION:  
REVISED SUB-PARAGRAPH 2.1.A.1.  
REASON: BASIS OF DESIGN PRODUCT UPDATED.
- G. ITEM DESCRIPTION:  
REPLACED PARTS 2.2, 2.3, 2.4.  
REASON: TO ACCOMMODATE UPDATED BASIS OF DESIGN PRODUCT AND ASSOCIATED OPERATION AND ACOUSTICAL PERFORMANCE.
- H. ITEM DESCRIPTION:  
REPLACED PARTS 3.1, 3.2.  
REASON: TO ACCOMMODATE UPDATED BASIS OF DESIGN PRODUCT.
- I. ITEM DESCRIPTION:  
ADDED PARAGRAPH 3.3.C.  
REASON: TO ACCOMMODATE UPDATED BASIS OF DESIGN PRODUCT.

**ITEM 1.39      10 26 17 - WALL PROTECTION**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 2.5.B.  
REASON: TO SPECIFY STAINLESS STEEL FINISH.

**ITEM 1.40      11 52 23 - AUDIO-VISUAL EQUIPMENT SUPPORTS**

- A. ITEM DESCRIPTION:  
ADDED SECTION IN ITS ENTIRETY.  
REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.41      22 05 00 - PLUMBING GENERAL REQUIREMENTS**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.6.A.

REASON: TO CLARIFY CONTRACTOR SHALL SUBMIT LAYOUT WITH ALL OVERHEAD UTILITIES EXPOSED TO VIEW IN CEILING AREAS FOR ARCHITECT REVIEW AND APPROVAL.

**ITEM 1.42      23 05 00 – MECHANICAL GENERAL REQUIREMENTS**

A. ITEM DESCRIPTION:

REVISED PARAGRAPH 1.6.A.

REASON: TO CLARIFY CONTRACTOR SHALL SUBMIT LAYOUT WITH ALL OVERHEAD UTILITIES EXPOSED TO VIEW IN CEILING AREAS FOR ARCHITECT REVIEW AND APPROVAL.

**ITEM 1.43      26 05 00 – ELECTRICAL GENERAL REQUIREMENTS**

A. ITEM DESCRIPTION:

ADDED PARAGRAPH 1.6, H.

REASON: TO INCLUDE DISTRICT DIRECTED NOTE TO FURTHER REQUIRE CONTRACTOR CONDUIT ROUTING COORDINATION IN OPEN CEILING AREAS.

**ITEM 1.44      26 05 05 – ELECTRICAL DEMOLITION**

A. ITEM DESCRIPTION:

ADDED SECTION IN ITS ENTIRETY.

REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.45      26 05 33.13 – CONDUIT FOR ELECTRICAL SYSTEMS**

A. ITEM DESCRIPTION:

ADDED PARAGRAPH 1.2, D.

REASON: TO INCLUDE DISTRICT DIRECTED NOTE TO FURTHER REQUIRE CONTRACTOR CONDUIT ROUTING COORDINATION IN OPEN CEILING AREAS.

**ITEM 1.46      27 05 00 – TECHNOLOGY GENERAL REQUIREMENTS**

A. ITEM DESCRIPTION:

ADDED PARAGRAPH 1.6, H.

REASON: TO INCLUDE DISTRICT DIRECTED NOTE TO FURTHER REQUIRE CONTRACTOR CONDUIT ROUTING COORDINATION IN OPEN CEILING AREAS.

**ITEM 1.47      28 05 05 – FIRE ALARM DEMOLITION**

A. ITEM DESCRIPTION:

ADDED SECTION IN ITS ENTIRETY.

REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.48      32 12 16 – ASPHALT PAVING**

A. ITEM DESCRIPTION:

REPLACED SECTION IN ITS ENTIRETY.

REASON: PREVIOUSLY MISSING FROM PROJECT SPECIFICATIONS.

**ITEM 1.49 33 41 11 – SITE STORM DRAINAGE SYSTEM**

- A. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.1.C.  
REASON: TO REMOVE TRENCH DRAINS, DETENTION TANK,  
DETENTION BASIN FROM SCOPE OF WORK.
- B. ITEM DESCRIPTION:  
REVISED PART 2.3.  
REASON: TO REMOVE TRENCH DRAINS FROM SCOPE OF WORK.
- C. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 2.3.D.  
REASON: TO REMOVE DETENTION BASIN FROM SCOPE OF WORK.
- D. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 2.3.E.  
REASON: TO REMOVE TRENCH DRAINS FROM SCOPE OF WORK.
- E. ITEM DESCRIPTION:  
REMOVED PART 2.4.  
REASON: TO REMOVE DETENTION TANK, DETENTION BASIN FROM  
SCOPE OF WORK.
- F. ITEM DESCRIPTION:  
REVISED PARAGRAPH 1.1.C.  
REASON: TO REMOVE TRENCH DRAINS, DETENTION TANK,  
DETENTION BASIN FROM SCOPE OF WORK.
- G. ITEM DESCRIPTION:  
REVISED PARAGRAPH 3.5.  
REASON: TO REMOVE TRENCH DRAINS FROM SCOPE OF WORK.
- H. ITEM DESCRIPTION:  
REMOVED PARAGRAPH 3.5.G.  
REASON: TO REMOVE DETENTION BASIN FROM SCOPE OF WORK.
- I. ITEM DESCRIPTION:  
REMOVED PART 3.6.  
REASON: TO REMOVE DETENTION TANK FROM SCOPE OF WORK.

**DRAWINGS:**

**ITEM 2.1 THE FOLLOWING REVISED DRAWINGS ARE HEREBY ISSUED.**

**G0.00 COVER SHEET**

- A. SHEET INDEX:
  - a. A7.14 OMITTED FROM DRAWINGS
  - b. A10.32 ADDED TO DRAWINGS
  - c. TOTAL SHEET COUNT REVISED.
- B. PROJECT DIRECTORY:
  - a. STRUCTURAL ENGINEER CONTACT UPDATED

**G1.11 SITE PLAN – CODE ANALYSIS**

- A. GENERAL NOTES:
  - a. REVISED NOTE #1 TO REFERENCE G0.03
- B. DISTRICT RECORDS

- a. REVISED TO SHOW CORRECT DISTRICT INFO
- C. 1/G1.11:
  - a. BLDG. A OUTLINE REVISED TO SHOW ACCURATE ENTRY
  - b. ACCESSIBLE POT REVISED AT BLDGS. G, H, J

## **G2.11 FLOOR PLAN – CODE / SIGNAGE**

- A. GENERAL NOTES:
  - a. REVISED NOTE #1 TO REFERENCE G0.03
  - b. SIGNAGE LEGEND REVISED TO REFERENCE 1/G2.21 AND 11/G2.21 FOR SIGNAGE MOUNTING

## **G2.21 DETAILS - SIGNAGE**

- A. 4/G2.21:
  - a. ADDED REFERENCES TO 2/G2.21 AND 3/G2.21 FOR BRAILLE INFO
- B. 6/G2.21:
  - a. ADDED REFERENCES TO 2/G2.21 AND 3/G2.21 FOR BRAILLE INFO
- C. 7/G2.21:
  - a. ADDED REFERENCES TO 2/G2.21 AND 3/G2.21 FOR BRAILLE INFO
- D. 11/G2.21
  - a. ADDED REFERNCE TO COORDINATE WITH 1/G2.21
- E. 12/G2.21 ADDED IN ITS ENTIRETY

## **C1.1 TITLE SHEET**

- A. INDEX MAP:  
REMOVED HARDSCAPE SOUTH OF BUILDING “J”
- B. INDEX MAP:  
REMOVED PROPOSED HARDSCAPE NORTH OF BUILDINGS “H” & “J”

## **C2.1 TOPOGRAPHIC MAP**

- A. LIMITS OF REMOVAL:  
REMOVED LIMITS OF REMOVAL SOUTH OF BUILDING “J”
- B. LIMITS OF REMOVAL:  
REMOVED LIMITS OF REMOVAL NORTH OF BUILDINGS “H” & “J”

## **C3.1 PRECISE GRADING PLAN**

- A. HARDSCAPE GRADING:  
REMOVED HARDSCAPE GRADING SOUTH OF BUILDING “J”
- B. HARDSCAPE GRADING:  
REMOVED HARDSCAPE GRADING NORTH OF BUILDINGS “H” & “J”
- C. CATCH BASIN:  
REMOVED NEW CATCH BASIN NORTH OF BUILDINGS “H” & “J”
- D. STORM DRAIN:  
REMOVED STORM DRAIN “D2” NORTH OF BUILDINGS “H” & “J”

## **C4.1 HORIZONTAL CONTROL**

- A. HARDSCAPE:  
REMOVED HARDSCAPE SOUTH OF BUILDING "J"
- B. HARDSCAPE:  
REMOVED HARDSCAPE NORTH OF BUILDINGS "H" & "J"
- C. DIMENSIONS:  
REMOVED DIMENSIONS SOUTH OF BUILDING "J"
- D. DIMENSIONS:  
REMOVED DIMENSIONS SOUTH OF BUILDINGS "H" & "J"
- E. CONTROL POINTS:  
REMOVED CONTROL POINTS 1001 AND 10013-10024

#### **A0.10 SITE PLAN - OVERAL**

- A. 1/A0.10:
  - a. NORTH ARROW REVISED
  - b. SCOPE OF WORK TO PROVIDE CONCRETE FLATWORK NEAR BLDGS. G, H, J REMOVED
  - c. BLDG. A OUTLINE REVISED TO SHOW ACCURATE ENTRY

#### **A1.01 PARTIAL SITE PLAN - DEMOLITION**

- A. KEYNOTES:
  - a. KEYNOTE 02.003 ADDED
  - b. SCOPE OF WORK TO PROVIDE CONCRETE FLATWORK NEAR BLDGS. G, H, J REMOVED
  - c. BLDG. A OUTLINE REVISED TO SHOW ACCURATE ENTRY

#### **A1.11 PARTIAL SITE PLAN - REMODEL**

- A. 1/A0.10:
  - a. SCOPE OF WORK TO PROVIDE CONCRETE FLATWORK NEAR BLDGS. G, H, J REMOVED
  - b. BLDG. A OUTLINE REVISED TO SHOW ACCURATE ENTRY

#### **A1.21 SITE PLAN - PAVEMENT PLAN**

- A. KEYNOTES:
  - a. 02.055, 02.270, 32.058, 32.059, 32.060 ADDED
- B. 7/A1.21
  - a. CONTROL AND EXPANSION JOINTS ADDED
  - b. ENLARGED PLAN CALLOUT 3/A10.41 ADDED
  - c. DIMENSION FOR PAINTED RED CURB ADDED
  - d. ADDED KEYNOTES FOR EXISTING FIRE HYDRANTS
  - e. ADDED DESIGNATIONS FOR EXISTING BLDGS. E, F AND K AND ASSOCIATED APPLICATION NUMBERS
- C. 9/A1.21
  - a. ADDED KEYNOTES FOR EXISTING FIRE HYDRANTS
  - b. CLARIFICATION OF EXISTING CHAIN LINK FENCE
  - c. ADDED DESIGNATIONS FOR EXISTING BLDGS. E, F AND K AND ASSOCIATED APPLICATION NUMBERS

- d. ADDED KEYNOTE TO PROTECT EXISTING CHAIN LINK ROLLING GATE IN PLACE
- e. CLARIFIED EXISTING CONCRETE TO REMAIN NORTH OF EXISTING BLDG. F
- f. CLARIFIED EXTENTS OF CONCRETE FLATWORK AT PUBLIC RIGHT OF WAY

## **A2.00 FLOOR PLAN – OVERALL**

- A. FLOOR PLAN LEGEND:
  - a. "(E) AREA WITH NO WORK" LEGEND ITEM REMOVED
- B. 6/A2.00
  - a. REMOVED HATCH SOUTH OF GRID "A" DENOTING "AREA WITH NO WORK"
  - b. REMOVED DUPLICATED ANNOTATION FOR EXIT SIGN AT (E) ENTRY VESTIBULE, THIS INFO IS SHOWN ON ANOTHER PLAN

## **A2.01 FLOOR PLAN, EXTERIOR ELEVATIONS – DEMOLITION**

- A. KEYNOTES:
  - a. REVISED KEYNOTE 02.253
  - b. ADDED KEYNOTES 02.268, 02.269, 02.274
- B. DEMO FLOOR PLAN LEGEND
  - a. "(E) AREA WITH NO WORK" LEGEND ITEM REMOVED
- C. 6/A2.01
  - a. NOTE #3 ADDED
  - b. REFERENCES TO 16/S802 REMOVED
  - c. CLARIFIED EXISTING PLASTER TO REMAIN
  - d. ADDED NOTE TO PROTECT ADJACENT FINISH IN PLACE
- D. 7/A2.01
  - a. CLARIFIED SECTION CALLOUTS 1, 2, 3 & 4/A6.01
  - b. REMOVED HATCH SOUTH OF GRID 'A' DENOTING "AREA WITH NO WORK"
  - c. CLARIFIED EXISTING DIMENSION AT NORTH EXTERIOR WALL TO VERIFY IN FIELD
  - d. CONSOLIDATED LEADERS KEYNOTES 02.027, 02.225, 02.223, 02.224, 02.039, 02.226 FOR CLARITY
  - e. KEYNOTED 02.034 FOR SLAB DEMO IN (E) A.V. STORAGE
  - f. DIMENSIONS CLARIFIED FOR THICKNESS OF (E) EXTERIOR WALL AND EXTENT OF SLAB DEMO IN (E) A.V. STORAGE
  - g. ADDED KEYNOTE 02.207 AT (E) A.V. TEXTBOOK DOOR
  - h. CLARIFIED ENTRY STOREFRONT TO REMAIN IN PLACE
  - i. ADDED SAWCUT FOR DEMO FLOOR SLAB TO ACCOMMODATE PROPOSED COLUMNS
  - j. CONSOLIDATED KEYNOTE 02.210 AT (E) LIBRARIAN OFFICE WINDOW FOR CLARITY
  - k. ADDED KEYNOTE 02.027 IN (E) LIBRARY STACKS
  - l. RELOCATED KEYNOTE 02.019 FOR CLARITY
  - m. ADDED DIMENSIONS CLARIFYING DEMO AT FLOOR SLAB TO ACCOMMODATE FLOOR BOX
  - n. ADDED KEYNOTE 02.274 IN (E) TELEPHONE EQUIPMENT RM

- o. ADDED KEYNOTE 02.160 AT EXISTING DOOR BETWEEN (E) STUDENT TECH AND (E) FILES
  - p. ADDED KEYNOTE 02.039 AT (E) EXTERIOR DOOR AT (E) TLC
  - q. ADDED KEYNOTE 02.253 AT (E) TELEPHONE EQUIPMENT RM
  - r. RELOCATED KEYNOTES 02.212 AND 02.213 TO (E) STUDEND TECH FOR CLARITY
  - s. FIXED LEADER KEYNOTE 02.160 AT (E) LIBRARIAN'S OFFICE DOOR
- E. 16/A2.01
- a. NOTE #3 ADDED
  - b. REFERENCES TO 16/S802 REMOVED
  - c. CLARIFIED EXISTING PLASTER TO REMAIN
  - d. ADDED NOTE TO PROTECT ADJACENT FINISH IN PLACE

#### **A2.21 FLOOR PLAN - REMODEL**

- A. KEYNOTES:
- a. ADDED KEYNOTES 02.275, 03.001, 07.064, 10.085, 26.015
  - b. REVISED KEYNOTE 10.081
- B. GENERAL NOTES:
- a. NOTE #4 REMOVED
  - b. ADDED REFERENCE TO A2.21 TO NOTE #19
- C. FLOOR PLAN LEGEND:
- a. ADDED LEGEND ITEM FOR PATCH AT (E) WALL
  - b. ADDED LEGEND ITEM FOR ACOUSTIC RATED WALL
  - c. ADDED LEGEND ITEM FOR EXTENT OF NEW SLAB
  - d. CLARIFIED REFERENCE 11/A10.52 WHERE NOTE EXISTING
- D. 7/A2.21
- a. CLARIFIED SECTION CALLOUTS 1, 2, 3, 4/A6.11 AND 1/A6.12
  - b. ADDED KEYNOTES 02.253 AND 02.275 TO (E) TELEPHONE EQUIPMENT RM AND REMOVED HATCH SOUTH OF GRID 'A' DENOTING "AREA WITH NO WORK"
  - c. RELOCATED DOOR TAG 103.2 FOR CLARITY
  - d. ADDED PROPOSED CONCRETE SLAB HATCH IN RM 104
  - e. ADDED KEYNOTE 10.085 IN RM 104
  - f. RELOCATED ROOF ACCESS HATCH TO RM 105
  - g. ADDED WALL TAG '6B' TO EAST WALL RM 101
  - h. ADDED TV TO CASEWORK AT RECEPTION DESK
  - i. REVISED CALLOUT EXTENTS OF 1 & 8 / A7.12
  - j. ADDED INTERIOR ELEVATION CALLOUTS AT RM 109
  - k. CLARIFIED (E) FEC AT NORTH WALL RM 110
  - l. ADDED INTERIOR ELEVATION CALLOUTS AT RM 110
  - m. REMOVED CALLOUT TO A7.13, SHEET OMITTED
  - n. ADDED DETAIL CALLOUTS 21 & 22 / A10.31 AT WINDOWS RMS 110 & 111
  - o. ADDED KEYNOTES 03.001 AND 26.015 TO RM 111
  - p. CLARIFIED PATCH (E) WALL AT SOUTH WALL RM 111
  - q. ADDED TV EAST WALL RM 112
  - r. ADDED INTERIOR ELEVATION CALLOUTS RM 112
  - s. ADDED PROPOSED SLAB HATCH AT RMS 112 & 113
  - t. ADDED PROPOSED DEPRESSED SLAB HATCH AT RMS 114 & 115

- u. CLARIFIED PATCH (E) WALL AT SOUTH WALL RMS 116 & 117
- v. ADDED WALL TAG '6H' AT INFILL WALLS RMS 116 & 117
- w. ADDED DIMENSIONS CLARIFYING OPERABLE PARTITION, WALL POCKET AND LOCATION OF EAST WALL, LOCATIONS OF DOORS 116.1 & 117.1 RMS 116, 117 & 118
- x. CLARIFIED GRAPHICS DOORS 117.2 & 117.3
- y. ADDED CALLOUT 13/A10.31 AT DOOR 116.1
- z. CLARIFIED DIMENSIONS FOR PROPOSED WALLS TO FACE OF WALL FOR RMS 111, 112, 114 & 115

#### **A2.41 FLOOR PLAN – FINISH PLAN AND SCHEDULES**

- A. KEYNOTES:
  - a. REVISED KEYNOTES 09.016, 09.035, 10.037
- B. TAG LEGEND:
  - a. DETAIL CALLOUTS 1 & 2/A10.52 ADDED TO #1 AND #2
  - b. REVISED #3 TO INDICATE 65", ADDED CALLOUT 4/S803
  - c. REVISED #4 VIDEO WALL BUNDLE TO (4) SCREENS, SPECIFIED MOUNTING HARDWARE DIMENSIONS, ADDED CALLOUT 4/S803
  - d. REVISED #5 TO INDICATE 86", ADDED CALLOUT 4/S803
- C. PLAN LEGEND
  - a. UPDATED TO SHOW SHEET SPECIFIC LEGEND ITEMS
- D. 7/A2.41
  - a. KEYNOTE 09.044 AT FLOOR TRANSITIONS
  - b. ADDED ADDITIONAL LEADERS KEYNOTE 10.037 RM 109
  - c. ADDED CPT-02 RM 108
  - d. ADDED KEYNOTE 09.035 LIBRARY RECEPTION
  - e. ADDED AP-01 RMS 116 & 117
  - f. REMOVED HATCH SOUTH OF GRID 'A' DENOTING "AREA WITH NO WORK"
  - g. ADDED TV TAGS RMS 111 & 112
  - h. CLARIFIED LVT TO ALIGN WITH FACE OF STOREFRONT MULLION RM 110
  - i. ADDED KEYNOTE 10.037 AT ELECTRICAL CABINET RM 103
- E. FINISH LEGEND
  - a. REVISED CPT-02
  - b. ADDED CT-03 & CT-04
  - c. REVISED SIZE OF CTB-02
  - d. REVISED PT-01, PT-02, PT-03, PT-04, PT-05 TO REFLECT DISTRICT STANDARD MANUFACTURER AND COLORS
  - e. REVISED AP-01
  - f. ADDED WC-02
- F. FINISH SPECIFICATION SCHEDULE
  - a. REMOVED ALL ROWS BEFORE RM 100
  - b. ADDED CT-03 & CT-04 TO RMS 114 & 115

#### **A3.01 REFLECTED CEILING PLAN – DEMOLITION**

- A. KEYNOTES:
  - a. REVISED KEYNOTES 02.033, 02.237
- B. DEMO GENERAL NOTES
  - a. ADDED NOTE #9

- C. DEMO RCP LEGEND
  - a. REMOVED '(E) AREA WITH NO WORK' LEGEND ITEM
  - b. ADDED (E) CEILING HEIGHT TAG
  - c. ADDED REMOVAL FOR ROOF HATCH
- D. 7/A3.01
  - a. ADDED TYPICAL FOR KEYNOTES 02.031 AND 02.032 IN (E) TEXTBOOK STORAGE, (E) A.V. STORAGE, (E) A.V. TEXTBOOK, (E) LIBRARY, (E) SERVERS, (E) LIBRARIAN OFFICE, (E) LIBRARY STACKS, (E) CONFERENCE ROOMS
  - b. REMOVED HATCH SOUTH OF GRID 'A' DENOTING "AREA WITH NO WORK"
  - c. ADDED HATCH FOR REMOVAL OF ROOF HATCH

### **A3.11 REFLECTED CEILING PLAN - REMODEL**

- A. KEYNOTES:
  - a. ADDED KEYNOTES 02.275, 07.064
- B. GENERAL NOTES
  - a. REVISED NOTE #12
  - b. ADDED NOTE #13
- C. RCP LEGEND
  - a. ADDED HEIGHTS A.F.F. FOR LINEAR, PENDANT, RING CIRCLE LIGHT FIXTURES, SUSPENDED FELT BAFFLES
  - b. ADDED REFERENCE 28/10.61 FOR LINEAR LIGHT FIXTURE, 30/A10.61 FOR PENDANT LIGHT FIXTURE, 21/A10.61 AT RECESSED CAN LIGHT FIXTURE, 22 & 23/A10.61 AT 2X4 LIGHT FIXTURE, 6 & 8/A10.61 AT 2X4 ACOUSTICAL CEILING TILES, 19 & 24/A10.61 AT MECHANICAL DIFFUSERS
  - c. CLARIFIED TO MOUNT EXIT SIGN ABOVE DOOR
  - d. ADDED SYMBOLS FOR (E) DUCT SMOKE DETECTORS, DAYLIGHT HARVESTING SENSORS, HEAT DETECTOR, HORN & STROBE, STROBE LIGHT
  - e. REMOVED CLOCK/SPEAKER LEGEND ITEM
- D. 6/A3.11
  - a. REVISED TO SHOW 1-HOUR ROOF ASSEMBLY IN ENTIRE SCOPE OF WORK
  - b. REVISED 1-HOUR ASSEMBLY CALLOUT TO 23/A10.51
- E. 7/A3.11
  - a. CLARIFIED SECTIONS 1, 2/A6.11 AND 1/A6.12
  - b. REMOVED HATCH SOUTH OF GRID 'A' DENOTING "AREA WITH NO WORK"
  - c. ADDED (E) DUCT SMOKE DETECTORS, EXIT SIGNS, SMOKE DETECTORS, AV SPEAKERS, DAYLIGHT HARVESTING SENSORS, OCCUPANCY SENSORS, HEAT DETECTORS, HORN & STROBE, STROBE LIGHTS PER ELECTRICAL, FIRE ALARM DRAWINGS
  - d. REVISED SUPPLY AND RETURN REGISTERS RM 107
  - e. ADDED CEILING TAG RM 104A, 110, 111
  - f. REMOVED CEILING TAGS RM 112, 116, 117 (SHOWN ON ENLARGED RCP)
  - g. ADDED SUPPLY REGISTER RM 111
  - h. RELOCATED ROOF HATCH, ADDED DETAIL REFERENCE 1/A10.91

### **A3.12 REFLECTED CEILING PLAN – ENLARGED DIMENSION PLAN**

- A. KEYNOTES:
  - a. ADDED KEYNOTES 10.082, 10.084
- B. GENERAL NOTES:
  - a. REVISED NOTE #12
  - b. ADDED NOTE #13
- C. RCP LEGEND
  - a. ADDED HEIGHTS A.F.F. FOR LINEAR, PENDANT, RING CIRCLE LIGHT FIXTURES, SUSPENDED FELT BAFFLES
  - b. ADDED REFERENCE 28/10.61 FOR LINEAR LIGHT FIXTURE, 30/A10.61 FOR PENDANT LIGHT FIXTURE, 21/A10.61 AT RECESSED CAN LIGHT FIXTURE, 22 & 23/A10.61 AT 2X4 LIGHT FIXTURE, 6 & 8/A10.61 AT 2X4 ACOUSTICAL CEILING TILES, 19 & 24/A10.61 AT MECHANICAL DIFFUSERS
  - c. CLARIFIED TO MOUNT EXIT SIGN ABOVE DOOR
  - d. ADDED SYMBOLS FOR (E) DUCT SMOKE DETECTORS, DAYLIGHT HARVESTING SENSORS, HEAT DETECTOR, HORN & STROBE, STROBE LIGHT
  - e. REMOVED CLOCK/SPEAKER LEGEND ITEM
- D. 6/A3.12
  - a. CLARIFIED TITLE 'LIGHTING' DIMENSION PLAN
  - b. CLARIFIED NOTE TO ALIGN FIXTURES
  - c. REVISED SUPPLY DIFFURSER TO ALIGN WITH LIGHT FIXTURES
  - d. CLARIFIED OVERALL DIMENSION ±
  - e. ADDED KEYNOTE 10.084
- E. 8/A3.12
  - a. CLARIFIED TITLE 'LAYOUT' DIMENSION PLAN
  - b. ADDED TV
  - c. REVISED SUPPLY DIFFURSER TO ALIGN WITH LIGHT FIXTURES
  - d. ADDED 10.084
- F. 16/A3.12
  - a. CLARIFIED TITLE 'LIGHTING' DIMENSION PLAN
  - b. CLARIFIED DIMENSION AT OPERABLE PARTITION IS TO CENTERLINE
  - c. REVISED DIMENSIONS TO SOFFIT FRAMING
  - d. CLARIFIED NOTE TO ALIGN FIXTURES
  - e. ADDED KEYNOTES 10.082 AND 10.084
- G. 16/A3.12
  - a. CLARIFIED TITLE 'LAYOUT' DIMENSION PLAN
  - b. ADDED KEYNOTES 10.082 AND 10.084

### **A4.11 ROOF PLAN**

- A. KEYNOTES:
  - a. ADDED KEYNOTES 02.273, 02.276, 07.065, 07.066
  - b. REVISED KEYNOTE 23.012
- B. ROOF PLAN LEGEND
  - a. ADDED ROOF INFILL HATCH
- C. 6/A4.11
  - a. ADDED KEYNOTE 02.273 AND EXISTING DRAIN LOCATIONS
  - b. ADDED 02.276 AT EXISTING ROOF SURFACES
  - c. ADDED ROOF ACCESS HATCH

- d. ADDED EXHAUST FANS AND CALLOUT TO 21/A4.11
- e. KEYNOTE 07.065 ADDED AT ROOF INFILL
- D. 21/A4.11
  - a. ADDED (E) ROOF DRAINS
  - b. ADDED ROOF CRICKETS AND KEYNOTE 07.066
- E. 22/A4.11
  - a. ADDED ROOF CRICKETS AT ROOF HATCH
- F. 24/A4.11
  - a. REVISED DIMENSION TO ROOF HATCH DEMO

#### **A5.11 EXTERIOR ELEVATIONS – REMODEL**

- A. KEYNOTES:
  - a. REVISED KEYNOTES 02.016 AND 04.001
- B. LEGEND
  - a. ADDED WINDOW TAG
- C. 1/A5.11
  - a. ADDED KEYNOTES 02.016 AND 04.001
- D. 2/A5.11
  - a. ADDED KEYNOTE 02.016
- E. 3/A5.11
  - a. ADDED LEADERS FOR KEYNOTE 02.016
  - b. ADDED KEYNOTE 04.012
  - c. CLARIFIED 08.003 TO BE TYPICAL OF (8)

#### **A6.01 SECTIONS – DEMOLITION**

- A. KEYNOTES:
  - a. ADDED KEYNOTES 02.031, 02.163 AND 02.271
- B. 1/A6.01
  - a. ADDED KEYNOTES 02.036, 02.271
  - b. ADDED EXISTING FOOTINGS
- C. 2/A6.01
  - a. ADDED KEYNOTE 02.271
  - b. ADDED EXISTING FOOTINGS
- D. 3/A6.01
  - a. ADDED KEYNOTE 02.271
  - b. ADDED EXISTING FOOTINGS
- E. 4/A6.01
  - a. ADDED KEYNOTES 02.031, 02.163, 02.271
  - b. ADDED EXISTING FOOTINGS
  - c. CLARIFIED CHAIN LINK FENCE DEMO IN (E) CONFERENCE ROOM

#### **A6.11 SECTIONS – OVERALL BUILDING**

- A. KEYNOTES:
  - a. ADDED KEYNOTES 02.272, 08.001 AND 10.084
- B. 1/A6.11
  - a. ADDED KEYNOTES 02.272, 10.084
  - b. ADDED EXISTING FOOTINGS
  - c. ADDED CALLOUTS 17/A10.91, 27/A10.61

- C. 2/A6.11
  - a. ADDED KEYNOTE 08.001
  - b. ADDED EXISTING FOOTINGS
  - c. ADDED WALL TAGS
- D. 3/A6.11
  - a. ADDED CALLOUTS 17/A10.91 AND 22/A10.52
  - b. ADDED EXISTING FOOTINGS
- E. 4/A6.11
  - a. ADDED CALLOUT 17/A10.91
  - b. ADDED EXISTING FOOTINGS
  - c. ADDED WALL TAGS

#### **A6.12 SECTIONS – OVERALL BUILDING**

- A. KEYNOTES:
  - a. ADDED KEYNOTE 08.001
- B. 1/A6.12
  - a. ADDED KEYNOTE 08.001
  - b. ADDED CALLOUT 17/10.91
  - c. ADDED EXISTING FOOTINGS

#### **A7.11 INTERIOR ELEVATIONS – BATHROOM DETAILS**

- A. KEYNOTES:
  - a. ADDED KEYNOTES 05.003, 22.031, 22.050, 22.051
  - b. REVISED KEYNOTES 10.064, 10.069, 10.070
- B. ADULT MOUNTING HEIGHTS
  - a. REVISED MOUNTING HEIGHT OF TOILET PAPER DISPENSER
- C. INTERIOR GENERAL NOTES
  - a. ADDED NOTES #7, #8, #9
- D. 6/A7.11
  - a. CLARIFIED DIMENSION OF SEISMIC SEPARATION
  - b. TAGGED NORTH WALLS WALLS 6D AND 8B
  - c. ADDED NOTE TO ALIGN FINISHES NORTH WALL RM 114 AND 116
  - d. ADDED DETAIL CALLOUT 5/A10.52 FOR DOORS 114.1 & 115.1 THRESHOLD
  - e. ADDED DETAIL CALLOUT 4/A10.52 FOR CURB AT WET WALL
  - f. ADDED ANNOTATION FOR SLAB DEPRESSION DEPTH
  - g. ADDED KEYNOTE 22.031
  - h. ADDED FLOOR DRAINS AND SLOPE LINES
- E. 7/A7.11
  - a. ADDED CT-03 AND CT-04
  - b. REMOVED KEYNOTE 10.062 FOR CLARITY
- F. 8/A7.11
  - a. ADDED DETAIL CALLOUTS 6, 7, 8, 9, 10/A10.52
  - b. ADDED CT-04
  - c. ADDED KEYNOTES 22.050 AND 22.051
  - d. ADDED ACCESS PANEL AND WATER CLEANOUT
  - e. REVISED NOTE FOR CERAMIC TILE
- G. 9/A7.11
  - a. REMOVED KEYNOTE 10.063 FOR CLARITY

- b. ADDED KEYNOTE 09.030
- c. ADDED CTB-02, CT-03 & CT-04
- d. ADDED 10/A10.52
- H. 10/A7.11
  - a. ADDED CT-04
- I. 11/A7.11
  - a. REMOVED KEYNOTE 10.062 FOR CLARITY
  - b. ADDED CT-03 & CT-04
- J. 12/A7.11
  - a. ADDED DETAIL CALLOUTS 6, 7, 8, 9, 10/A10.52
  - b. ADDED CT-04
  - c. ADDED KEYNOTES 22.050 AND 22.051
  - d. ADDED ACCESS PANEL AND WATER CLEANOUT
  - e. REVISED NOTE FOR CERAMIC TILE
- K. 13/A7.11
  - a. ADDED CT-03
  - b. ADDED 10/A10.52
- L. 14/A7.11
  - a. ADDED KEYNOTE 09.030
  - b. ADDED CT-04
- M. 15/A7.11
  - a. ADDED PLAN DETAIL IN ITS ENTIRETY

#### **A7.12 INTERIOR ELEVATIONS – CASEWORK ELEVATIONS / DETAILS**

- A. KEYNOTES:
  - a. ADDED KEYNOTE LEGEND
- B. INTERIOR GENERAL NOTES
  - a. ADDED NOTES #7, #8, #9
- C. 1/A7.12
  - a. ADDED TV TO CASEWORK
  - b. ADDED KEYNOTES 08.001 & 10.037
  - c. ADDED CALLOUTS FOR DETAILS 16/A10.52, 11/A10.71, 16/A10.71 & 11/A10.91
  - d. REMOVED INTERIOR CALLOUTS AND SECTION IN RM 104 FOR CLARITY
- D. 7/A7.12
  - a. ADDED KEYNOTE TO TV
- E. 8/A7.12
  - a. EXTENDED VIEW RANGE TO INCLUDE DISPLAY WALL IN RM 109, ADDED DETAILS 22 & 23/A10.52
- F. 17/A7.12
  - a. CLARIFIED SUBSTRATE  $\frac{3}{4}$ " PLYWOOD
  - b. ADDED CLEAR DIMENSION TO BOTTOM OF SUPPORTS
  - c. ADDED CALLOUT TO 6/A10.71
- G. 19/A7.12
  - a. CLARIFIED SUBSTRATE AT HORIZONTAL SURFACES 1  $\frac{1}{4}$ " PLYWOOD
  - b. CLARIFIED SUBSTRATE AT VERTICAL SURFACES  $\frac{3}{4}$ "
  - c. ADDED CLEAR DIMENSION TO BOTTOM OF SUPPORTS
  - d. ADDED CALLOUT TO 6/A10.71
- H. 22/A7.12

- a. CLARIFIED SUBSTRATE  $\frac{3}{4}$ " PLYWOOD
- b. ADDED CLEAR DIMENSION TO BOTTOM OF SUPPORTS
- c. ADDED CALLOUT TO 6/A10.71
- I. 24/A7.11
  - a. CLARIFIED SUBSTRATE AT HORIZONTAL SURFACES 1  $\frac{1}{4}$ " PLYWOOD
  - b. CLARIFIED SUBSTRATE AT VERTICAL SURFACES  $\frac{3}{4}$ "
  - c. ADDED CLEAR DIMENSION TO BOTTOM OF SUPPORTS
  - d. ADDED CALLOUT TO 6/A10.71
- J. 27/A7.11
  - a. ADDED CALLOUT TO 6/A10.71
- K. 28/A7.11
  - a. REVISED FRAMING
  - b. ADDED CALLOUT TO 6/A10.71
- L. 29/A7.11
  - a. ADDED CALLOUT TO 6/A10.71

#### **A7.13 ENLARGED PLANS & INTERIOR ELEVATIONS**

- a. SHEET OMITTED FROM DRAWING SET

#### **A7.14 ENLARGED PLANS & INTERIOR ELEVATIONS**

- A. KEYNOTES:
  - a. REMOVED KEYNOTE 02.021
  - b. ADDED KEYNOTE 02.057Q
- B. LEGEND
  - a. REVISED TITLE TO DEMO FLOOR PLAN LEGEND
  - b. REMOVED WALL TAG LEGEND ITEM
- C. 6/A7.14
  - a. REMOVED HATCH
  - b. REVISED GRAPHIC OF (E) HI-LOW
  - c. ADDED KEYNOTE 02.057
  - d. REVISED PAPER TOWEL DISPENSER TO (E) TO REMAIN IN PLACE
- D. 7/A7.14
  - a. REMOVED HATCH
- E. 9/A7.14
  - a. REVISED TITLE TO REFLECT DISTRICT STANDARD MODEL
  - b. REVISED TO INDICATE REPLACED DRINKING FOUNTAIN FRAMING AND BACKING, REFERENCE TO 4/S803 ADDED
  - c. REVISED ORIFICE HEIGHTS
  - d. REVISED BASIS OF DESIGN PRODUCT MODEL#
  - e. REVISED GRAPHIC OF PLAN VIEW TO REFLECT BOTTLE FILLER
  - f. ADDED DETAIL REFERENCE TO 15/A7.14
- F. 15/A7.14
  - a. REVISED SCALE OF DETAIL
  - b. REVISED MOUNTING TO REFLECT REPLACED BACKING AND MANUFACTURER MOUNTING POINTS

#### **A8.11 INTERIOR ELEVATIONS BLDG A**

- A. KEYNOTES:
  - a. REVISED KEYNOTES 09.002, 09.010, 10.024, 10.039, 10.075
  - b. ADDED KEYNOTES 23.013, 26.014, 27.004, 28.004, 28.005
- B. TAG LEGEND
  - a. REMOVED FROM THIS SHEET
- C. INTERIOR GENERAL NOTES
  - a. ADDED NOTES #7, #8, #9
- D. 1/A8.11
  - a. ADDED TV AND ASSOCIATED DIMENSIONS
  - b. ADDED HEIGHTS OF FIRE ALARM DEVICES A.F.F.
  - c. ADDED KEYNOTES 10.075, 27.004, 28.004, 28.005
  - d. ADDED CALLOUT FOR 12/A10.52
  - e. ADDED CLOCK/SPEAKER
- E. 3/A8.11
  - a. ADDED LEADER FOR KEYNOTE 10.075
- F. 5/A8.11
  - a. REMOVED TV, DISPLAY WALL TAGS FOR CLARITY
  - b. ADDED TV MOUNTING HEIGHT
  - c. ADDED 12/A10.52 AT TW-01
  - d. ADDED KEYNOTES 27.004, 28.004, 28.005
  - e. ADDED CLOCK/SPEAKER
  - f. ADDED WC-02 AT DISPLAY WALL
  - g. ADDED CALLOUTS FOR DETAILS 22, 23, 24/A10.52
  - h. ADDED HEIGHTS OF FIRE ALARM DEVICES A.F.F.
- G. 6/A8.11
  - a. REMOVED TV TAG FOR CLARITY
  - b. ADDED KEYNOTES 23.013, 26.014
- H. 7/A8.11
  - a. ADDED FROSTED GLASS AT SWING DOORS
  - b. ADDED KEYNOTES 10.024, 23.013, 28.004
- I. 8/A8.11
  - a. ADDED KEYNOTES 23.013 & 26.014

#### **A8.12 INTERIOR ELEVATIONS BLDG A**

- A. KEYNOTES:
  - a. REVISED KEYNOTES 10.024, 10.075
  - b. ADDED KEYNOTES 12.010, 23.013, 27.004, 28.004, 28.005
- B. TAG LEGEND
  - a. REMOVED FROM THIS SHEET
- C. INTERIOR GENERAL NOTES
  - a. ADDED NOTES #7, #8, #9
- D. 2/A8.12
  - a. ADDED LEADER TO KEYNOTE 10.075
- E. 4/A8.12
  - a. ADDED KEYNOTES 23.013 & 28.004
- F. 6/A8.12
  - a. REMOVED TV TAG FOR CLARITY
  - b. ADDED KEYNOTE 12.010

- G. 7/A8.12
  - a. REMOVED MARKER BOARD TAG FOR CLARITY
  - b. ADDED REFERENCE TO 1/A10.52
  - c. ADDED KEYNOTES 09.008 & 28.005
- H. 11/A8.12
  - a. CHANGED MARKER BOARD TO TV
  - b. REMOVED TAG NUMBERS FOR CLARITY
- I. 12/A8.12
  - a. REMOVED TAG NUMBER FOR CLARITY
  - b. CHANGED MARKER BOARD TO TV
  - c. ADDED CLOCK/SPEAKER, FIRE ALARM DEVICE
  - d. ADDED KEYNOTES 27.004, 28.005

### **A8.13 INTERIOR ELEVATIONS BLDG A**

- A. KEYNOTES:
  - a. REVISED KEYNOTES 09.002, 10.024, 10.075
  - e. ADDED KEYNOTES 10.082, 23.013, 27.004, 28.005
- B. REMOVED TAG LEGEND FOR CLARITY
- C. INTERIOR GENERAL NOTES
  - a. ADDED NOTES #7, #8, #9
- D. 9/A8.13
  - a. ADDED FROSTED GLAZING TO SWING DOOR
  - b. ADDED KEYNOTE 10.024
- E. 10/A8.13
  - a. REVISED TO SHOW OPERABLE PARTITION 117.4
  - b. KEYNOTE 10.082 ADDED
- F. 11/A8.13
  - a. REMOVED TAG NUMBERS FOR CLARITY
  - b. REVISED TO SHOW WALL POCKET
  - c. ADDED FIRE ALARM DEVICE
  - d. ADDED KEYNOTES 10.044 & 28.005
- G. 12/A8.13
  - a. REMOVED TAG NUMBERS FOR CLARITY
  - b. KEYNOTES 23.013 & 27.004
- H. 13/A8.13
  - a. ADDED FROSTED GLAZING TO SWING DOOR
- I. 14/A8.13
  - a. REMOVED TAG NUMBER FOR CLARITY
  - b. ADDED CLOCK/SPEAKER
  - c. ADDED TV MOUNTING HEIGHT
  - d. ADDED KEYNOTE 27.004
- J. 15/A8.13
  - a. REMOVED TAG NUMBERS FOR CLARITY
  - b. ADDED KEYNOTE 28.005
- K. 16/A8.13
  - a. REVISED TO SHOW OPERABLE PARTITION 117.4
  - b. KEYNOTE 10.082 ADDED

#### **A8.14 INTERIOR ELEVATIONS BLDG A**

- A. KEYNOTES:
  - a. REVISED KEYNOTE 10.024, 10.075
  - b. ADDED KEYNOTES 23.013, 28.004
- B. INTERIOR GENERAL NOTES
  - a. ADDED NOTES #7, #8, #9
- C. 3/A8.14
  - a. ADDED KEYNOTE 23.013
- D. 5/A8.14
  - a. ADDED FIRE ALARM DEVICE
  - b. ADDED MOUNTING HEIGHT FOR FIRE ALARM DEVICE A.F.F.
  - c. ADDED KEYNOTE 20.004
- E. 8/A8.14
  - a. ADDED KEYNOTE 10.075

#### **A8.15 INTERIOR ELEVATIONS BLDG A**

- A. KEYNOTES:
  - a. REVISED KEYNOTES 10.075
  - b. ADDED KEYNOTES 08.001, 10.083, 10.085, 11.001, 28.005
- B. INTERIOR GENERAL NOTES
  - a. ADDED NOTES #7, #8, #9
- C. 2/A8.15
  - a. ADDED REFRIGERATOR PER PLAN
  - b. ADDED 10.083 & 10.085
  - c. ADDED DETAIL CALLOUT TO 14/A10.71
- D. 18/A8.15
  - a. ADDED KEYNOTE 10.075
- E. 5/A8.15
  - a. ADDED FIRE ALARM DEVICE
  - b. ADDED FIRE ALARM MOUNTING DEVICE A.F.F.
  - c. ADDED KEYNOTE 28.004
- F. 7/A8.15
  - a. ADDED 10.075
- G. 9/A8.15
  - a. ADDED 10.075
- H. 12/A8.15
  - a. ADDED ROOF ACCESS LADDER

#### **A9.11 SCHEDULE - DOOR AND WINDOW FRAME**

- A. DOOR SCHEDULE:
  - a. ADDED DETAIL REFERENCES
  - b. ADDED COMMENT FOR DOOR 116.2, 117.5
  - c. REVISED COMMENT FOR DOORS 103.3, 109.3, 109.4, 111.1, 112.1, 116.1, 117.1
  - d. REMOVED COMMENT FOR DOOR 114.1
  - e. REVISED WIDTHS FOR DOORS 116.1, 117.1, 117.4
  - f. REVISE #PANELS AND DOOR TYPE FOR DOOR 117.4

- B. GENERAL NOTES
  - a. ADDED NOTE #12
- C. DOOR TYPES
  - a. REVISED TYPE G
  - b. REVISED TYPE I
- D. WINDOW SCHEDULE
  - a. REVISED COMMENTS FOR WINDOW MARKS C, D, E
- E. WINDOW NOTES
  - a. REVISED FACTORY ANODIZED FINISH
  - b. ADDED GLAZING TYPES GL-3 AND GL-4
- F. WINDOW TYPE
  - a. ADDED GLAZING TYPES TO ALL WINDOW TYPES
  - b. ADDED REFERENCE FOR 13/A10.32 TO WINDOW TYPE B
  - c. ADDED FROSTED GLAZING TO TYPES C, D, E
  - d. ADDED REFERENCE FOR 9/A10.31 TO WINDOW TYPE D
  - e. ADDED CERAMIC FRIT PATTERN TO TYPE F

#### **A10.11 DETAILS – SITE**

- A. 3/A10.11
  - a. CHANGED TO PRECAST PAVER
- B. 4/A10.11
  - a. REMOVED MANUFACTURER INFO
- C. 6/A10.11
  - a. CLARIFIED SECTION SYMBOL
  - b. CLARIFIED NORTH SIDE REFERENCE FOR 16/A10.11 MIRRORED
- D. 7/A10.11
  - a. REVISED CURB WIDTH
- E. 8/A10.11
  - a. REVISED CURB WIDTH TO 8"
  - b. ADDED CORE DEPTH FOR HANDRAIL
- F. 12/A10.11
  - a. ADDED NOTE TO VERIFY DIRECTION OF ARROW
- G. 14/A10.11
  - a. CLARIFIED REBAR EACH WAY
  - b. REVISED CURB TO INDICATE 6" MIN. WARNING CURB
  - c. CLARIFIED EXPANSION MATERIAL TO BE SELF-LEVELING
- H. 16/A10.11
  - a. CLARIFIED CURB HEIGHT AT TOP LANDING
  - b. CLARIFIED SECTION SYMBOL
- I. 17/A10.11
  - a. DETAIL ADDED IN ITS ENTIRETY

#### **A10.31 DETAILS – OPENING DETAILS**

- A. 3/A10.31
  - a. CLARIFIED EXPANSION JOINT TO BE SELF-LEVELING
- B. 6/A10.31
  - a. CLARIFIED JAMB FRAMING TO BE KING POST
- C. 7/A10.31
  - a. ADDED SOFFIT FRAMING WHERE OCCURS FOR CLARITY

- b. CLARIFIED ADJACENT PLASTER SOFFIT TO BE PATCHED AND REPAIRED
- D. 11/A10.31
  - a. ADDED NOTE TO PROVIDE SEALANT
- E. 13/A10.31
  - a. REVISED TO COMBINE LINEWORK AND NOTES FROM 14/A10.31
- F. 21/A10.31
  - a. ADDED SHIMS
  - b. CLARIFIED (E) LUMBER SIZE
  - c. CLARIFIED (E) BLOCKING SIZE
  - d. CLARIFIED STOREFRONT WHERE OCCURS
- G. 22/A10.31
  - a. ADDED SHIMS
  - b. ADDED SEALANT AND BACKER ROD BOTH SIDES
  - c. CLARIFIED (E) LUMBER SIZE
  - d. CLARIFIED (E) BLOCKING SIZE

#### **A10.32 DETAILS – OPENING DETAILS**

- A. SHEET ADDED IN ITS ENTIRETY TO ADD DOOR DETAILS PREVIOUSLY MISSING FROM DRAWINGS

#### **A10.41 SITE DETAILS**

- A. 1/A10.41
  - a. ADDED KEYNOTES 02.054
  - b. CHANGED KEYNOTE 02.003 TO 02.014
  - c. CLARIFIED EXTENT OF EXISTING FENCE DEMO
- B. 2/A10.41
  - a. REVISED DIMENSION OF PROPOSED PLANTER WALL
  - b. ADDED CALLOUT FOR DETAIL 17/A10.11
  - c. ADDED CONCRETE HATCH FOR FLATWORK WHERE (E) PLANTER TO BE DEMOLISHED
  - d. ADDED WARNING AT NORTH EDGE OF SLOPED WALKWAY CURB AND EXTENDED TO (E) FENCE, ELIMINATED SINGLE STEP
- C. 3/A10.41
  - a. ADDED ENLARGED SITE PLAN IN ITS ENTIRETY FOR CLARITY

#### **A10.51 DETAILS – WALL DETAIL**

- A. 1/A10.51
  - a. REMOVED 6" WALL TYPE
- B. 8/A10.51
  - a. REVISED WALL TILES TO BE OF ACCURATE SIZE
  - b. ADDED DEPRESSED SLAB AND MORTAR BED
- C. 2/A10.51
  - a. REVISED WALL TILES TO BE OF ACCURATE SIZE
  - b. ADDED DEPRESSED SLABS AND MORTAR BEDS
- D. 9/A10.51
  - a. DETAIL ADDED IN ITS ENTIRETY

### **A10.51 DETAILS – WALL DETAIL**

- A. 4/A10.52
  - a. REVISED WALL TILES TO BE OF ACCURATE SIZE
  - b. ADDED DEPRESSED SLABS AND MORTAR BEDS
- B. 5/A10.52
  - a. ADDED DETAIL IN ITS ENTIRETY, PREVIOUSLY MISSING FROM DRAWINGS
- C. 11/A10.52
  - a. CLARIFIED (E) WOOD STUD FRAMING
  - b. CLARIFIED (E) GYP BOARD, TO REPAIR AS NEEDED
  - c. ADDED GYP BD LINEWORK TO PLAN AND SECTION AND NOTE TO PROVIDE TYPE 'X' AT RATED FEC
- D. 15/A10.52
  - a. CLARIFIED (2) LAYERS OF TYPE 'X' GYP, REFERENCE ADDED TO 23/A10.51
  - b. ADDED R30 INSULATION AND REFERENCE TO 23/A10.51
- E. 17/A10.52
  - a. ADDED NOTE AT REFERENCE 2/A10.91 SIM. W/ OTHER
- F. 21/A10.52
  - a. REVISED WOOD FRAMING
  - b. CLARIFIED 2X FRAMING
  - c. CLARIFIED HEADER PER STRUCT.
  - d. CLARIFIED FRAMING WITH SIMPSON HANGERS
  - e. REVISED FINISH
  - f. ADDED PERIMETER SEALANT
- G. 22/A10.52
  - a. ADDED DETAIL IN ITS ENTIRETY, PREVIOUSLY MISSING FROM DRAWINGS
- H. 23/A10.52
  - a. ADDED DETAIL IN ITS ENTIRETY, PREVIOUSLY MISSING FROM DRAWINGS
- I. 24/A10.52
  - a. ADDED DETAIL IN ITS ENTIRETY, PREVIOUSLY MISSING FROM DRAWINGS
- J. 25/A10.52
  - a. ADDED DETAIL IN ITS ENTIRETY, PREVIOUSLY MISSING FROM DRAWINGS

### **A10.61 DETAILS – CEILINGS**

- A. 8/A10.61
  - a. ADDED DETAIL CALLOUTS FOR 7, 11, 12, 13, 16, 17, 18/A10.61
- B. 11/A10.61
  - a. ADDED DETAIL CALLOUTS FOR 12 & 13/A10.61
- C. 13/A10.61
  - a. REVISED DETAIL TO SHOW 3X NAILER AND GYPSUM WRAPPED (E) STEEL BEAM
  - b. REVISED ANCHOR INFORMATION FOR COMPRESSION STRUT
- D. 17/A10.61
  - a. REVISED DETAIL TO SHOW 3X NAILER AND GYPSUM WRAPPED (E) STEEL BEAM
  - b. REVISED ANCHOR INFORMATION FOR HANGER AND BRACE WIRES
- E. 19/A10.61
  - a. DETAIL REFERENCES ADDED FOR 7, 16, 17, 18/A10.61

- F. 23/A10.61
  - a. DETAIL REFERENCES ADDED FOR 7, 16, 17, 18/A10.61

#### **A10.71 DETAILS – CABINET DETAILS**

- A. CASEWORK GENERAL NOTES
  - a. ADDED NOTE #21
- B. 7/A10.71
  - a. REVISED CASEWORK FRAMING
  - b. REMOVED SUBSTRATE, THICKNESS OF COUNTERTOP REVISED TO ¾"
- C. 8/A10.71
  - a. REMOVED NOTES FOR APRON
  - b. REVISED PLYWOOD SUBSTRATE AND THICKNESS OF COUNTERTOP
  - c. REVISED OVERHANG REVISED TO INDICATE 1 ½"
  - d. ADDED 27" CLEAR DIMENSION
  - e. REVISED COUNTERTOP SUPPORT FRAMING
- D. 9/A10.71
  - a. REVISED PLYWOOD SUBSTRATE AND THICKNESS OF COUNTERTOP
  - b. REVISED OVERHANG REVISED TO INDICATE 1 ½"
  - c. REVISED CASEWORK FRAMING
- E. 10/A10.71
  - a. REVISED PLYWOOD SUBSTRATE AND THICKNESS OF COUNTERTOP
  - b. REVISED OVERHANG REVISED TO INDICATE 1 ½"
  - c. REVISED CASEWORK FRAMING
- F. 11/A10.71
  - a. REVISED TO SHOW SURFACE MOUNTED S.S. SINK
  - b. RELOCATED DRAIN TO CENTER OF SINK
- G. 12/A10.71
  - a. ADDED REFERENCE FOR 2/A10.71
- H. 14/A10.71
  - a. ADDED REFERENCES FOR 2 & 6/A10.71
  - b. REMOVED MICROWAVE BY OWNER
- I. 16/A10.71
  - a. ADDED REFERENCES FOR 2 & 6/A10.71
- J. 18/A10.71
  - a. ADDED REFERENCES FOR 2 & 6/A10.71

#### **A10.91 DETAILS – MISCELLANEOUS**

- A. 1/A10.91
  - a. REVISED DISTANCE FROM FACE OF WALL TO CENTERLINE OF RUNGS IN PLAN VIEW
  - b. ADDED R-30 INSULATION PER 23/A10.51
  - c. REVISED TO SHOW (2) LAYERS OF GYPSUM BOARD CEILING FINISH
  - d. REVISED LADDER SUPPORT ANCHOR AND SPACING INFORMATION
  - e. ADDED REFERENCE TO 9/A10.91
- B. 10/A10.91
  - a. REVISED TO SHOW R-30 AND (2) LAYERS TYPE X PER 23/A10.51
- C. 12/A10.91
  - a. REVISED TO SHOW SIZE TO MATCH (E) ADJACENT BRICK VENEER
  - b. REVISED FLASHING PER DISTRICT STANDARD

- D. 14/A10.91
  - a. CLARIFIED TITLE 'AT CEILING'
- E. 24/A10.91
  - a. ADDED GRAPHIC DETAIL IN ITS ENTIRETY, PREVIOUSLY MISSING FROM DRAWINGS

**S200 FOUNDATION AND CONCRETE SLAB PLAN**

- A. FOUNDATION PLAN: ADDED DETAIL CALL OUT 11/S501
- B. FOUNDATION PLAN: ADDED NEW ITEM IN THE LEGEND AND CLARIFY EXISTING ITEM RELATED TO HATCHING OF DEPRESSED SLAB

**S201 ROOF FRAMING PLANS**

ITEM DESCRIPTION:

- A. ROOF FRAMING PLAN: ADDED DETAIL CALL OUT 8/S801
- B. ROOF FRAMING PLAN – ROOF FRAMING NOTES: ADDED NEW NOTE 14 FOR SMALL OPENING INTO EXISTING ROOF.
- C. ROOF FRAMING PLAN – ROOF FRAMING NOTES: EDITED NOTE 11.

**S501 TYPICAL DETAILS**

- A. DETAIL 6A: ADDED WATER BARRIER INFORMATION.

**S801 TYPICAL DETAILS**

- A. DETAIL 8: EDIT JAMB NAILING REFERENCE DETAIL CALL OUT
- B. DETAIL 8: ADDED NOTE 4 FOR OPENING INTO SHEAR WALL WITH REFERENCE DETAIL.
- C. DETAIL 9: EDIT DETAIL TO DEPICT SAWN LUMBER INSTEAD I JOIST

**S802 TYPICAL DETAILS**

- A. DETAIL 12: EDIT DETAIL NAME CALL OUT
- B. DETAIL 15: ADDED NOTE FOR DETAIL REFERENCE
- C. DETAIL 15: ADDED DETAIL CALL OUT REFERENCE
- D. DETAIL 16: EDIT DETAIL NAME CALL OUT
- E. DETAIL 16: ADDED NOTE FOR DETAIL REFERENCE
- F. DETAIL 16: EDIT DETAIL NAME BY ADDING WORD "SECTION" FOR CLARIFICATION

**S803 TYPICAL DETAILS**

- A. DETAIL 12: EDIT DETAIL NAME CALL OUT.

B. DETAIL 13: ADDED WOOD NAILER AND BOLTS AT THE BOTTOM OF WF  
BEAM.

**M0.1 MECHANICAL COVER SHEET**

A. REMOVED C.M. FROM GENERAL NOTES

**M2.21 MECHANICAL FLOOR PLAN - REMODEL**

A. ADDED FIRE DAMPERS IN TEXTBOOK STORAGE DUCTWORK.

B. REVISED DUCTWORK IN CLASSROOM 117.

**M4.01 MECHANICAL DETAILS**

A. REVISED DETAIL #5.

**P0.01 PLUMBING COVER SHEET**

A. REVISED GENERAL NOTES 6 & 8 TO REMOVE C.M.

**P0.02 PLUMBING SCHEDULES**

A. REVISED 'DF-1' DESCRIPTION/MODEL NO. TO MATCH DISTRICT  
STANDARD.

B. REVISED 'IMCB-1' SYMBOL TO 'CB-1' IN THE 'PLUMBING MATERIAL LIST'  
AND REVISED THE 'DESCRIPTION' TITLE FOR CLARITY.

**P2.21 PLUMBING - FLOOR PLAN - REMODEL**

A. ADDED KEYNOTE 8 TO DEFINE THE CONTRACTORS SCOPE.

B. REVISED 'IMCB-1' SYMBOL TO 'CB-1' TO MATCH THE PLUMBING  
MATERIAL LIST.

**E0.01 ELECTRICAL COVER SHEET**

A. REVISED GENERAL NOTES 6 & 8.

**E2.00 ELECTRICAL - FLOORPLAN - OVERALL**

A. ADDED GENERAL NOTE 1.

**E2.11 ELECTRICAL - FLOORPLAN - LIGHTING - REMODEL**

A. ADDED GENERAL NOTES 7-9.

B. REVISED LIGHTING LAYOUTS IN CLASSROOMS 112, 116, 117, AND  
RECEPTION.

**E2.21 ELECTRICAL - FLOORPLAN - POWER - REMODEL**

A. REVISED GENERAL NOTE 1

B. ADDED GENERAL NOTES 7-9.

C. REVISED PLACEMENT OF RECEPTACLE IN CONF ROOM 111 AND  
CLASSROOM 117.

D. REVISED PLACEMENT OF RECEPTACLE IN TEXTBOOK STORAGE 104.

**E4.01 ELECTRICAL - DETAILS**

A. ADDED STRUCTURAL DETAIL REFERENCES TO DETAILS 3 AND 6.

**T0.01 TECHNOLOGY COVER SHEET**

A. REVISED GENERAL NOTES 6 & 8

**T2.00 TECHNOLOGY - FLOOR PLAN - OVERALL**

A. ADDED GENERAL NOTE 1.

**T2.21 TECHNOLOGY - FLOOR PLAN - REMODEL**

A. ADDED KEYNOTE 8.

B. ADDED WALL CLOCKS IN ROOMS 101, 102, 104, 106, AND 111.

**T4.01 TECHNOLOGY - DETAILS**

A. ADDED ADDITIONAL CLOCKS TO SYSTEM RISER DIAGRAM (DETAIL 5).

**FA0.01 FIRE ALARM COVER SHEET**

A. REVISED GENERAL NOTES 6 & 8.

**FA0.02 FIRE ALARM - RISER DIAGRAMS**

A. ADDED REMAINING EXISTING FIRE ALARM DEVICES TO RISER DIAGRAM.

**FA2.21 FIRE ALARM - FLOOR PLAN - REMODEL**

A. UPDATED EXTERIOR HORN/STROBE ANNUNCIATION DEVICES, ADDED KEYNOTE 2.

B. REVISED LOCATIONS OF INTERIOR HORN/STROBE TO COORDINATE WITH MARKERBOARDS

**FA4.01 FIRE ALARM - DETAILS**

A. REVISED CODE REFERENCES ON DETAIL 4.

**EXHIBITS: N/A**  
**End of Addendum A**

SGH Architects, Inc.  
Scott Griffith, AIA  
Managing Partner  
Architect C-24897

