

Customer & Pet Information

Call Name	Gypsy	DOB	Feb. 22, 2022
Registered Name	A6s Gypsy's Soul Train	Registration #	DN70639904
Breed	Australian Shepherd	Tattoo	-
Sex	Female	Microchip	-
Ordered By	Ashlee Weldon	Laboratory #	444347
		Report Date	May 20, 2024

WT: wild type (normal) M: mutant Y: Y chromosome (male)

Breed Profile

Disease Name	Genotype	Interpretation
Coagulation Factor VII Deficiency	WT/WT	Normal (Clear)
Collie Eye Anomaly	WT/WT	Normal (Clear)
Cone Degeneration	WT/WT	Normal (Clear)
Cranio-mandibular Osteopathy	WT/WT	Normal (Clear)
Degenerative Myelopathy	No Result	No Result
Degenerative Myelopathy (Bernese Mountain Dog Variant)	No Result	
Degenerative Myelopathy (Common Variant)	0	
Exercise-Induced Collapse	WT/WT	Normal (Clear)
Hereditary Ataxia (Australian Shepherd Type)	No Result	No Result
Hereditary Cataracts (Australian Shepherd Type)	No Result	No Result
Hyperuricosuria	WT/WT	Normal (Clear)
Intervertebral Disc Disease Risk Factor and Chondrodystrophy (CDDY with IVDD)	WT/WT	Normal (Clear)
Intestinal Cobalamin Malabsorption (Border Collie Type)	WT/WT	Normal (Clear)
Junctional Epidermolysis Bullosa (Australian Shepherd Type)	WT/WT	Normal (Clear)
Multidrug Resistance 1	WT/WT	Normal (Clear)

Multifocal Retinopathy 1	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 5 (Herding Dog Type)	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 6	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 8 (Australian Shepherd Type)	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration (prcd)	WT/WT	Normal (Clear)
Von Willebrand Disease I	WT/WT	Normal (Clear)

WT: wild type (normal) M: mutant Y: Y chromosome (male)

Coat Colors & Traits		
Trait Name	Genotype	Interpretation
A Locus (Agouti)	a ^t /a	Tricolor, black and tan (carries bicolor/solid)
A ^s Locus (Saddle Tan)	N/A ^s	Saddle tan/creeping tan (non saddle tan carrier)
B Locus (Brown)	B/b	Black coat, nose and foot pads (carries one copy of brown)
B Locus (Brown) - b ^a	0	
B Locus (Brown) - b ^c	0	
B Locus (Brown) - b ^d	0	
B Locus (Brown) - b ^h	0	
B Locus (Brown) - b ^e	0	
B Locus (Brown) - b ^s	1	
Brachycephaly	BR/BR	Likely medium to long muzzle
Chondrodysplasia (CDPA)	cd/cd	Likely typical leg length
Co Locus (Cocoa, French Bulldog Type)	CO/CO	Black coat, nose and foot pads (does not carry cocoa)
Cu Locus (Curly Hair)	Cu/Cu	Straight coat

D Locus (Dilute)	No Result	No Result
D Locus (Dilute) - d ¹	No Result	
D Locus (Dilute) - d ²	0	
D Locus (Dilute) - d ³	No Result	
E Locus	E^m/E	Melanistic Mask - Carrier (Black)
E Locus - E ^m (Melanistic Mask)	1	
E Locus - E ^g (Grizzle, Afghan Hound Type)	0	
E Locus - E ^h (Sable, Cocker Spaniel Type)	0	
E Locus - e ^A (Ancient Red, Spitz and Scent Hound Type)	0	
E Locus - e ¹ (Yellow/Red)	0	
E Locus - e ² (Cream, Australian Cattle Dog Type)	0	
E Locus - e ³ (White, Alaskan and Siberian Husky Type)	0	
H Locus (Harlequin, Great Dane Type)	h/h	No harlequin
Hairlessness	Rh/Rh	Coated
Hairlessness (American Hairless Terrier Type) - rh ¹	0	
Hairlessness (Scottish Deerhound Type) - rh ²	0	
Hr Locus (FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type)	hr/hr	Coated
I Locus (Intensity)	No Result	No Result
IC Locus (Improper Coat/Furnishings)	IC/IC	No furnishings, improper coat
K Locus (Dominant Black)	No Result	No Result
L Locus (Long Hair/Fluffy)	No Result	No Result

L Locus (Long Hair/Fluffy) - Lh ¹	No Result	
L Locus (Long Hair/Fluffy) - Lh ²	0	
L Locus (Long Hair/Fluffy) - Lh ³	0	
L Locus (Long Hair/Fluffy) - Lh ⁴	0	
M Locus (Merle)	m/m	Non merle
Polydactyly (Common Variant)	pd/pd	Normal (typical) toes (likely no hind dewclaws)
Polydactyly (Great Pyrenees Type)	WT/WT	Normal (Clear)
R Locus (Roan/Ticked)	R^{Ti}/r	Ticked (carries non-roan)
R Locus (Roan/Ticked) - R ^{Ti}	1	
R Locus (Roan/Ticked) - R	0	
S Locus (White Spotting, Parti, or Piebald)	S/s^p	Limited white spotting, flash, parti, or piebald (carrier)
SD Locus (Shedding)	sd/SD	Moderate shedding
Sex Determination	X/X	Female
Social Behavior	WT/WT; WT/WT	May demonstrate less social behavior
Social Behavior, Variant 1	0	
Social Behavior, Variant 2	0	
T Locus (Natural Bobtail)	t/t	Normal tail

WT: wild type (normal) M: mutant Y: Y chromosome (male)

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

Explanation of Results

Normal	A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.
Carrier	A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.
Carrier / At-Risk	A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease. Dogs with one copy of the mutation may have a milder phenotype as compared to dogs with two copies of this mutation.
At-Risk / Affected	An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may result in the disease.
No Result	'No Result' indicates that we were unable to obtain a genotype for your dog for this specific disease or trait and does not mean that your dog is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result. Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the dog's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. Dogs with at least 90% of the test results are determined to be acceptable and reportable. If your dog has an unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.

Please review our testing terms and disclaimers regarding your results.