



41-1143 Waikupanaha Street
 Waimanalo, HI 96795
 Phone: (808) 259-8420
 Fax: (808) 259-8421
 Cell: 227-9940
 E-mail: sales@islandgrower.com
<http://www.islandgrower.com/>

Greenhouse Quotation Form Date: _____

Name: _____
 Address/GPS Coordinates: _____
 City: _____ State: _____ Zip Code: _____
 Phone: _____ Fax: _____ Email: _____
 Crop: _____ Job start date: _____ Completion date: _____
 Use: R&D Production Propagation Floor: Slab Dirt Gravel Aisle: _____
 Power: _____ Fuel: _____ Elevation: _____

STRUCTURE:

Name: _____ Width: _____ Length: _____ Sidewall Height: _____
 Number of Ranges: _____ Number of houses: _____
 Loading: _____ Engineering: HI or Other State: _____
 Upgrades: Crop load

GLAZING CHOICE:

Roof:	Single Poly	CPC	PC8	Triple	GR-7
Endwall:	Single Poly	CPC	PC8	Triple	GR-7
Sidewall:	Single Poly	CPC	PC8	Triple	GR-7

Option Descriptions: Single Polyethylene Film CPC (Corrugated Polycarbonate) PC8 (8mm Twin-wall) Triple (8mm Triple-wall)
 GR-7 (Metal)

Frame Options: Partitions:

Endwalls set for:	Poly	CPC	PC8	Triple	GR-7
Sidewalls set for:	Poly	CPC	PC8	Triple	GR-7
Gable Partition set for:	Poly	CPC	PC8	Triple	GR-7
Gutter Partition set for:	Poly	CPC	PC8	Triple	GR-7

Stemwall _____
 Base Angle _____

Doors:

Sliding width: 4' 5' 6' 8' 10' 12' Inside Outside
 Door Height: _____
 Hinged Door: 3' 3'6" Door Height: _____
 Accessories _____

Citrus door: _____

Location of door: _____

OPTIONS:

- Crop Brace Bars Gutter End Transitions Upgrade Columns to 4" Diameter
- Gutter Condensate Control Poly Roof Splice Kit

ACCESSORIES:

Roof Vent x _____ Height _____ Length _____ Glazing Yes No
 Insect Exclusion: Manual Automated

Wall Vent x _____ Height _____ Length _____ Glazing Yes No
 Insect Exclusion: Manual Automated

Roll up Wall x _____ Width _____ Length _____
 Insect Exclusion: Manual Automated

Drop Wall x _____ Width _____ Length _____
 Insect Exclusion: Manual Automated

Roll-A-Roof x _____ Width _____ Length _____
 Insect Exclusion: Manual Automated

COOLING SYSTEM: * (Attach Cooling Calcs)

Elevation _____ Power _____

- Natural Positive Pressure Fan & Pad Swamp Coolers

Distribution: Aluminum Stainless Plastic Pad Vent Shutters
 Shutters _____ Motors _____

Pad Vent x _____ Height _____ Length _____ Glazing Yes No
 Insect Exclusion: Manual Automated

INSECT EXCLUSION: (Lean-to/ Vestibules)

Exterior Interior Dimensions: _____ Screen Type: Inlet Outlet
 Roof Covering: _____ Base angle: _____ Citrus Stem Wall: _____

Location: _____

SHADE SYSTEM: (Energy Curtain):

ES2 ES1212 Blackout Energy Shade Light Pollution
 Zones: _____ Material: _____

BENCHES:

Rolling: Widths: 5' 5'6" 6' 6'6"

Stationary: 3 4 5 5'6" 6 6'6" Length _____

Tops: Expanded Metal Ebb & Flow

Set in Concrete Attached to Concrete Freestanding

Caster _____ Width _____ Length _____
T-Rail _____
Dutch Rolling _____

ENVIRONMENTAL CONTROL:

Vendor: _____ Zones: _____
Options: Digital Temp/Humid Sensor Weather Station Sensor

 Photocell Anemomoeter Rain Bucket

LIGHTING:

Customer Specs _____

TERMS:

SHIPPING NOTES:

MISC NOTES:

SITE INFO: Site ready- grade, power, underground

SKETCH: