



MEDRIGHT

Product Information Sheet

40-60-DRAM



PRODUCT DESCRIPTION

- Adheres to retail pharmacy and commercial prescription vials.
- Fluorescent-luminous Sun and Moon indicators
- Designed with an arthritis friendly grip that is integrated on the edges of the cap
- Private Labeling available
- Fits McKesson, Berry Global, Afton Scientific retail vials
- US Patent # 10,905,632 Granted and Pending Patent
- 40Dram / 60Dram
- Available in one a day (QB) abd Twice a day (BID)



SKU:

MDR-CAP40-60-DRM DD-GLOW

UPC:

860009210721



SKU:

MDR-CAP40-60-DRM SD-GLOW


UPC:

860009210738



DIMENSIONS:

Cap Size- W 2.2" x L 2.2" x H 1.00"
Dispenser Cavity- 0.85"



POLYMERS:

Polybutylene Succinate (PBS)
Polylactic Acid (PLA)
Poly/Homo propylene (PP)
Biodegradable Polymers/Composite

CAPSULE SIZES

	00	0	1
Capsule Volume (mL)	0.91	0.68	0.50
Body (in)	0.796	0.726	0.654
Body (mm)	20.22	18.44	16.61
Manufacturing Location: Louisiana			

MEDICATION MISMANAGEMENT

[*] Medication Mismanagement is a Leading Cause of Hospitalizations in Seniors

According to the Food and Drug Admin medication mistakes cause at least one death every day in this country and injure roughly 1.3 million people every year. People aged 65 and older are especially vulnerable to medical errors. The prevalence of drug-related hospitalizations has been reported to be as high as 31% versus 3-6% of the population.

[±] Why Seniors are at higher Risk

The older you get, the more likely you are to use additional medicines, which can increase the chance of harmful side effects, including drug interactions and change in memory and or the ability to think and process information. In turn, can cause older adults to get hurt and may ultimately lessen their ability to function in day-to-day life. Watching for signs and symptoms of overuse, such as prematurely running out of medication, mood swings, and over-sedation can create unfortunate errors in the Patient's daily routine.

[\$] Ignoring Dosing Requirements

Overdoses are a leading cause of medication Injuries and death. (And although prescription drugs are the most common offenders). Seniors are at risk of overdosing due to declines in memory.

[\$] Preventing Medication Mistakes

Patients and Caregivers should familiarize themselves with dosing requirements for all prescribed medications.

The MEDRiGHT dispenser cap reduces the potential errors encountered daily and creates a safer means of administering prescribed medication. While the MEDRiGHT dispensing cap is not solely intended for just seniors, seniors are the ones who are at most risk of over/under dosing.

References:

[*] <https://thearborsassistedliving.com/medication-mismanagement-is-a-leading-cause-of-hospitalizations-in-seniors/>

[±] <https://www.ncbi.nlm.nih.gov/books/NBK519065/>

[\$] <https://www.fda.gov/drugs/information-consumers-and-patients-drugs/working-reduce-medication-errors>