

SFA Companies

Professional Catalog

OMEGALIFT™
EQUIPMENT



**HEIN-WERNER
AUTOMOTIVE**

Porto-Power
BLACKHAWK AUTOMOTIVE



OMEGA
Pro



**Pro-Lift
HD**

Pro-Lift

BANNER
BLACKHAWK AUTOMOTIVE

THE BONE

HEIN-WERNER AUTOMOTIVE®

Chapter Table of Contents


- 52 Service Jacks
- 53 Long Chassis Service Jacks
- 54 Speed Pak™ Air Hydraulic Service Jacks
- 55 Forklift Jack
- 55 Air Hydraulic Truck Jack
- 55 Air Jack and Stand
- 56 Truck Jacks
- 57 Vehicle Stands
- 57 High Reach Jack Stands
- 58 Heavy Duty Jack Stands
- 58 Forklift Jack Stands
- 59 End Lift
- 59 End Lift with Remote Operation
- 60 Wheel Lift System
- 62-63 Engine Crane and Accessories
- 64-65 Engine Stands and Accessories
 - 66 Floor Style Transmission Jack
 - 66 Telescopic Transmission Jack
- 67 Wheel Dolly
- 68-75 Shop Presses and Accessories

Hein-Werner Automotive line has stood for quality, durability, performance and incorporation of US Manufacturing for decades. TAA / BAA Compliance as well as National Stock Numbers has made this lift equipment line a staple of GSA contracts for many generations. All Hein-Werner Automotive equipment strives to adhere to current ASME/PASE safety regulations. All Hein-Werner Automotive Equipment products carries a two year manufacturer's warranty, please see warranty section for added information.

This photo is for marketing purposes only and does not directly reflect on how products should be used. Please refer to your products Owners Manuals for suggested uses.

SERVICE JACKS

2 Ton Heavy Duty Service Jack



3 Ton Heavy Duty Service Jack




LONG CHASSIS SERVICE JACKS

4 Ton Manual Service Jack



10 Ton Manual Service Jack




Model	Description	Height (Min/Max)	Power Raise	Saddle Dia.	Handle Length	Base Size (L x W)	Weight
HW93642	2 Ton Heavy Duty Service Jack	4.50" 20.00"	15.50"	6.38"	48.00"	28.50" 15.00"	99.00 lbs
HW93652	3 Ton Heavy Duty Service Jack	5.25" 23.50"	18.25"	6.75"	48.00"	31.50" 15.00"	123.00 lbs


Model	Description	Height (Min/Max)	Power Raise	Saddle Dia.	Handle Length	Base Size (L x W)	Weight
HW93657	4 Ton Manual Service Jack	5.50" 26.50"	21.00"	7.00"	51.75"	48.00" 14.50"	222.00 lbs
HW93660	10 Ton Manual Service Jack	6.50" 25.50"	19.00"	8.50"	53.00"	54.00" 20.50"	420.00 lbs

AIR/MANUAL SERVICE JACKS

4 Ton Air/Hydraulic Service Jack



10 Ton Air/Hydraulic Service Jack



FORKLIFT/TRUCK JACKS

20 Ton Air/Hydraulic Truck Jack



4 Ton Forklift Jack



10 Ton Air Jack

Model	Description	Height (Min/Max)	Power Raise	Saddle Dia.	Handle Length	Base Size (L x W)	Weight
HW93667	4 Ton Air/Hydraulic Service Jack	5.50" 26.50"	21.00"	7.00"	51.75"	48.00" 14.50"	237.00 lbs
HW93662	10 Ton Air/Hydraulic Service Jack	6.50" 25.50"	19.00"	8.50"	53.00"	54.00" 20.50"	430.00 lbs

Model	Description	Height (Min/Max)	Power Raise	Handle Length	Base Size (L x W)	Weight
HW93659	4 Ton Forklift Jack	2.50" 16.50"	14.00"	25.00"	8.00" 26.50"	71.00 lbs
HW93731	20 Ton Air/Hydraulic Truck Jack	9.25" 17.75"	5.50"	39.50"	8.75" 5.50"	67.00 lbs
HW93737A	10 Ton Air Jack	17.75" 40.00"	11.50"	38.00"	12.00" 12.00"	165.00 lbs


TRUCK JACKS

**25 Ton Truck Jack
With 3" Adapter**



HW93735A

**20 Ton
Truck Jack**



HW93733

Saddle Adapters

1" 3" and 5" Steel
Adapters



HW93265

Pressure Relief
Valve (Not Shown)

Coated Ram

Large
Rubber Wheels

3" Extension
Adapter Included

Model	Description	Height (Min/Max)		Power Raise	Handle Length	Ext Screw	Operating Pressure (PSI)	Base Size (L x W)		Weight
HW93735A	25 Ton Truck Jack w/ 3" Adapter	8.25"	21.50"	5.13"	53.00"	5.13"	110-200	20.00"	14.00"	124.00 lbs
HW93733	20 Ton Truck Jack	9.00"	19.75"	6.00"	52.50"	4.75"	110-140	8.00"	17.00"	88.50 lbs
HW93265	Saddle Adapter	For use with HW93733								8.26 lbs

JACK STANDS

3 Ton Jack Stands



HW93503

**6 Ton
Jack Stands**



HW93506

**10 Ton
High Reach
Jack Stands**




HW93511

Model	Description	Height (Min/Max)		Height Intervals	Base Size (L x W)		Saddle Size (L x W)		Weight
HW93503	3 Ton Jack Stands	12.13"	19.00"	0.69"	7.25"	9.00"	1.00"	4.50"	18.50 lbs
HW93506	6 Ton Jack Stands	16.25"	25.75"	0.63"	10.25"	13.00"	1.00"	5.00"	41.00 lbs
HW93511	10 Ton High Reach Jack Stands	30.00"	52.00"	2.00"	19.00"	19.00"	3.00"	5.75"	148.00 lbs

* Rated capacity for all jack stands are rated to be used in matching pairs.
** Except HW93503 and HW93506

HEAVY DUTY JACK STANDS

10 Ton Heavy Duty Jack Stands



HW93512



25 Ton Jack Stands



HW93526F



7 Ton Forklift Stands



HW93524A

END LIFTS

2.5 Ton Air Operated End Lift



2.5 Ton Air Operated End Lift With Remote Operation



HW93696A

HW93696U



HW93697


Model	Description	Height (Min/Max)		Height Intervals	Base Size (L x W)		Saddle Size (L x W)		Weight
HW93512	10 Ton Heavy Duty Jack Stands	20.00"	31.50"	2.00"	16.00"	16.00"	3.00"	5.75"	90.00 lbs
HW93526F	25 Ton Vehicle Support Stands	12.38"	20.38"	2.13"	9.88"	9.88"	2.25"	3.25"	90.00 lbs
HW93524A	7 Ton Forklift Stands	9.50"	15.75"	1.00"	7.50"	7.50"	2.50"	4.50"	36.00 lbs

Model	Description	Height (Min/Max)		Saddle Spread	Power Raise	Min. Air Pressure	Weight
HW93696A	2.5 Ton Air Operated End Lift	11.00"	35.38"	23.25" - 41.25"	24.75"	200 PSI	210.00 lbs
HW93696U	2.5 Ton Air Operated End Lift	11.00"	35.38"	23.25" - 41.25"	24.75"	200 PSI	276.00 lbs
HW93697	Remote Operation Kit	Operates both (HW93696U) units simultaneously					4.00 lbs


* Rated capacity for all jack stands are rated to be used in matching pairs

WHEEL LIFT SYSTEM/KIT

Remote Operation Kit



10 Ton Wheel Lift System



END LIFT

10 Ton Air Operated End Lift




Model	Description	Height (Min/Max)		Frame Size (W x H)		Power Raise	Min Air Pressure	Weight
HW93693*	10 Ton Wheel Lift System	Floor level	24.00"	41.96"	53.25"	24.00"	160 PSI	1,234.00 lbs

Model	Description	Height (Min/Max)		Saddle Spread	Frame Size (W x H)		Power Raise	Min. Air Pressure	Weight
HW93690	10 Ton Air Operated End Lift	12.50"	46.00"	28.00" - 53.00"	35.25"	65.00"	36.75"	200 PSI	670.00 lbs

* Rated capacity for HW93693 is designed to be used in matching pairs. Refer to the products owners manual for proper usage.

ENGINE CRANES



Model	Description	Boom Cap. @ Length	Hook Height (Min/Max)		Leg Ext.	Size (L x W x H)			Wheel Dia. (Front/Rear)		Weight
HW93806	3 Ton Engine Crane	3 Ton	30.50"	120.50"	91.25"	75.00"	51.00"	88.50"	8.00"	6.00"	1,110.00 lbs
		2.5 Ton	18.50"	128.50"	106.75"						
		2 Ton	6.50"	144.50"	123.00"						
Model	Description	Hex Drive		Chain Length		Link Size			Weight		
HW93805	3 Ton Load Leveler	For use with an engine crane or hoist							77.00 lbs		
HW93802	2 Ton Load Rotor Sling	0.63"		100.00"			0.31"			32.00 lbs	
HW93801	1 Ton Load Rotor Sling	0.63"		65.00"			0.31"			32.00 lbs	

ENGINE CRANES



Model	Description	Chain Length	Link Size	Weight
HW93803	1 Ton Adjustable Load Sling	66.00"	0.22"	5.05 lbs
HW93804	2 Ton Adjustable Load Sling	66.25"	0.31"	9.55 lbs


Model	Description	Capacity	Hook Height (Min/Max)	Base Length	Base Width (Front/Rear)	Height	Wheel Dia	Weight
HW93809	2 Ton Manual/Foldable Engine Crane	4,400 lbs	30.50"	120.50"	75.00"	56.00"	28.00"	83.00"
		3,800 lbs	18.50"	132.50"				
		3,300 lbs	6.50"	144.50"				

ENGINE STANDS

1,250 lbs Engine Stand



3 Ton Engine Stand



Model	Description	Dimensions (L x W x H)			Wheel Dia. (Front/Rear)		Rotational Clearance (Head/Ground)		Weight
HW93776	3 Ton Engine Stand	52.00"	46.00"	46.00"	8.00"	5.75"	37.50"	43.50"	602.00 lbs
HW93778	1,250 lbs Engine Stand	36.00"	35.00"	34.00"	3.00"	3.00"	-	-	76.00 lbs

ENGINE STAND ADAPTERS



Model	Description	Compatible Engines	Weight
HW93776-1	Adapter Plate For Cummins Engine	For all NH, NTC, & NTE 855 Series in-line 6 cylinder, 378 Series V6, 504, 555 & 903 Series V8, KT 1150 Series in-line 6 Cylinder L10	30.00 lbs
HW93776-2	Adapter Plate For Detroit Engine	For 53 Series in-line 6 Cylinder, 6V & 8V also 71 series in-line 6 cylinder, 6V, 8V & 12V also 92 series 6V & 8V also 8.2 liter V8.	71.15 lbs
HW93776-3	Adapter Plate For Mack Engine	For 672, 673, 675 & 711. Series in-line 6 cylinder	68.00 lbs
HW93776-4	Adapter Plate For International Engine	For DT-466 in-line 6 cylinder DV-550, MV-404, MV-446, V304, V435, V392, 4-152, 4-194, 4-196, 9.0 liter V8, 6.9L (Ford).	59.00 lbs
HW93776-5	Adapter Plate For Caterpillar Engine	For 1673, 1674, 1693, 3306 & 3406 in-line 6 cylinder also 1100 & 3208 V8 and 3408 V8.	73.00 lbs
HW93776-6	Adapter Plate For Allison Engine	For AT 500, MT 600, MT 6 speed, VH, VS and V730	30.00 lbs
HW93776-7	Engine Stand Adapter	For small size vehicle and light truck Engine 2,000 Lbs. capacity.	38.00 lbs
HW93776-8	Detroit Diesel V6 & V8, Ser 71 Engine Ad	For Detroit Diesel V6 & V8, Ser 71	55.00 lbs
HW93776-9	Adapter Plate For Caterpillar Engine	For 3114, 3116, 3176	48.00 lbs
HW93776-10	Adapter Plate For Mack Engine	For Mack V8 1000, E6 & E7 In-Line 6 Engine Adapter	42.00 lbs
HW93776-11	Adapter Plate For Volvo Engine	For Volvo Td67 & Td71 Engine Adapter	52.00 lbs
HW93776-12	Adapter Plate For Detroit Allison Engine	For Detroit Alison Trans HT740D, HT750, HT750CT, CLBT, CR/DR Adapter	63.00 lbs
HW93776-13	Adapter Plate For New Holland Engine	For Ford New Holland 6.6L & 7.8L Engine Adapter	63.00 lbs


* All Engine Stand Adaptors are made in the U.S.A.

TRANSMISSION JACKS

1 Ton Floor Transmission Jack



1,000 lbs Air/Manual Telescopic Trans Jack




TRANS JACK ACC & WHEEL DOLLY

Fuller Transmission Adapter Kit



Trans Jack Multi Adapter



1,500 lbs Wheel Dolly




Model	Description	Height (Min/Max)		Chassis/ Base (L x W)		Tilt (Forward/Rear/Sideways)			Weight
HW93718	1 Ton Floor Transmission Jack	10.25"	45.25"	47.50"	28.25"	27.70°	32.00°	13.00° L & R	309.00 lbs
HW93720	1,000 lbs Air/Manual Tele Trans Jack	34.50"	72.00"	41.00"	41.00"	50.00°	20.00°	11.00° L & R	116.55 lbs

Model	Description	Lift Range (Min/Max)		Lifting Arm (Length/Spread)		Size (L x W x H)			Weight
HW93248	Fuller Transmission Adapter Kit					For use with HW93718 only			16.00 lbs
HW93721	Trans Jack Multi Adapter					For use with HW93720 only			20.00 lbs
HW93766	1,500 lbs Wheel Dolly	0.00"	5.00"	24.75"	27.63"	37.50"	39.00"	32.00"	119.00 lbs


SHOP PRESSES

25 Ton Manual Hyd Shop Press



HW93300

25 Ton Manual Hyd Shop Press



HW93305

Replacement 25 Ton Arbor Plates



AP25


25 Ton Shop Press Accessories



HW93309

SHOP PRESSES

25 Ton Air Hyd Shop Press



HW93301

25 Ton Electric Hyd Shop Press



HW93306



Shop Press Guard Accessory

HW93425

Model	Description	Stroke	Pump Type	Press Size (L x W x H)	Int Width	Bed Depth	Bed Pos	Chan Width	Working Height	Weight
HW93300	25 Ton Shop Press	6.00"	Manual	28.00" 42.75" 70.00"	30.00"	11.00"	8	6.75"	6.50"-49.50"	484.00 lbs
HW93305	25 Ton Shop Press	6.00"	Manual	28.00" 42.75" 70.00"	30.00"	11.00"	8	6.75"	6.50"-49.50"	484.00 lbs

* All our Shop Press Frames are made in U.S.A., the hydraulic units are products from Taiwan.

Model	Description	Stroke	Pump Type	Press Size (L x W x H)	Int Width	Bed Depth	Bed Pos	Chan Width	Working Height	Weight
HW93301	25 Ton Shop Press	6.00"	Air	28.00" 42.75" 70.00"	30.00"	11.00"	8	6.75"	6.50"-49.50"	484.00 lbs
HW93306	25 Ton Shop Press	6.00"	Elec	28.00" 42.75" 70.00"	30.00"	11.00"	8	6.75"	6.50"-49.50"	484.00 lbs

* All our Shop Press Frames are made in U.S.A., the hydraulic units are products from Taiwan.

SHOP PRESSES

55 Ton Manual Hyd Shop Press



HW93400

55 Ton Electric Hyd Shop Press



55 Ton Air Hyd Shop Press



Heavy Steel Welded Construction

Replacement 55 Ton Arbor Plates




AP55


55 Ton Air Hyd Shop Press



55 Ton Double Acting Electric Hyd Shop Press



55 Ton Electric Hyd Shop Press



Model	Description	Stroke	Pump Type	Press Size (L x W x H)	Int Width	Bed Depth	Bed Pos	Chan Width	Working Height	Weight
HW93400	55 Ton Shop Press	6.00"	Manual	30.00" 60.50" 80.50"	35.50"	14.88"	9	9.25"	7.50"-55.50"	855.00 lbs
HW93401	55 Ton Shop Press	6.00"	Air	30.00" 67.50" 80.50"	35.50"	14.88"	9	9.25"	7.50"-55.50"	850.00 lbs
HW93402	55 Ton Shop Press	6.00"	Elec	30.00" 67.50" 80.50"	35.50"	14.88"	9	9.25"	7.50"-55.50"	915.50 lbs

* All our Shop Press Frames are made in U.S.A., the hydraulic units are products from Taiwan.

Model	Description	Str	Pump Type	Press Size (L x W x H)	Int Width	Bed Depth	Bed Pos	Chan Width	Working Height	Weight
HW93403	55 Ton Shop Press	13.00"	Air	30.00" 67.50" 87.50"	35.50"	14.88"	9	9.25"	7.50"-55.50"	891.00 lbs
HW93404	55 Ton Shop Press	13.00"	Elec	30.00" 67.50" 87.50"	35.50"	14.88"	9	9.25"	7.50"-55.50"	948.00 lbs
HW93405*	55 Ton Shop Press	13.00"	Elec	30.00" 67.50" 89.50"	35.50"	14.88"	9	9.25"	7.50"-55.50"	915.50 lbs

* HW93405 uses a double acting cylinder.

** All our Shop Press Frames are made in U.S.A., the hydraulic units are products from Taiwan.

SHOP PRESSES

55 Ton Manual Hyd Rolling Head Shop Press



HW93410



4" Pressure Gauge Standard

Heavy Steel Welded Construction

55 Ton Electric Hyd Rolling Head Shop Press



HW93412


Hand Winch for Multi Position Bed

Replacement 55 Ton Arbor Plates



AP55

55 Ton Air Hyd Rolling Head Shop Press



HW93411

Multi-Position Bed

Industrial Grade Rams And Pumps



SHOP PRESSES

55 Ton Air Hyd Rolling Head Shop Press



HW93413

Heavy Steel Welded Construction



55 Ton Double Acting Electric Hyd Rolling Head Shop Press



HW93415


Industrial Grade Rams And Pumps

Shop Press Guard Accessory



HW93425

55 Ton Electric Hyd Rolling Head Shop Press



HW93414

Multi-Position Bed

Hand Winch for Multi Position Bed

Optional Shop Press Accessories



HW93409

Model	Description	Stroke	Pump Type	Press Size (L x W x H)	Int. Width	Bed Depth	Bed Pos	Chan Width	Working Height	Weight
HW93410	55 T Rolling Head Shop Press	6.00"	Manual	30.00" 60.50" 80.50"	35.50"	14.88"	9	9.25"	7.25"-55.50"	955.00 lbs
HW93411	55 T Rolling Head Shop Press	6.00"	Air	30.00" 67.50" 80.50"	35.50"	14.88"	9	9.25"	7.25"-55.50"	950.00 lbs
HW93412	55 T Rolling Head Shop Press	6.00"	Elec.	30.00" 67.50" 80.50"	35.50"	14.88"	9	9.25"	7.25"-55.50"	1,015.05 lbs

* All our Shop Press Frames are made in U.S.A., the hydraulic units are products from Taiwan.

Model	Description	Str	Pump Type	Press Size (L x W x H)	Int Width	Bed Depth	Bed Pos	Chan Width	Working Height	Weight
HW93413	55 T Rolling Head Shop Press	13"	Air	30.00" 67.50" 87.50"	35.50"	14.88"	9	9.25"	7.25"-55.50"	991.00 lbs
HW93414	55 T Rolling Head Shop Press	13"	Elec.	30.00" 67.50" 87.50"	35.50"	14.88"	9	9.25"	7.25"-55.50"	1,048.00 lbs
HW93415*	55 T Rolling Head Shop Press	13"	Elec.	30.00" 67.50" 89.50"	35.50"	14.88"	9	9.25"	7.25"-55.50"	1,015.05 lbs

* HW93415 uses a double acting cylinder.

** All our Shop Press Frames are made in U.S.A., the hydraulic units are products from Taiwan.

SHOP PRESSES

100 Ton Electric Hyd Shop Press



100 Ton Double Acting Electric Hyd Shop Press



Model	Description	Stroke	Pump Type	Press Size (L x W x H)	Bed Depth	Bed Pos	Chan. Width	Working Height	Weight
HW93610	100 Ton Shop Press	10.00"	Electric	30.00" 67.50" 89.00"	12.00"	6	10.50"	12.25"-52.50"	1,221 lbs
HW93615	100 Ton Double Acting Shop Press	10.00"	Electric	30.00" 67.50" 89.00"	12.00"	6	10.50"	12.25"-52.50"	1,221 lbs

* All our Shop Press Frames are made in U.S.A., the hydraulic units are products from Taiwan.

SHOP PRESS ACCESSORIES


Shop Press Accessory Kit



Hydraulic Oil



Arbor Plates



Shop Press Guards



Model	Description	Additional Information	Weight
HW93309	25 Ton Shop Press Accessories Kit	For use with 25 Ton Shop Press	41.00 lbs
HW93409	55 Ton Shop Press Accessories Kit	For use with 55 Ton Shop Press	80.00 lbs
HW93291	Oil, Hyd Jack Premium Oil 1Qt	-	1.92 lbs
HW93294	Oil, Hyd Jack Premium Oil 1 Gal	-	7.87 lbs
AP25*	25 Ton Arbor Plate	For use with 25 Ton Shop Press	40.00 lbs
AP55*	55 Ton Arbor Plate	For use with 50 Ton Shop Press	64.00 lbs
AP100*	100 Ton Arbor Plate	For use with 100 Ton Shop Press	112.00 lbs
HW93325	25 Ton Shop Press Guard	For use with 25 Ton Shop Press	70.00 lbs
HW93425	55 Ton Shop Press Guard	For use with 50 Ton Shop Press	70.00 lbs
HW93625	100 Ton Shop Press Guard	For use with 100 Ton Shop Press	70.00 lbs

* Sold in pairs only

SFA Companies

Professional Catalog

Shinn Fu of America

10939 N. Pomona Ave • Kansas City, MO • 64153
816-891-6390 • www.SFAcompanies.com

Shinn Fu Corporation

7F., No.408, Ruei Guang Road
Taipei City 11492, Taiwan, R.O.C.

T: 886-2-87517888

F: 866-2-87517999

Shinn Fu of Canada

6355 Shawson Drive, Unit 1
Mississauga, Ontario L5T 1S7

T: 888-820-3737

F: 905-362-2280

Shinn Fu of Europe B.V.

Munnikenheiweg 50, 4879 NG
Etten-Leur, The Netherlands

T: +31-165-583-300

F: +31-165-583-310

Shinn Fu of Australia

15 Viewtech Place,
Rowville 3178 Victoria

T: +61-3-9755-8277

F: +61-3-9755-8219