

SALE • SERVICE • REPAIR • RENTALS

AUTHORIZED FACTORY SERVICE CENTER & EQUIPMENT/REPAIR PARTS DISTRIBUTOR



PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE

1609 N ORANGETHORPE WAY ANAHEIM, CA 92801 (562) 860-1417 | (714) 871-4966 jackxchange.com

Rentals

NEED RENTALS? CALL TODAY FOR A QUOTE!





*HAND PUMPS *ELECTRIC PUMPS *GAS PUMPS *5-250 TON CYLINDERS *HOSES *GUAGES

***VALVES & MANIFOLDS**



FIT TO YOUR PROJECT'S REQUIREMENTS

Services

SERVICE CENTER AND REPAIRS CALL TODAY FOR A QUOTE!







Specialty Equipment Repairs

Quality Tested

Floor Jacks Repairs



Pneumatic Repairs



Hydraulic Repairs



Painting Service



Authorized Factory Service Center For Most of our Major Lines



Repair Parts For Sale



In Stock Inventory



Preventive Maintenance

POWER TEAM

SPXFLOU >Power Team[•]

> SALE \$488.26

*WHILE SUPPLY LAST

POWERTEAM PA6 Hydraulic Pump

 Foot-operated air/oil pump—compact, lightweight & portable—single-speed pumps designed to drive single-acting cylinders

- The power unit of choice for major manufacturers of auto body, frame straighteners and other equipment
- Serviceable pump motor is not a "throw away", providing economical repair
- Permanently vented reservoir cap
- Internal relief valve protects circuit components, air inlet filter protects motor

- Model # PRICE
- PE550 \$3,866.08
- PE552 \$4467.60
- PE552S \$5,577.59
- PE552A \$4,568.39
- PE553 \$5,451.43
- PE554 \$5,165.59



PE55 Series Electric Pumps Single & Double Acting

• Heavy duty multiple applications pump for heavy construction and concrete stressing up to 200 tons

• 1-1/8 hp, 12,000 rpm, 110/115 volt, 50/60 Hz universal motor; draws 25 amps at full load, starts at reduced voltage. CSA rated for intermittent duty

 10 foot remote motor control (except PE552S which has a 25 foot remote motor and valve control)

• True unloading valve achieves greater pump efficiency, allowing higher flows at maximum

• Reservoirs available in sizes up to 10 gallons

• Light weight and portable. Best weight to performance ratio of all Power Team pumps

SALES



Casted Side–Pump Bottle Jacks



Model	Capacity	Min.Height	MaxHeight	ExtensionScrew	BaseSize(LxW)	G.W.	Price
61021	2Ton	7-1/8"	11-5/8"	1-7/8"	3-2/3"X3-2/3"	5.5Lbs.	\$21.19
61041	4Ton	7-11/16"	12-5/16"	2-3/8"	4-1/4"X3-9/10"	7.4Lbs.	\$27.61
61061	6Ton	8-1/2"	13-1/2"	2-3/8"	4-5/8"X4-5/16"	9.9Lbs.	\$35.75
61081	8Ton	9-1/8"	14-7/8"	3-1/8"	4-5/8"X4-5/8"	11.8Lbs.	\$42.16
61121	12Ton	9-1/8"	6"	3-1/8"	5-7/16"×4-15/16"	15.8Lbs.	\$61.84
61121S	12TonS	6-11/16"	12"	1-15/16"	12-3/16"X6-1/4"	15.6Lbs.	\$59.81
61201	20Ton	9-1/2"	5-7/8"	2-3/8"	6-1/4"×5-15/16"	23.7Lbs.	\$87.04
61201S	20TonS	7-1/2"	13-3/16"	1-15/16"	14-1/2"X7"	22.7Lbs.	\$85.92
61301	30Ton	11-3/16"	18-11/16"	-	6-5/8"x6-5/8"	31.4Lbs.	\$174.65

• Professional and ideal storage aid for all variety of manual transport tasks over short distances in stores and warehouses as well as factory plants.

• Compact and attractive design with maximum loading capacity of 5500 lbs.

• High quality steel and German standard WAGNER painting system ensures best powder coating and paint quality.



PJ5500N \$387.50

- 3 position control handle for controlled lowering.
- Polyurethane wheels for quiet operation.

Model	Capacity	Low Height	High Height	Fork Width	For Length	N.W.
PJ5500N	5500 lbs.	3.3"	7.8"	20"	48"	187 lbs.

LET OUR EXPERTS AT



HELP YOU WITH YOUR NEXT PROJECT

LARGEST INVENTORY STOCKING DISTRIBUTOR IN SOUTHERN CALIFORNIA











SPX. >Power Team







CALL NOW FOR PRICING ON NEW EQUIPMENT & RENTALS 562) 860-1417 • 714) 871-4966

Jack X Change is an authorized Enerpac distributor and service center. Providing quailty service since 1961, we have all your Enerpac needs all under one roof. Our technical specialists are able to design, install and service any of these products. Need a quote for your next job or project? Call Today! Hablamos Español.



LARGEST INVENTORY STOCKING DISTRIBUTOR IN SOUTHERN CALIFORNIA



NOW STOCKING BOLTING EQUIPMENT CALL NOW FOR A FREE QUOTE









POWER TEAM QUALITY

With over 90 years of experience in supplying Professional Grade High Pressure Hydraulic Pumps, Cylinders, Jacks, Pullers & Tools. Power Team Products are built tough with strict ISO 9001 manufacturing processes and are covered by a Lifetime PowerThon Warranty*.



CALL FOR OUR WEEKLY SPECIALS!

Foot Pumps





SPX- PA6 Single Speed Air Pump for Single Acting Cylinders, High Density Polyethylene Reservoir

\$1,141.68



SPX- PA6M-1 Single Speed Air Pump for Single Acting Cylinders, 1 Gallon Metal Reservoir



SPX- PA6-2 Single Speed Air Pump for Single Acting Cylinders, High Density 2 Gallon Polyethylene Reservoir

ENERPAC.



ENERPAC- PATG1102N, Turbo II Air Hydraulic Pump, Hand/Foot Operated 3/3 Treadle Valve, 127 in3 Usable Oil, For use with Single-Acting Cylinders



ENERPAC- PARG1102N Turbo II Air Hydraulic Pump, 3/3 Manual Valve with Pendant, 127 in3 Usable Oil, For use with Single-Acting Cylinders



ENERPAC- PAMG1402N Turbo II Air Hydraulic Pump, 4/3 Manual Valve, 127 in3 Usable Oil, For use with Double-Acting Cylinders





NORCO- 910017B 10,000 P.S.I. Air/Hydraulic Foot Pump



NORCO- 910018B 10,000 P.S.I. 2 Gallon Air / Hydraulic Foot Pump (Steel Case)



NORCO- 910130A 10,000 P.S.I. Air / Hydraulic Foot Pump

Air Tools

3/8" Impact Wrenches



\$214.00



3/8" Drive Titanium Impact Wrench

- Max power 300 ft-lbs of maximum reverse torque
- Max control new feather touch trigger and one handed forward and reverse control
- Less than 6" long; weighs less than 2.5 lbs
- Titanium hammer case is lightweight
- with unparalleled durability
- 2 year warranty
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

IRT15QMAX **\$125.00** 3/8" Ultra-Compact Impactool

- 475 ft-lbs. of nut-busting torque
- The twin hammer mechanism
- will reduce vibration
- Only 2.4 lbs
- Push button, forward/reverse
 buttons, and power regulator dial
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





Chicago Pneumatic CLEARANCE SALE

срт7731**\$75.00**

3/8" Stubby Impact Wrench • Ultra compact and powerful:

- 415 ft-lbs in reverseRugged and lightweight: steel front cover and aluminum alloy body
- All controls on front of tool and adjustable for either right or left handed operation
- Only 4.4" long
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





CPT7727 **\$150.00**

- 3/8" Angle Impact Wrench • 185 ft-lbs of maximum torque in reverse
- Steel motor
 Aluminum housing
- Full teasing trigger Only 2.5 lbs.
- 3 positions in forward and 1 in reverse







20-140 ft.1b 26-192Nm







Air Tools

1/2" Impact Wrenches



IRT231C \$128.00 1/2" Drive Super Duty Impactool™

- Maximum torque: 600 ft-lbs
- IR Twin Hammer Mechanism
- Adjustable power regulator
- Pressure feed lubrication

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

IRT231HA **\$154.00** 1/2" Drive Super Duty Air Impactool™

- Pressure-fed lubrication system
- · Handle exhaust directs air away from user
- Adjustable power regulation
- Maximum torque: 590 ft./lbs (800 ft./lbs. reverse)
- Contoured comfort handle

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Chicago Pneumatic CLEARANCE SALE

срт734н \$155.00

1/2" Drive Heavy Duty **Air Impact Wrench**

- DYNA-PACT oil bath clutch delivers smooth operation and extended durability
- 360° air inlet swivel
- Air inlet thread: 1/4" NPTF
- Minimum hose size: 3/8"
- Length: 7.5"
- Weight: 5.13 lbs.
- MARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



СРТ749 \$195.00

1/2" Drive Super Duty **Air Impact Wrench**

- Working torque: 50-450 ft-lbs
- Maximum torque: 610 ft-lbs
- CP'spatentedSpringHammer oilbathclutch
- One-handedreversebutton with4powersettings
- Airinletthread: 1/4"NPTF
- Weight:5.5lbs

MARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



СРТ7748 \$162.76 1/2" Drive Composite

Impact Wrench

- 960 ft.lbs of max torque in reverse
- · One-hand reverse system (Ring system)
- Hard anodized end plates / Hard chromium aluminum cylinder / Twin hammer mechanism
- 6.89" in length
- Only 4.4 lbs in weight thanks to
- 360 degree swivel air inlet

MARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





Air Tools

1/2" Impact Wrenches



\$187.00

IRT231HA-2 1/2" Drive Super Duty **Air Impact Wrench** with 2" Extended Anvil

- · In-handle exhaust directs air away from user
- · Contoured comfort handle
- 590 ft./lbs. maximum torque
- Pressure feed lubrication system
- Adjustable power regulation

MARNING: Cancer and Reproductive Harm -

\$329.00

IRT2236QTIMAX

DXS 1/2" Air Impact Wrench, Std Anvil, Quiet, **1500 ft-lb Torque, Friction Ring Retainer**

Patented Drive Xchange System™: • Helps you get more versatility, torque, and control out of your impact wrench. With 3/8," 1/2", and 3/4" drive options and 5 different anvil lengths, you can do more work with less equipment.



- Powerful Versatility: 1,500 ft.-lbs. of breakaway torque from a unique patented motor design.
- Quiet: 4 decibels quieter running • from a patented motor design.

IRTDXSK2M15L

DXS2 Drive Hex Deep Metric Impact Socket Set, 15-Piece FREE WITH PURCHASE OF IR2236QTIMAX

\$353.33 **IRT2235TIMAX**

1/2" Drive Impact Wrench • 1,350 ft-lbs of nut busting torque,

- powered by Ingersoll Rand's finely tuned twin-hammer impact mechanism • Only 4.6 lbs.
- Backed by a 2 year warranty · One-handed forward/reverse control, feather-touch trigger, and 4-position power regulator

IRT2235TIMAX-2 \$310.00 1/2" Drive Titanium Impact Wrench with Extended Anvil

MARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov









Chicago Pneumatic CLEARANCE SALE

CPT7749 **\$175.00**

1/2" Drive Composite Impact Wrench

- 955 ft.-lbs of extreme torque
- S2S Technology for forward / reverse
- · Ergonomic composite handle
- 3 positive power settings
- · Full teasing trigger allows full control when tightening or loosening fasteners




СРТ7749-2 \$250.00

1/2" Drive Composite Impact Wrench with 2" Extended Anvil

СРТ7732С \$141.00 1/2" Composite

- **Stubby Impact Wrench** 460 ft-lbs of maximum torque in reverse
- Steel motor
- Aluminum clutch housing
- Side 2 Side (S2S): 1 hand forward/reverse operation
- · 2 positions in forward and reverse: max and lower torque
- MARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





Percussive Tools

1/2" Impacts



IRT232TGSL \$295.82

1/2" Drive Street Legal "Thunder Gun" **Impact Wrench**

- Áðā cā; & cā;^ Áæ;] ^ æ; æ; &^ Ê Made in U.S.A similar to the IR ThunderGun racing tool
- Éläbŏ•cæà|^Ą́,[, ^¦Á^*`|æ[[¦
- Ali ¦Áæ c o FBG+/4] æ8o Á ¦^} &@
- ÃGÍ ÁdËà• Á (æ¢Á^ç^¦•^Á(¦``^^
- À€ÁdËà• Á¦¦, æ¦åÁţ¦ĭĭ^ छ∖



Ry Ingersoll Rand。



IRT2145QIMAX

3/4" Drive Composite Impact Wrench

 1,350 ft-lb maximum reverse torque from a tool that weighs just 7.4 lbs and is compact enough to access tight spaces

ΠÌ

- Designed to withstand tough use
- An air motor that's 16% more efficient
- 2 year limited warranty
- Quiet Technology 91.1dBA
- ⚠ K5FB=B;.Ôæ)&^¦Áæ)åÁÜ^]¦[å`&aãç^ÁPæ}{ÁËÁ ,,ÈÜÎÍYæl}āj*∙È&ænÈ`[ç

\$129.00

IRT2135QXPA 1/2" Composite

Quiet Impact Wrench

- XÍ ãc@ÁFÊF€€ÁdËà•ĚĄ ~Á,čó\à`•cāj*Át[¦``^È ŒĮĮĄ́[, ^¦^åÁà^ÁQ *^¦•[||ÁÜæ)åqÁą ^|^Áč} }^å
- c@A{[`}åA{A@A{[[]
- Óæ&\^åÁa^ÁæÁ{} }^Ë^æAÁ æłæ)c

K5FB=B; . Ôa) & \ i kej å ÂÜ^] ![å čağ, AP ad { ÂËA , , , ÈÜ Î Y ad } 3] *•ÈBadž[ç

IRT244A \$234.53

1/2" Drive Super **Duty Impact Wrench**

- Powerful, smooth balanced blows
- Pressure feed lubrication system automatically
- greases the impact system
- Working torque: 40-350 ft./lbs
- Maximum torque: 500 ft./lbs
- Variable speed trigger
- 1 yr warranty on material and workmanship
- K5FB=B;. Ôại & \ Áa; áÂi) ^] ¦[ả` & aặ, ÁP æ { Âã , , , ÈÚ ĺ Í Y æ }] *• Ē&æÊ[ç

3/4" Impacts

Chicago Pneumatic

CPT7763 **\$400.00**

3/4" Drive Heavy Duty High **Power Impact Wrench**

- 1200 ft-lbs of torque
- · Weighs less than 12 lbs
- 6-vane motor for speed -
- power with any 1/2" hose air supply
- Twin hammer high performance clutch · Ergonomic handle exhaust

CPT7763-6 **\$518.00**

3/4" Drive Heavy Duty Impact Wrench with 6" Anvil







Air Tools







Air Tools





IRT295A \$754.00

1" Drive Heavy Duty Air Impactool™

- 1,770 ft./lbs. maximum torque at 120 PSI with 5,250 rpm free speed and a high efficiency 6 vane motor
- Fast torque delivers 1,000 ft./lbs. in 2 seconds
- Handle exhaust directs air away from the work
- Top mounted dead handle provides great leverage
- 3 position power regulator for torque management
- 1 year warranty on material and workmanship
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

IRT2175MAX \$632.00_

1" Drive Pistol Grip Impact Wrench

- Delivers 2,000 ft lbs of reverse torque
- Chemical resistant housing & steel core
- Lightweight: Weighs in under 20 lbs
- 360 Degree adjustable handle: Keeps hoses from getting tangled so you can move freely around the garage

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov







Chicago Pneumatic CLEARANCE SALE

CPT7782-6 1" Drive Heavy Duty Impact Wrench with Extended Anvil

СРТ797 **\$978.00**

1" Drive Super Duty Impact Wrench



- Working torque: 150-900 ft-lbs.; maximum torque: 1400 ft-lbs
- Rocking dog clutch Teasing throttle for easy bolt starting
 WARNING: Cancer and Reproductive Harm -

\$945.00



CPT797-6

1" Drive Super Duty Impact Wrench with 6" Anvil

- Working torque: 150-900 ft-lbs.; maximum torque: 1400 ft-lbs
- Rocking dog clutch Teasing throttle for easy bolt starting
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





IRT2850MAX-6

1" D-Handle Impact Wrench with 6" Anvil

- Delivers 2,100 ft-lbs of torque
- The steel core and chemical resistant housing is made to last even in the harshest working conditions
- At only 21 lbs this light weight design reduces user fatigue
- 2 year warranty on material and workmanship
- WARNING: Cancer and Reproductive Harm
 - www.P65Warnings.ca.gov

IRT285B-6 \$589.00

1" Drive Heavy Duty

Impact Wrench with 6" Anvil

- Maximum torque: 1,770 ft-lbs
- New Fast-Torque feature delivers 1,000 ft-lbs in 2 seconds
- New increased pressure rating can withstand 120 PSI for better durability
- Improved feather-touch trigger
- · Free chemical resistant protective boot helps prevent damage
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801 562.860.1417 | 714.871.4966 | jackxchange.com



HD

Air Tools



IRT121 **\$125.00** Super Duty Air Hammer

- Professional touch trigger for total control
- . Long-life tool with a tough one-piece alloy barrel
- Easy to maintain, with an "easy out" throttle valve assembly 3,000 blows per minute
- 1 yr warranty on material and workmanship

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

IRT115 **\$37.00** Standard Duty Air Hammer

• Up to 5,000 blows per minute

- Alloyed steel barrel and heat-treated piston
- Built-in power regulator and trigger control
- 1 year warranty on material and workmanship
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

IRT117 **\$77.41**

- Standard Duty Air Hammer
- Up to 2,000 blows per minute
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



CPT7110 Heavy Duty Air Hammer

• Shank: .401

- Vibration isolation system
- for smoother operation
- Average air consumption: 3.65 cfm
- · Cushioned exhaust deflector on barrel for comfort and control
- Touch trigger for precision start ups and total control
- Kit includes: (1) quick change retainer, (4) chisels

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



CLEARANCE SALE





IRT1105MAX-D2 1/4" Drive MAX Series Mini Air Ratchet

- 30 ft-lb max torque, 300 rpm free speed
- Variable-speed regulator
- Ergonomic coupling nut and composite handle ensure operator comfort
- Nickel-plated housing provides enhanced corrosion resistance
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



IRT109XPA \$112.00

3/8" Drive Super Duty Air Ratchet • 76 ft-lbs (103 Nm) maximum torque

- at 220 rpm free speed • Variable speed button trigger
- 360° adustable exhaust directs air away from the operator and the work
- Optimized gear ratio and airflow for extra performance

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



CPT828 **\$99.95** 3/8" Drive Heavy Duty Ratchet

Anti-slip head design

- Efficient 1/2 hp motor and triple idler planetary gear system provide up to 50 ft-lbs of torque • Teasing throttle
- Specifications: cfm 4, hose size 3/8", torque range 10 to 50 ft-lbs, ultimate torque by hand 125 ft-lbs, speed 150 rpm

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Cordless Tools



\$450.00 IRTW5133-K22

3/8" High Torque Impact Wrench with (2) Batteries Kit

- . 550 ft-lbs nut-busting torque and 365 ft-lbs of MAX torque
- · 360° Shadowless LED light ring with task light mode and 4 dimmable settings
- 7" tip-to-tail design at only 5.3 lbs (with BL2022 battery)

\$414.00 IRTW5133-K12

3/8" High Torque Impact Wrench with (1) Batteries Kit

IRTW7152-K12 \$466.00

1/2" Drive IQV20 High Torque with (1) Battery Kit

IRTW7172-K22 \$545.00 3/4" Drive IQV20 High Torque with (1) Battery Kit



20V 1/2" Drive Brushless High-Torque

Robust and durable all-metal drivetrain and hammer

mechanism optimized for maximum power and efficiency

Impact Wrench with (2) Batteries Kit

\$550.00

IRTW7152-K22

\$738.00 **IRTIOV20-K201**

1/2" High-Torge Impact Wrench, 3/8" Compact Impact Wrench, (2) 5.0 Batteries, Universal **Charger in Tool Bag**

- W7152 1/2" 20V High-Torque Impact Wrench 1500 ft-lb of Nut-Busting Torque
- W5133 3/8" 20V Compact Impact Wrench 550 ft-lb Nut-Busting Torque
- Also includes (2) BL2022 5amp Batteries, (1) Universal charger and (1) Tool bag
- Patented Shadowless LED light ring with 4 dimmable settings
- · Brushless motor delivers durability and efficiency

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

WORLD'S MOST POWERFU **1" CORDLESS IMPACT WRENCH**

IRTW9491-K4E \$1,200.00

20V 1" D-Handle High Torque Impact Wrench with Standard Anvil - 4 Battery K

• Includes (1) tool, (4) 20v 5.0 amp batteries & (1) Dual Bay Universal Charger

IRTW9491



20V 1" D-Handle High Torque **Impact Wrench with Standard Anvil** (Bare Tool)

\$1,299.00

IRTW9691-K4E

20V 1" D-Handle High Torque Impact Wrench with Extended 6ⁿ Anvil - 4 Battery Kit

• Includes (1) tool, (4) 20v 5.0 amp batteries & (1) Dual Bay Universal Charger

IRTW9691 \$1,047.00


20V 1" D-Handle High Torque Impact Wrench with Extended 6" Anvil (Bare Tool)

Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801 562.860.1417 | 714.871.4966 | jackxchange.com

IRTW7152-K22



jack-x-change



	Pencil Used to pierce		I		terial		
Ajax No.	Shank Type	Length	Weight	Ajax No.	Shank Type	Length	Weight
A925	.401	6 1/2″	.30 \$8.44	A940	.401	7″	.35 \$10.00
	ammer - 1'		lications		ndercoat		
	(various lengtl		Used	'	coatings and	other gask	et materials
Ajax No.	Shank Type	Length	Weight	Ajax SI No. SI	hank Type	Length	Weight
A945	.401	4 1/4″	.30 \$11.13	4951	.401	6 1/2″	.35 \$11.37
A967	.498	4 1/4″	.40 \$17.04				

Air Tools Chisels/Accs

Power Tool Accessories

for the Professional

Ajax Kwik Change Retainers and Needle Scaler Attachments





\$75.23

Retaining Springs

A897

.401 Std. Beehive Spring \$3.24 A896

.498 Beehive(CPA 047096) \$5.36



(CPA 046096)

(AVC-183)

A895

A898

A899

A895-IR

\$48.76

.498 Mech Aid (CPA 047095) \$5,20 .401 Mech Aid (CPA 046095) \$4.27 .401 Std. Beehive Spring \$3.24 A897-IR .401 Mech Aid (AVC-183A)

\$4.91



.401 Beehive Spring & Washer



.401 Mech Aid (B&D 58616)

\$5.57

Accessory Items

A900



(Sioux 2208) \$6.22

Air Regulators Increase or Decrease pressure as needed. 1/4" Male x 1/4" Female NPT Ajax

No	Description	Wt.	
	Brass Aluminum		\$7.56 \$8.98



360° Hose Swivel Increase or Decrease pressure as needed. 1/4" Male x 1/4" Female NPT Ajax Description Wt. A1094 1/2"NPT .20 \$16.88 A1095 3/8"NPT .20 \$18.34

More Available Upon Request

1/4" Drive Socket Sets





GRE9748 \$114.27

48 Piece 1/4" Drive Standard & Deep Impact socket Set · Standard & deep sockets in both fractional & metric sizes • Fractional: 3/16" to 9/16" & metric: 4-15mm


GRE9712UMD \$136.27 12 Piece 1/4" Surface Drive Deep Universal Metric Set Set contains 6 point deep universal sizes 5mm to 15mm



GRE9712UM \$114.28 12 Piece 1/4" Surface Drive Standard Universal Metric Set Set contains sizes: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm,

12mm, 13mm, 14mm and 15mm GRE9712MDG \$109.38 12 Piece 1/4" Drive Deep

Metric Magnetic Impact Set Set contains sizes: 5mm -





1/4" Surface Drive 72 Piece Complete Set Set contains our most popular 1/4" Surface Drive Sockets. Fractional sizes 3/16" to 9/16" and Metric sizes 4mm to 15mm in both Standard and Deep lengths. Universal sizes 1/4" to 9/16" and 5mm to 15mm. Also contains a 3" extension, Universal Joint, 1/4" F x 3/8" M Adapter, and a 1/4" Hex to 1/4" Square Drive Adapter

1/2" Drive Socket Sets

GRE1319D \$122.35

19 Piece 1/2" Drive Deep Length Fractional Master Impact Socket Set

Set contains sizes: 3/8" - 1-1/2"

GRE1328RD \$144.31 28 Piece 1/2" Drive Standard and Deep Length Impact Socket Set

Set contains sizes: 7/16" - 1-1/4"

GRE1313UM \$151.17

13 Piece 1/2" Drive Standard Length Metric Universal Set Set contains sizes: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm and 24mm in standard length.

GRE1326MD \$193.02 26 Piece 1/2" Drive Deep Length Metric Master Impact Socket Set Set contains sizes: 10mm - 36mm

GRE1498MH \$59.41



GRE1598HC \$132.01

1/2" Drive 18 Pc. Combo Hex Driver SAE/Metric Set

 Set contains sizes: 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 6mm, 7mm, 8mm, 10mm, 12mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm.



10 Piece 1/2" Drive Metric Hex Driver Impact Socket Set

SINGLE SOCKETS ALSO AVAILABLE

Jack-X-Change | 1609 N Orangethorpe Way | Anaheim, CA 92801 562.860.1417 | 714.871.4966 | jackxchange.com



GRE1281 \$435.00

81 Piece 3/8 Drive Complete Impact Socket Set



· Extensions and swivels included



GRE1243RD \$101.17

3/8" Drive 43 Piece Standard/Deep SAE/Metric Set

- Set contains 6 point Fractional Sizes 5/16" 3/4" and Metric Sizes 8mm - 19mm both in Standard and Deep Length
- Now includes a 1/4" Hex to 3/8" Square Drive Adapter
- · Also includes a 3" extension and Universal Joint

GRE1226M \$54.00

26 Piece 3/8" Drive Standard & Deep Length Metric Master Set

- Set contains sizes: 7mm 19mm
- in standard and deep length

GRE1104E \$38.96

3/8" Drive 4 Piece Impact Extension Set

- Includes 1-3/4", 3", 6" and 12" length extensions
 Lifetime Warranty (Individual Parts Only)

GRE2204E \$51.28

1/2" Drive 4 Piece Impact Extension Set

- Includes 3", 5", 7" and 10" impact extensions
- · Lifetime Warranty (Individual parts only)

GRE1213MD \$39.28

13 Piece 3/8" Drive Deep Metric Impact Socket Set Set contains sizes: 7mm - 19mm

GRE1210UMSD \$121.82 10 Piece 3/8" Drive Semi Deep Metric

Universal Impact Socket Set Set contains sizes: 10mm - 19mm





PART #	Impact Socket sets	• • • • •
GRE1312	13 pc. 1/2" Dr. Fractional Impact Set Standard Length sizes: 7/16" to 1–1/4". Molded	\$37.64 Case.
GRE1312D	13 pc. 1/2" Dr. DEEP Fractional Impact Set DEEP Impact sizes: 7/16" to 1–1/4". Molded Cas	\$ 61.76
GRE1319	19 pc. 1/2" Dr. Fractional Impact Set Standard Length sizes: 3/8" to 1-1/2". Molded Ca	\$67.64 ase.
GRE1326M	26 pc. 1/2" Dr. Metric Impact Set Standard Length sizes: 10mm-36mm. Molded Ca	\$105.35
GRE1412MD	14 pc. 1/2" Dr. DEEP Metric Set DEEP Impact sizes: 10mm-27mm. Molded Case.	\$72.96











Impact **Socket Sets**

Floor Service Jacks



Floor Service Jacks



Jacks Stands Bottle Jacks





Model	Capacity	Min. Height	Height	Lifting	Extension Screw	Base Size	G.W.
61122	12 Ton	9-7/8"	19-1/2"	6-1/2"	3-1/8"	7.75"x5.12"	26 Lbs.
61206	20 Ton	10-1/2"	20-1/2"	6-13/16"	3-3/16"	9-1/2" x 7"	42 Lbs.
61207	20 Ton	8-1/4"	15-1/2"	4"	3-1/4"	9-1/2" x 7"	37 Lbs.

Truck Jacks



Transmisson Jacks

norco





1 Ton Telescopic Trans Jack



65200 \$1,008.00



Body Repair Kit Include: Manual Hand Pumps Hydraulic Cylinders (Rams) Extension Tubes **Hydraulic Spreaders Rubber Heads** Ram Toe (offset) Plunger Toe (offset) Variety of Different Saddles Customized Blow Mold Case

10 Ton Body Repair Kit




Model	Description	Pump	•		-		Weight	
Model	Description	Capacity	Closed	Extended	Ram Area	Weight		
50100	10 Ton Body Repair Kit	10,000 PSI	13.75"	19.75"	2.40 in ²	83.60 lbs		



jack·x·	chan	ge				Porto Kits	- Power
Bo		nir		Bo Equ	Ton 19p dy Repa ipment B65115 5457.64	ir Kit	
B65114 \$358.48	A-Ton Cent			e e		NCLUDES: Description	
	INCLU	JDES:			B65068 B65123 B65162 B65163	10 Ton Kit Blow-Mo 1000 lbs Sprea 27" Extension ⁻ 18" Extension ⁻	old Case ader Fube
	Model	Description			B65164	10" Extension	
Contraction of the second	B65067 4	Ton Kit Blow-Mold	Case		B65165 B65166	4" Extension T Wedge Hea	
	B65123	1000 lbs Spread	er		B65167	Serrated Sad	
	B65151	Serrated Saddle	e		B65168	Flat Base	
	B65152	90° V-Base			B65169	Ram Toe	
	B65153	Wedge Head			B65172	Plunger To	9
	B65154	Plunger Toe			B65173	90° V-Base	
	B65155	Ram Toe			B65179	Male Connec	
	B65156	Flat Base			B65180 B65188	Rubber Hea 10 Ton Manual Hy	
	B65157	3" Extension Tub	be		B65189	10 Ton Hyd R	
	B65158	6" Extension Tub	be		B65291	6 Feet Hose w/ C	
	B65159 8.	5" Extension Tube	19.5"		B69477	1/4" Female Half C	Coupler
	B65161	Extension Tube	e		B69478	1/4" Male Half Co	oupler
			Pump	Ram	Height	Effective	
Model	Descript	tion	Capacity	Closed	Extended	Ram Area	Weight
B65114	4 Ton Body Re	epair Kit	8,000 PSI	11"	15.75"	.99 in ²	41.00 lbs
B65115	10 Ton Body R	-	10,000 PSI	13.63"	19.75"	2.41 in ²	92.00 lbs

jack·x·chang	ge							U	.S.	JA	СК	
U.S. JACK				-F	D-51	7.64	5 Ton	\$32 	8			.41
\$388.00					1996 - 1996 1996 - 1996 1997 - 1996	6			6		Usic	2)
		Model Number	•	в	с	D	Е	F	Ship	Repair Kit	Base L	Size W
		D-51122	A 8-1/2"		-	_		r 7/8"	Wgt. 11 lbs.	5-577	∟ 4-7/16"	vv 5-7/8"
		D-51123					3"	1-3/16"	15 lbs.	5-578		4-11/16"
		D-51124					4-3/8"	1-3/8"	17 lbs.	5-579	6-1/2"	5-1/4"

Capacity	Model	Lifting	Range	Ram	Hole	Base Size	Shipping
(TONS)	Number	Low	High	Diameter	Dia.		Weight
3	D-51010-C	24-1/8"	41-1/8"	1-3/16"	0.641	4-5/16" X 5-7/8"	25 lbs.



Lubrication

LINCOLN

LIN1162 \$101.49

Fully Automatic Pneumatic Grease Gun

30 high-pressure hose

 with coupler & attachment clip
 Air operating range 40-150 psi, and has greasing capabilities of 6000 psi



- Rugged cast iron pump head
- 16 oz. bulk or 14.5 oz cartridge

LINAC2440 \$257.75

120-Volt Corded Grease Gun

 120v motor provides the highest torque values in its class

LIN1262 \$234.85 12V Li-lon PowerLuber Single Battery Kit

• Kit icludes: Cordless grease gun, One slide-on rechargesble battery, Charger and a heavyduty carrying case

LIN1134 **\$42.60**

Heavy Duty Pistol Grip Grease Gun with Whip Hose and Rigid Pipe

- Has a jam-proof handle mechanism and single piece head casting
- Variable ströke design delivers both high pressure and volume
 Siller pipele/bleeder velve combination
- Filler nipple/bleeder valve combination
 Creates up to 7500 PSI

LIN1147 \$31.61

2 Way Loading Lever Action Manual Grease Gun with 18" Whip Hose and Coupler

- Cast iron pump head, precision fit plunger and extra heavy follower spring
- Length is 21-3/4"
- Jam proof toggle mechanism prevents binding or accidental banding of plunger

or accidental bending of plunger
Exclusive "flip over" follower provides a

superior seal for cartridge applications

LIN877 \$361.17

Metered Control Handle for Oil and ATF

- 3-1/2" diameter
- Includes 10" hose
- For oils, ATF and antifreeze
- 1/2" NPT (f) inlet/outlet
- 1 year warranty on material and workmanship













Follower plate assures positive prime at lowest temperatures Cover is rust-proofed and finished in Lincoln red

LIN989

Bucket shown is NOT included

Steel cover securely clamps

to any 25-50 lb refinery container

Carrying handle provides portability

LINCOLN

LIN917 \$1,543.26 Air Operated Grease Pump

 Will dispense 45 ounces or 80 cubic inches of NLGI 0-2 grease per minute at 150 PSI
 Drum cover 46007 finished in Lincoln red;

\$1.052.94

Heavy Duty Grease Pump for 25-50 lb. Drum

- Drum cover 46007 finished in Lincoln red; roll-a-round base 80895 base in black; air motor cover in white
- Height 43-1/8" Base 17" square
- Drum not included

LIN740 \$143.79

Heavy Duty High Pressure Control Valve

- 7500 psi maximum operating pressure
- Precision-machined, all steel handle, body and guard bracket provides durability and longevity
- Unique, precision control inlet check valve provides ease of handle operation even with

increase in pressure

LIN1013 \$35.00

Heavy DutyGrease Gun

- High-output setting delivers twice the grease per stroke and high-pressure setting for high-tolerance joints and bearings
- Large piston and bore, with quick adjustment handle
- Multi-port pickup makes greasing in tight areas easy
- Has a unique extension that can rotate 360° for hard-to-reach areas
- Exceeds 7000 psi pressure

LIN1035 \$110.00

Heavy DutyGrease Gun

Precision High-Pressure Grease Gun.

LIN6917 \$1,065.00

Air-Operated Portable Grease Pump Package

- Lincoln's time tested 50:1 double acting grease pump is at the heart of the package
- High volume and pressure to handle
- additional hose length and/or adapt to hose reel
- Standard follower wipes 120 lb. drum sides clean and keeps the drum primed













PRODUCT LINES

AUTHORIZED FACTORY SERVICE CENTER & EQUIPMENT/REPAIR PARTS DISTRIBUTOR

AIR TOOLS & ACCESSORIES

AJAX TOOL WORKS ASTRO CARQUEST CHICAGO PNEUMATIC CORNWELL INGERSOLL RAND NAPA MATCO MONSTER

BATTERY CHARGERS& ACCESSORIES ASSOCIATED

ASSOCIATED

COLLISION REPAIR EQUIPMENT

BLACKHAWK HEIN-WERNER JACKCO NORCO SAFEGUARD

ELECTRICAL EQUIPMENT

GREENLEE OTC HAND TOOLS & SOCKETS ASTRO GREY WRIGHT

HOISTS - WINCHES

HYDRAULIC "H" FRAME PRESSES

ENERPAC HEIN-WERNER OTC POWER TEAM NORCO

HYDRAULIC CYLINDERS, PUMPS & JACKS ASTRO

BLACK HAWK CARQUEST CORNWELL

HYDRAULIC CYLINDERS, PUMPS & JACKS (CONT.)

ENERPAC **GRAY JACKS HEIN-WERNER** JACKCO JET MAC MATCO MONSTER NAPA NORCO OMEGA **SPX FLOW - POWERTEAM** SPX- OTC RAMPAC SIMPLEX / T-K SUNEX **TR ENGERNEERING** WEAVER LUBRICATION EQUIPMENT ALEMITE

LINCOLN LUBE GRACO

MATERIAL HANDLING EQUIPMENT

BISHAMON JACKCO

MECHANICAL JACKS

SIMPLEX DUFF-NORTON HILLMAN ROLLERS

PALLET TRUCKS

PALLETMASTER BISHAMON JACKCO ROLLERS HILMAN

WORM GEAR JACKS

DUFF-NORTON SIMPLEX-UNI-LIFT



SALE • SERVICE • REPAIR • RENTALS

DO YOU NEED PARTS? WE STOCK PARTS FOR:

AIR TOOLS - JACKS - PUMPS - CYLINDERS PALLET JACKS - SHOP CRANES - HOIST

DO YOU NEED SERVICE? WE OFFER:

LARGE REPAIR FACILITY FOUR TRAINED MECHANICS RENTALS: HYDRAULIC EQUIPMENT

DO YOU NEED SALES?

LARGE INVENTORY - EQUIPMENT & PARTS

CALL TO ASK ABOUT OUR SPECIALS & PICK UP & DELIVERY DEALS

PROVIDING QUALITY SERVICE SINCE 1961

CALL TODAY

NO SALES TAX OUTSIDE CALIFORNIA

Jack-X-Change 1609 N. Orangethorpe Way Anaheim, CA 92801 (714) 871-4966 (562) 860-1417 Fax: (714) 871-4591 www.jackxchange.com

*****PRICES ARE SUBJECT TO CHANGE AT ANYTIME WITHOUT ANY NOTICE*****



Monday - Friday 8:00am - 4:30pm



